# **CONSTRUCTION SUMMARY OF EXTRAS**

Printed 2020-09-28 / 11:00 PM / Page 1 of 1

Site: Lot: Model: WASAGA 142-2

Purchaser: AQUA (TH-03) A

Phone/Email: SHAMSUNDER & DIHRAJ MAROCHA 416-241-2900



SEPTEMBER 16 2020	#13 SMART-TECH - SEE STANDARD ROUGHIN LOCATIONS	#
SEPTEMBER 16 2020	12 MAIN BATH - COUNTERTOP - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT SINK	#12
SEPTEMBER 16 2020	11 MASTER ENSUITE - COUNTERTOP - UPGRADE TO STONE **INCLUDES OVAL UNDERMOUNT SINK	#11
SEPTEMBER 16 2020	10 KITCHEN - COUNTERTOP - UPGRADE TO STONE *INCLUDES UNDERMOUNT SINK	#10
SEPTEMBER 16 2020	KITCHEN - FRIDGE ENCLOSURE (DEEP UPPERS)	#9
SEPTEMBER 16 2020	8 STAIN STAIRS TO MATCH FLOORING AS CLOSE AS POSSIBLE	#8
SEPTEMBER 16 2020	17 LAMINATE - IN UPPER HALL IN LIEU OF CARPET	#7
SEPTEMBER 16 2020	6 LAMINATE - UPGRADE COLOUR	#6
SEPTEMBER 16 2020	HVAC - COMPLETE AIR CONDITIONING UNIT (LENNOX)	#5
SEPTEMBER 16 2020	KITCHEN - EXTENDED CABINETS TO 39-1/2"	#4
SEPTEMBER 16 2020	MASTER ENSUITE - DOUBLE SINKS IN LIEU OF SINGLE	#######################################
SEPTEMBER 16 2020	FIREPLACE - 36 INCH GAS FIREPLACE WITH STANDARD MANTLE	#2
SEPTEMBER 16 2020	3 PCE ROUGH-IN IN BASEMENT	#1
INCLUDED IN APS	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
INCLUDED IN APS	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE WASHER & DRYER	Т
DATE SELECTED	DESCRIPTION	Г
		1

## ZANCOR HOMES COLOUR CHART

Vendor	er Initial	Purchaser			** PAGE 1 OF 2 **	
W.	M·C	S. M	ity of all Trades PRIOR to	e responsibil colour charts	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all Trades</u> to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to</u> installation.	Any upgrades in the colour chart mu to inform the builder of any d
142-2	1	WASAGA			***FOR TRADE USE***	· 大型 教徒以下
OT	SITE & LOT				Purchaser has reviewed the colour chart	Purcha
	NO			Location	YES	Bathroom Accessories
	NO		Moulding	Opt. Crown Moulding	YES	Mirrors
	LDING	PLASTER MOULD	PL		MIRRORS & ACCESSORIES	MIRRORS &
7	NF15		MANTLE		YES - 36 INCH GAS	LOCATION
				FIREPLACES	FIREP	
	NDERPAD ,	TANDARD UI	LOUR TO3 w/S	NIGHT - CO	CARPET - OPENING NIGHT - COLOUR T03 w/STANDARD UND	Bedroom 3
\	NDERPAD -	FANDARD UI	LOUR T03 w/S	NIGHT - CO	CARPET - OPENING NIGHT - COLOUR T03 w/STANDARD UNDERPAD	Bedroom 2
\	NDERPAD .	TANDARD UI	LOUR T03 w/s	NIGHT - CO	CARPET - OPENING NIGHT - COLOUR T03 w/STANDARD UNDERPAD	Master Bedroom
4	eu of carpet	< 4-7/8" in li	OUR NORD OA	JORD - COL	LAMINATE - TORLYS FJORD - COLOUR NORD OAK 4-7/8" in lieu of carpet	Upper Hall
	/8" /	ORD OAK 4-7	LAMINATE - TORLYS FJORD - COLOUR NORD OAK 4-7/8	ORLYS FJOF	LAMINATE - T	Family Room
			TILE			Breakfast
			TILE			Kitchen
OTHER PROPERTY.				D / CARPE	HARDWOOD / CARPET	
			UNIWALL WHITE 8 X 10	UNIWALI		Main Bath Wall
		*BRICK	NEW BYZANTINE GREY 12 X 24 *BRICK	BYZANTINE	NEW	Main Bath Floor
			BIANCO CARRARA	BIANC		Master Shower JAMB
			WHITE 2 X 2	١W		Master Shower Floor
			CINQ GREY 8 X 10 🍃	CINQ		Mstr Ensuite Shower WALL
		4 *BRICK	NEW BYZANTINE ASSURO 12 X 24 *BRICK	3YZANTINE	NEW I	Mstr Ensuite Floor
		4 *BRICK	NEW BYZANTINE ASSURO 12 X 24 *BRICK 🛰	3YZANTINE	NEW	Laundry
			N/A			Kitchen Bk.Splash
		*BRICK <	<b>NEW BYZANTINE GREY 12 X 24 *BRICK</b>	BYZANTINI	NEW	Breakfast
		*BRICK	NEW BYZANTINE GREY 12 X 24 *BRICK	BYZANTINI	NEW	Kitchen
		on ch	MENA DISCUSSION ONLY			
		*BBIOK	E GBEV 12 V 24	BYZANTINI	NIEVA	Powder Room
		*BRICK	NEW BYZANTINE GREY 12 X 24 *BRICK	BYZANTINI	NEW	Main Foyer
				TILES		
					N/A	Laundry
(1-1) W						
TONE - ICE SNOW (2)		CAFSARS	H&DORC V	7	٦	Main Bath
- QUARTZ REFLECTION (2)		CAESARSTONE	H800BC V	7	SIERRA PVC - WHITE	Master Ensuite
			H800BC		PEDESTAL SINK	Powder Room
On Cas (c)	THE POPULATION OF THE POPULATI	o chi				
	CEASARSTONE - ICE SNOW (2)	CEAS	H800BC			Island
SNOW (2)	CFASARSTONE - ICF SNOW (2)	CFAS	H800BC /		EURO BLACKWOOD	Kitchen
FDGF	NTERTOP	COUNT	HARDWARE		DOOR STYLE	
			OPS	COUNTERT	CABINETRY / COUNTERTOPS	

## ZANCOR HOMES COLOUR CHART

Date	1	Vendor Signature		PAGE 2 OF 2 ***	*** PA
2000	1			HOMES	N
Date	ture	Décor consultant Signature	ncies on sketches,	<u>all trades</u> to inform the builder of any discrepai PES and/or colour charts <u>PRIOR to installation.</u>	responsibility of <u>all trades</u> to inform the builder of any discrepancies on sketches PES and/or colour charts <u>PRIOR to installation.</u>
		1	a PES. It is the	***FOR TRADE USE*** r chart must be accompanied with	***FOR TRADE USE***  Any upgrades in the colour chart must be accompanied with a PES. It is the
Date	10	Purchaser Signature			DÉCOR NOTES
SEPT 16 2020	SE	0::			EMAIL:
Date	10	Purchaser Signature		416-241-2900	HOME #/CELL #
SEPT 16 2020	SE	THE WAR	MAROCHA	SHAMSUNDER & DIHRAJ MAROCHA	PURCHASER(S):
		1	LOT: 142-2	WASAGA	SITE:
۷.۷	S. W.		ning.	acy of colour and selections before sig	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
5	S. m.		ee plus costs	subject to a \$5000 administration	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs
Dim	S. W.	ariances in d. In this event the Vendors's selection	y identical due to dye lot val en pre-selected or installed	ion progress some items may have be	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this e must be accepted by the purchaser
S	INITIALS			DISCLAIMER	
				NO	ELECTRICAL for Bar Fridge
				NO	ELECTRICAL for Gas Stove / Cooktop
				NO	ELECTRICAL for Built-in Micro / OTR
				NO	ELECTRICAL for Built-in Oven
				6 INCH	Hood Fan Venting SIZE
				NO	WATERLINE to Fridge
				200	2 FINE 10 STORE
	NOIES	DECTINED		OFG (SEE FES)	GAS LINE TO STOVE
	201	danc.	/ NO Fackag	IBC (SEE	Sharing assessed in palledgic b
		ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	MENTS-UPGRADE	COR APPLIANCE REQUIRE	ZAI bbliance Package received in 'S
			STANDARD	STANDARD	Laundry
			STANDARD	UNDERMOUNT SINK	Main Bath L
			STANDARD	UNDERMOUNT SINK	Master Ensuite L
			STANDARD	STANDARD	Powder room
			STANDARD	UNDERMOUNT SINK	Kitchen
	NOTES	DETAILED ON PES	EALICETS	PLOMBING- UPGRADES TO BE	
		WARM GREY	WA		THROUGHOUT
13 3			PAINT		
		STANDARD	ST/		Exterior Door Hardware
		STANDARD	ST/		Interior Door Hardware
		STANDARD	ST/		Interior Doors
		STANDARD	ST/		Casing/Baseboards
			TRIM		
/AL OAK	D OAK POST & OV	STANDARD METAL - SINGLE COLLAR WITH ALT PLAIN; TURNED OAK POST & OVAL OAK HANDRAIL	TAL - SINGLE COLLA	STANDARD ME	Main to Basement Railing Details:
	AS POSSIBLE	STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	AIN STAIRS TO MAT	ST	Stair Stain / Species:
		TAIR STAIN	STAIRS, RAILING & PICKETS & STAIR STAIN	STAIRS, RAILIN	

### **Product Specification Sheet**

### HORIZON U 2 - 8"

Refined brushed finish



HORIZON U 2 - 8"

Colour Finish

Refined brushed finish

401234

PRODUCT DIMENSIONS



Model No.

### FEATURES / SPECIFICATIONS

- 18-gauge stainless steel with 18/10 chrome-nickel content One piece construction; no seam
- Rear-positioned drain hole(s) for maximum usable bowl and cabinet
- Under sink coating protects cabinetry from water damage associated with condensation

Double bowl configuration allows for easy multi-tasking in busy kitchens

### Standard with Granite Countertops

### DESIGN AND PLANNING TIPS

Cabinet Size: 33" (840 mm)

Bowl depth: 8" (205 mm) / 8" (205 mm)

Limited Lifetime warranty

### Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

100 Corporation Drive Brampton, ON L6S 6B5 BLANCO CANADA

© 2016 BLANCO CANADA

Kthon 7

# 191/4" OVAL UNDERMOUNT SINK

☐ 4220CFY **Undermount Sink** 

#### Product Specs:

- · Front overflow hole
- Template and mounting hardware supplied

### Overall Dimensions (W x D x H):

(OD): 490mm(19¼") x 410mm(16¼") x 195mm(7¾") (ID): 430mm(17") x 350mm(13%") x 145mm(5%")

### Compliance Certifications:


Meets or exceeds the following:

- IAPMO cUPC
- ASME A112.19.2 / CSA B45,1-2013

#### Shipping:


Cube GW

1.53 19 lbs



mensions of fixtures algorithms and A112,19.2. This is a useful supersense to a rnemand and may vary within the range of tolerances established by ASME crosssauches utslave subject to change or cancellation. No responsibility is a


import (CIF) only




contrac

Revised: January 2016

Masker Mount elk? ( ) A



THE AQUA TH-03




SECOND FLOOR EL. A

Sim

5


142-2

THE AQUA TH-03



BASEMENT EL. A & B

 Fridge Enclosure



1

#### G B ≺ N A N C O R T H m D

# Stone Countertop Edge Profiles (Aurivia) \*\*Where applicable as per site specifications\*\*

FE40	Standard Countertop Edge in <b>Kitchen</b>
FE20	Standard Countertop Edge in Vanity
	0

## Upgrade 1 – Countertop Edges

Z40	DR40 C40	H40 T40	Optional Edge in  Kitchen – See book for  model specific pricing
	H20	C20	Optional Edge in Vanity – See book for model specific pricing

## Upgrade 2 – Countertop Edges

Supt 16/2020	FFZ40	FV40 VX40	Option 2 Edge in <b>Kitchen – Custom \$\$</b>
SITE WANDER	VB40	FZ40	dge in stom \$\$
142-2		120 F20	Optional 2 Edge in Vanity – Custom \$\$

ZANCOR

Homeowner(s) Initials



# RELEASE FORM BRICK/JOINT PATTERN INSTALLATION

Millocha	HOMEOWNERS:
Hard Mosaga	LOT / SITE:

## (Large tiles installation for floor and wall) - 1/4 Brick

Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers.

a layout of the ¼ brick installation that has been recommended. pattern, that it be installed o='[n a % brick pattern, to try to avoid lippage. Attached with this letter, you will findIt is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint

Please understand, even in u	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be	Locations: W
Hence, when there is a reque responsible for this matter.		/ still be minimal lippage which cannot fully be
	est for brick-joint installation, Zancor H	Please understand, even in using this $\frac{1}{2}$ brick installation, there may still be minimal lippage which cannot fully be eliminated.  Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.  Sweet D. M.

## |Small tile installation for walls| - 1/2 Brick

installed on a ½ brick pattern. Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be

		16
Homeowner(s) Initial		Locations:
r(s) Initial		

<sup>\*</sup>Brick installation requires an additional charge and will be included on the extras if selected\*



### (Cable, CAT5, Telephone) **HOME AUTOMATION**

LOT / SITE:

**HOMEOWNERS:** 

#### **OPTION 1**

the locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement I/we the Homeowner(s) have chosen to contact the Home Automation Company to select of Purchase Sale.

to select locations of the standard rough-ins review other optional products for purchase. I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release

Smart -Tech Systems Ltd.

Phone: (905) 761-6469

Location: 200 Millway Avenue, Unit #8

Concord, Ont L4K 5K8

The rough-ins as mentioned above will be installed in locations at the Vendor's discretion Should the homeowner not make these selections within the sufficient time provided,

Homeowner(s) Initial

#### **OPTION 2**

the Homeonwer(s) have selected the locations for the standard rough-ins for Cable, CAT5, Telephone that are included in the Agreement of Purchase and Sale directly with a décor I/we the Homeowner(s) have chosen to not contact the home automation company. I/we

Homeowner(s) Initial

## **APPLIANCE ACKNOWLEDGEMENT**

CONTACT: Wayne @ Coast Appliances (905) 303-6909 / 1748 Credit Stone Circle, Vaughan

- NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.
  Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have

DATE	Sept 16/2000	WALL OVEN & MICRO	HOOD FAN & VENT	RANGE	FRIDGE	UPGRADE APPLIANCE	Appliance Spec	Dishwasher Opening	Stove Opening	Fridge Opening	STANDARD OPENING	
SITE		Single Oven Double Oven Steam Oven	Under Cabinet (Standard) Chimney (centre vent) Insert / Liner	36" 48" Gas	Built-In Paneled / Integrated	UPGRADE APPLIANCE OPENING REQUIREMENTS:	e Specs are DUE 2 WEEKS FROM SIGNED DATE (if not received during appoi	➤ 24" Hood Fan Vent	➤ 30" Hood Fan Opening	▶ 36" (+/-) × 74" (+/-)	STANDARD OPENINGS ACCEPTED BY PURCHASER:	
LOT		Warming Drawer Over the Range Microwave Built-in Microwave (*trim kit required)	6 Inch (Standard) 8 Inch 10 Inch	Cooktop (Apron front) Cooktop (Dropin) **Countertop Cut-out charge required for cooktop	HOMEOWNER INITIALS  Flush Inset  Water Line Required	X Sir D.A	Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE (if not received during appointment)  ***Specs that require changes/modifications after this date will not be accepted***	▼ 6"	▶ 30"	<b>HOMEOWNER INITIALS</b> **Space above the fridge is required due to proper air flow	X S.W. D.X	

stst Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.

<sup>\*\*</sup>It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation



# **INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER**

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' contractual obligations under the Agreement of Purchase and Sale. S.M ワア

**UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE** PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

E T

Vendor liable for provision of same. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz, ロラ

approximately 5'x 8' applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

いけって

the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home. finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

いらか

differences between the two products stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors 100

SIN

may affect the overall look of the finished product. Such factors make exact colour matching impossible. The type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for provision of same site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or onbut not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes US 5,5

not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE S. M. PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will

pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall look held liable for minor variances of fluctuation in hardwood flooring materials. significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain

かかいか

## **HARDWOOD / LAMINATE WAIVER:**

areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled on to I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain floor and in contravention of Ontario Building Code Section 9.30.1.2(1).

flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient similar degrees of water resistance.

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture and agree to waive any claims against the Township of residence, TARION and/or the \*\*SEE COLOUR CHART FOR LOCATIONS\*\*

absorbency in the mentioned areas,

Builder in relation to the matter

5

DATE

NANCOR

221 North Rivermede Road, Concord, Ontario L4K 3N7 \* T: (905) 738.7010 F: (905) 738.5948