CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-06-03 / 2:39 PM / Page 1 of 2

Site: BRAMPTON

Lot: 18

Model: DAWSON 36-04 (A)

Purchaser: VATHANARANY RASIAH Purchaser: 0

Phone: 647-824-6012
Email: LAKSHINI.K@LIVE.CA



	DESCRIPTION	DATE SELECTED
	RONIS BACKAGE: STAINLESS STEEL APPLIANCES WITH WHITE FRONT LOAD WASHER & DRYER	INCLUDED IN APS
	STRUCTURALS	
#1	SMOOTH CEILINGS ON MAIN FLOOR	FEB 16 2021
#2	SHOWER NICHE IN MASTER ENSUITE	FEB 16 2021
#3	SHARED BATH 2/3 - FRAMED GLASS SHOWER IN LIEU OF TUB *INCLUDES MARBLE JAMB & SHOWER POTLIGHT	FEB 16 2021
#4	REAR GARDEN DOORS IN LIEU OF SLIDERS **DOORS WILL BE HINGED IN THE CENTRE, 8 FEET HIGH WITH MULTIPOINT LOCK	FEB 16 2021
#5	**HOMEOWNER MIGHT SELECT A WHIRLPOOL TUB AT THE TIME OF FINISING SELECTIONS	FEB 16 2021
	COLOURS	
#1	SHOWER FLOOR- MASTER ENSUITE AND ENSUITE 2- UP 1	13-May-21
#2	PLUMBING- MASTER ENSUITE SINK- 4220 CIY- QTY 2- RECTANGLE	13-May-21
#3	COMFORT HEIGHT- MASTER BATH, SHARED BATH AND ENSUITE 2	13-May-21
#4	HARDWOOD- MAIN FLOOR, ALL NON TILED AREAS, UPPER HALL, COMPUTER NOOK EXLUDING BEDROOMS- UP 3	13-May-21
#5	RAILINGS- (L)- UP 3	13-May-21
#6	GAS LINE TO STOVE * INCLUDES 15 AMP	13-May-21
#7	CABINETS- MASTER ENSUITE, SHARED BATH, ENSUITE 2 AND LAUNDRY BASE CABINETS- UP 1	13-May-21
#8	CABINETS- KITCHEN- UP 1	13-May-21
#9	COUNTERTOP- KITCHEN QUARTZ 4	13-May-21
#10	KITCHEN- BACKSPLASH SLAB- UP 4	13-May-21
#11	FRIDGE ENCLOSURE- UP 1 - COUNTERDE PTH SEE SPEC	13-May-21
#12	PIVIOTING TOILET PAPER- YB2408 QTY 4- MASTER, POWDER, SHARED AND ENSUITE 2	13-May-21
#13	24" TOWEL BAR- QTY 3- YB2424- MASTER, SHARED AND ENSUITE 2	13-May-21
0	9" TOWEL BAR- YB2486- POWDER ROOM	13-May-21
#14	COOKTOP CABINET WITH POT AND PAN DRAWERS BELOW	13-May-21
#15	CUT OUT FOR COOKTOP - QUARTZ	13-May-21
#16	BASE PIE CUT CORNER CABINET- UP 1	13-May-21
#17	KITCHEN SINK- BLANCO STELLAR 401026	13-May-21
#18	KITCHEN FAUCET- MOEN GENTA 7882C- IN BLACK	13-May-21
#19	EXTRA 2.5' APPROX UPPER AND LOWER CABINETS IN KITCHEN FOR WALL-OVEN	13-May-21
#22	SOFT CLOSE ON EXTRA 2.5' APPROX CABINETS	13-May-21
0	BUILT IN MICRO AND OVEN WITH DRAWER BELOW AND DOORS ABOVE SEE SKETCH- INCLD ELECTRIC	13-May-21
#23	PLAIN GLASS CABINET DOOR FOR KITCHEN- QTY 2 (SEE SKETCH ABOVE WALL OVENS) WITH MATCHING INTERIOR (BLACK)	13-May-21
#24	HOOD RANGE INCLUDING 600CFM FAN 42"- TRANSITIONAL, INCLUDING GREY SMOKED MIRROR	13-May-21
#25	N/A	13-May-21
#26	MOVE STANDARD KITCHEN LIGHT TO ISLAND, AND ADD CAPPED LIGHT W/ SWITCH, SPACED EVENLY. STD KITCHEN LIGHT TO REMAIN	13-May-21
#27	CABINET VALANCE IN KITCHEN- UP1	13-May-21
#28	ELECTRICAL FOR LIGHT VALANCE, INCLUDES SEPARATE SWITCH	13-May-21
#29	PLUG IN MASTER BEDROOM FOR FUTURE TV, INSTALL 65" AFF (SEE SKETCH)	13-May-21
#30	PLUG OVER FIREPLACE FOR FUTURE TV- INSTALL 65" AFF	13-May-21
#31	WATERLINE FOR FRIDGE	13-May-21

CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-06-03 / 2:39 PM / Page 2 of 2

Site: BRAMPTON

Lot: 18

Model:

Purchaser: Purchaser: DAWSON 36-04 (A) VATHANARANY RASIAH

Phone:

Email: 647-824-6012 LAKSHINI.K@LIVE.CA



#32 KITCHEN THE BRICKED INSTALE #33 FOYER THE BRICKED INSTALE #34 POWDER ROOM THE BRICKED INSTALE #35 MUDROOM THE BRICKED INSTALE #36 N/A #37 BASEMENT FOYER THE BRICKED INSTALE #38 SHOWER WALL MASTER, MAIN AND ENG #39 LAUNDRY UPPERS- UP 1 #40 UPGRADE 1 TRIM- COLONIAL

sketches, PES and/or colour charts <u>PRIOR to installation.</u>	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on	***FOR TRADE USE***	Master Ensuite - SINK(s)	Master Ensuite - COUNTERTOP	Master Ensuite - CABINETS	Master Ensuite - SHOWER JAMB	Master Ensuite - SHOWER FLOOR	Master Ensuite - SHOWER WALL	Master Ensuite - FLOORING	Bedroom 5 - FLOORING	Bedroom 4 - FLOORING	Bedroom 3 - FLOORING	Bedroom 2 - FLOORING	Master Bedroom - FLOORING	一年 经工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工工	Powder Room - FAUCET	Powder Room - SINK	Powder Room - COUNTERTOP	Powder Room - CABINETS	Powder Room - FLOORING	Jean Jean Jerwice Jizina (n applicable)	Stair Stain - BASEMENT STAIRS (if applicable)	Stair Stain - MAIN STAIRS	Railing Details - HANDRAIL	Railing Details - POSTS	Railing Details - PICKETS	pasellietit nec nooiii - FLOORIING	Library / Den - FLOORING	FORMAL Room - FLOORING	Living Room - FLOORING	Dining Room - FLOORING	GREAT ROOM	Kitchen - SINK	Kitchen Backsplash	Island - COUNTERTOP	Kitchen - COUNTERTOP	Kitchen - HANDI FS/KNORS	Senior - CABINETS	Kitchen - CABINETS	Breakfast - FLOORING	Kitchen - FLOORING		Basement Foyer - FLOORING	Side Hall - FLOORING	Main Foyer - FLOORING	Sellenter Posts Mont
PAGE 1 OF 2	LOT 18- BRAMPTON	The state of the s	4220 CIY- RECTANGLE X 2 Master Ensuite - FAUCET(s)	BIANCO CARRARA MARBLE	SIERRA MDF BLACK- UP 1- CO	BIANCO CAR	ONTARIO HEXAGON SERIES DARK GREY	LOFT ASH 12 X 24- HORIZONTAL STACKED	LOFT ASH 12 X 24- ST	NA	T17- OPENING NIGHT	T17- OPENING NIGHT	T17- OPENING NIGHT	T17- OPENING NIGHT	2ND FLOOR	STD	STD	NA	NA	GENESIS DARK GREY 12 X 24-	POWDER ROOM	NA NA	STAIN TO MATCH HARDWOOD AS CLOSE	2 3/4" GROOVED OAK HANDRAIL-	3 1/4" SQUARE OAK POST W/ BEVEL CORNERS- UP3	SINGLE COLLAR W/ ALT PLAIN BLAC	STAIRS	NORTHERN SOLID SCOPLIED SAWN RED CA	NORTHERN SOLID SCUPLTED SAWN RED OAK 5" PEWTER UP 3	NORTHERN SOLID SCUPLTED SAWN RED OAK 5" PEWTER UP 3	NORTHERN SOLID SCUPLTED SAWN RED OA	GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT	BLANCO STELLAR 401026	SLAB- BORGHINI LINCOLN- UP	BORGHINI LINCOLN- UP 4	BORGHINI LINCOLN- UP 4	HROORC	SIERNA MOT BLACK - OF I	SIERRA MOF BLACK - UP 1	GENESIS DARK GREY 12 X 24- BRICKED	GENESIS DARK GREY 12 X 24- BRICKED	KITCHEN	GENESIS DARK GREY 12 X 24- BRICKED	NA NA	GENESIS DARK GREY 12 X 24- BRICKED	ENTRANCES
PURCHASER INITIALS	P	SIGNA	- FAUCET(s)	\RBLE	COMFORT HEIGHT		GREY GLOSSY- UP	TAL STACKED	STACKED		ĤΤ	Ħ	파 	HT PEWIENCES	1					4- BRICKED			LOSE AS POSSIBLE		L CORNERS- UP3	BLACK- UP 3	No. of Particular	D OAK 5" PEWTER OF 3	D OAK 5" PEWTER	D OAK 5" PEWTER	D OAK 5" PEWTER UP 3	ENT	026	V- UP 4	JP 4	JP 4		OF I	JP 1	- BRICKED	- BRICKED /		- BRICKED /		- BRICKED	
VENDOR APPROVAL		ATURES	STD				1							X OF 3														(UP 3	R UP 3	₹ UP 3	UP 3											STATE OF STA				

		Vendor APPROVAL	**PAGE 2 OF 2**	**P
		DÉCOR CONSULTANT	HOMES	
		PURCHASER SIGNATURE	installation.	discrepancies on ski
YM	Tet	PURCHASER SIGNATURE	y of <u>all Trades</u> to inform the builder of any of the property	It is the responsibility of all Trades to in
ATE	SIGNATURES / DA		***FOR TRADE USE***	***FOR
	LAKSHINI@LIVE.CA	LAKS		EMAIL:
	VATHANARANY RASIAH	VATHA		PURCHASER(S):
/	3- BRAMPTON	LOT 18-		SITE / LOT:
10	ufacturing/manufacturers. Due yo	dentical due to dye lot variances in mar the Vendors's selection must be accep	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser	Colours of all materials are as construction progress some it
٢	de	ng.	Purchaser has checked and acknowledged accuracy of colour and selections before signing.	Purchaser has checked and ac
-	M A	e plus costs	Any changes to the colour chart after signing are subject to a $\$5000$ administration fee plus costs	Any changes to the colour cha
INITIALS		R	DISCLAIMER	0
DECLINED	ELECTRICAL for Bar Fridge	6" SID		WATERLINE to Fridge
YES	ELECTRICAL for Cooktop	DECLINED	TO DRYER	GAS LINE & ELECTRICAL
YES	ELECTRICAL for Built-in Micro	-		GAS LINE & ELECTRICAL TO STOVE
YES	ELECTRICAL for Built-in Oven	APPLIANCE REQUIREMENTS EI	APPLIA	GAS LINE TO BBQ
UPGRADE	BATH ACCESSORIES			Mirrors
		ORIES	The state of the s	The state of the s
	STD		tle	Location / Insert / Mantle
		FIREPLACE		HINDEN IN
	WARM GREY			PAINT - Throughout
	STD			Interior Door Hardware
1	COLONIAL UP 1	00		Casing/Baseboards
		TRIM / PAINT	Suffer Kan Kilonika	The Party of the P
		NA	SH	Laundry - BACKSPLASH
STD	Laundry - FAUCET	07		Laundry - COUNTERTOP
STD	Laundry - SINK		SIERR	Laundry - CABINETS
H800BC	Laundry - HANDLES/KNOBS	LAUNURY LOFT ASH 12 X 24- STACKED	TOFT A	Laundry - FLOORING
STD	Ensuite Bath - FAUCET(s)	STD		Ensuite 2 Bath - SINK(s)
	COTE D' AZUR NOIR 5006K-07		ERTOP	Ensuite 2 Bath - COUNTERTOP
	1 1		ES/KNOBS	Ensuite 2 Bath - HANDLES/KNOBS
1	SIERRA MDF BLACK- UP 1- COMFORT HEIGHT	SIERRA MDF BLA	:TS	Ensuite 2 Bath - CABINETS
	ARA MARBLE	BIANCO CARR	SHOWER FLOOR SHOWER JAMB	Ensuite 2 Bath - SHOWER JAMB
	ORIZONTAL STACKED	LOFT ASH 12 X	SHOWER WALL	2 Bath -
	LOFT ASH 12 X 24- STACKED	LOFT AS	ING	Ensuite 2 Bath - FLOORING
STD	Shared Bath - FAUCET(s)	STD		Shared Bath- SINK(s)
	COTE D' AZUR NOIR 5006K-07		TOP	Shared Bath- COUNTERTOP
	H800BC		/KNOBS	Shared Bath- HANDLES/KNOBS
1	CK- UP 1- COMFORT HEIGHT	SIERRA MDF BLACK- UP 1-		Shared Bath- CABINETS
	NA		JAMB	Shared Bath- SHOWER JAMB
	NA		FLOOR	Shared Bath- SHOWER FLOOR
	LOFT ASH 12 X 24- STACKED SH 12 X 24- HORIZONTAL BRICKED	LOFT ASH 12 X 24-	3 OWER WALL	Shared Bath- FLOORING Shared Bath- TUB / SHOWER WALL
NA	Main Bath - FAUCE I(S)	NA		Ivlain Bath - SINK(S)
			Cr	Main Bath CINIV(s)
	NA NA		(NOBS	Main Bath - HANDLES/KNOBS
	NA			Main Bath - CABINETS
	NA		1MB	Main Bath - SHOWER JAMB
	NA		OOR	Main Bath - SHOWER FLOOR
	NA		WER WALL	Main Bath - TUB / SHOWER WALL
	NA	ZIAD LEGOV COMILINOED		Main Bath - FLOORING
The Principal		OOR COMPINITIED	בו לואכ	A STATE OF THE PARTY OF THE PAR

COLLETTE 211/2" RECTANGULAR UNDERMOUNT SINK

☐ 4220CIY

Undermount Sink

Product Specs:

- Vitreous china
- Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½") (ID): 485mm(19") x 295mm(11%") x 140mm(5½")

Compliance Certifications:

Meets or exceeds the following:

· IAPMO cUPC

· ASME A112.19.2 / CSA B45.1-2013

Shipping:

Cube 1.64


25 lbs



Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

ble through Direct impart (CIF) only.





Product Specification Sheet

STELLAR U 1 3/4

Refined brushed finish



PRODUCT DIMENSIONS



Colour Finish

Refined brushed finish

Main bowl left 401026

Model No.

FEATURES / SPECIFICATIONS

- German engineered with premium 304-series, 18-gauge stainless steel. Double bowl configuration allows for easy multi-tasking in busy kitchens 18/10 chrome-nickel content for exceptional lustre, durability and strength Rear-positioned drain holes maximize storage space under the cabinet
- **DESIGN AND PLANNING TIPS**

Cabinet Size: 36" (915 mm)

Consult the cabinet manufacturer. Bowl depth: 9" (230 mm) / 7" (178 mm)

Depending on cabinet construction, a different cabinet size may be required.

WARRANTY

Limited Lifetime warranty

Code/Standards Compliance

bodies. For more information on individual product listings, contact our office or listing organization. BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification

BLANCO CANADA 100 Corporation Drive Brampton, ON L6S 6B5

© 2016 BLANCO CANADA

18 Brampton

- secure docking
 PowerClean™ Spray Technology
 Duralock™ quick connect installation pulldown system offers smoother operation, easy movement and

- Metal construction with various finishes identified by suffix Pulldown spray with 68" braided hose High arc spout provides height and reach to fill or clean large pots while pullout wand provides the maneuverability for cleaning or rinsing
- 360° rotating spout
 Flexible supply lines with 3/8" compression fittings
 OPERATION

- Lever style handle
 Operates with less than 5 lbs. of force
 Operates in stream or spray mode in the pulldown or retracted position
 Temperature controlled by 100° arc of handle travel

FLOW

Flow is limited to 1.5 gpm (5.7 L/min) at 60 psi
 CARTRIDGE

- 1255[™] Duralast[™] cartridge for Single-Handle Faucets
 Engineered polymers, non-ferrous and stainless steel materials

 STANDARDS

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B-125.1 and all applicable requirements referenced therein including NSF 61/9 & 372 Meets CalGreen and Georgia SB370 requirements


 Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- ADA (a) for lever handle

 The backflow protection system in this device consists of two independently operating check valves, a primary and a secondary which prevent backflow

 WARRANTY

- Lifetime limited warranty against leaks, drips and finish defects to the original homeowner
 10 year limited warranty when used in a multifamily installation
 5 year limited warranty when used in a commercial installation
 Visit www.moen.com/support for complete details and limitations


ecifications



Pull Down Kitchen Faucet Single-Handle High Arc Genta™

Models: 7882 series

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THROUGH 1 OR 3 HOLES, 1-1/2" (38mm) MIN. DIA.



(406mm) 6

4-3/4"

2-11/16"

(67mm)

(95mm) 3-3/4"

(263mm)

10-3/8"

Rev. 6/19

Moved To

Brampton DAWNSON 36-04

16+ 18 May 13/2

STD sliding Doon

GARDEN DO

DRS MINGED
WITH
NT LOCK


MULTIP

Gas Line to

Install 65" AFF


X-Lightual and

Move Strang Sample Island Same Island, has Same Island, has Same Sample I.



Elevation AGround Floor

SMOOTH CEILINGS




LOT 18

Brampton




SHOWER NICHE 18" WIDE 14" HIGH



CONVERT TUB TO FRAMED GLASS SHOWER

Elevation ASecond Floor




Elevation BSecond Floor

LOT 18

Brampton DAWNSON 36-04

/cf 18 May 13/21



LOT 18


30 Mar 2021

COMMENI


P/0#

10+18 May 13/21

36-4 3D DRAWING



Z







APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller @ Appliance Canada (905) 660-2424 / 8701 Jane Street, Vaughan

- Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)
- ***Specs that require changes/modifications after this date will not be accepted ***
- NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.
- It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- Manufacturers specifications after closing.

	▼
been made to the cabinetry.	Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when n
	nodificati
	suc
_	hav
	Ð

905) 738.7010 F: (905) 738.5948	221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948	221 North Riv
ith specs provided by the Purchaser. s, extras and/or colour chart PRIOR to production/installation.	** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser. **It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to	** Any upg **It is the responsibility of the trade :
LOT	SITE	DATE /
8	BRAMPTON	May 13/2
Warming Drawer Over the Range Microwave Built-in Microwave (*trim kit required)	Single Oven Double Oven Steam Oven	WALL OVEN & MICRO (Spec's Required)
6 Inch (Standard) 8 Inch 10 Inch	Sabinet (Standard) y (centre vent) Liner	HOOD FAN & VENT (Spec's Required)
Cooktop (Apron front) Cooktop (Drop-in) **Countertop Cut-out charge required for cooktop	*hood fan opening to be the same as the stove	RANGE (Spec's Required) **Larger CFM may be required with these appliances**
Flush Inset Water Line	Built-In Paneled / Integrated	FRIDGE (Spec's Required)
the correct specification for each sponsible for appliance do the builder.	UPGRADED APPLIANCES BELOW (Check applicable) It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance that has been upgraded. Zancor Homes will not be responsible for appliance requirements based on upgrades if specs have not been provided to the builder.	UPGRADED AP It is the Purchaser's responsibility to appliance that has been upgraded. requirements based on upgrades if
**Size is (+/-) & space above the fridge is required due to proper air flow SRR A A NITIAL	 36" x 74" **Size is (+/-) & space above the friends 30" 30" 6" 24" 	Fridge Opening Stove Opening Hood Fan Opening Hood Fan Vent Dishwasher Opening
P. Ju	STANDARD OPENINGS ACKNOWLEDGED BY PURCHASER:	STANDARD OPENINGS.





(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

OPTION 1:

locations of the rough-ins for Cable, CAT6, Telephone as included in our Agreement of I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Purchase Sale.

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Trade: **Smart-Tech Home Automation**

(905) 761-6469

Phone:

Kris

Location: 200 Millway Avenue, Unit 8

Concord, Ont L4K 5K8

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

OPTION 2:

CAT6, Telephone that are included in the Agreement of Purchase and Sale. the Homeowner(s) have agreed to the Vendor locations for the standard rough-ins for Cable, I/we the Homeowner(s) have chosen to not contact the home automation company. I/we

Homeowner(s) Initial

DATE

BRAMPTON

SITE

ГO

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

stBrick installation requires an additional charge and must be included on the extras if selectedst

(Large tiles installation for floor and wall) – ¼ Brick

shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers. Please be advised it has come to our attention, that due to production, many of the over-sized and odd

joint pattern, that it be installed o=' $\{n \text{ a \% brick pattern, to try to avoid lippage.} Attached with this letter, you will find a layout of the <math>\%$ brick installation that has been recommended. It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-

	A Makeria Market	Land Comment of the C
	1. 2. 1. 6.2.	
Please understand, even in using this $\%$ brick installation, there may still be minimal lippage which cannot fully be eliminated.	ck installation, there may still be minima	ll lippage which cannot
Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot responsible for this matter.	int installation, Zancor Homes and their	contractor, cannot be held
(Small tile installation for walls) - ½ Brick		Homeowner(s) Initial
Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.	s on a backsplash or shower wall in a br	ck-joint pattern, that it be
LOCATIONS:		
		Homeowner(s) Initial
May 13/21	BRAMPTON	18
DATE	SITE	гот
221 North Rivermede Ro:	221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948)5) 738.5948





Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES

Standard Countertop Edge in
Kitchen

Standard Countertop Edge in
Vanity

"H"

Homeowner(s) Initial

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

Optional Edge in Kitchen A" Optional Edge in Bathroom **"**" Homeowner(s) Initial

OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

DATE Optional Edge for Kitchen ボベ SITE BRAMPTON Ď, Optional Edge in Vanity [OT Homeowner(s) Initial ő





INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

contractual obligations under the Agreement of Purchase and Sale Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its'

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT

immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be materials and shall not hold the Vendor liable for provision of same. expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite,

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. approximately 5'x 8'. STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if Slabs are usually

STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to materials installed in the home. CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products. unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

finish. All cabinets snail be infisited with a with a with a manage of the possible. The purchaser building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold then a support of the purchaser. finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient"

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** /We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture


DATE

BRAMPTON


SITE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

5



Installation




₩.

m O

				3
Cabinet height	Hood height	Recommended height between cooking surface and bottom of the hood	Floor to counter top height (standard)	Floor to ceiling height
N-A	12 3/8"	28" to 30"	36"	variable

Duct transition









The information contained herein is based on s may be incomplete and/or may change withou

> Optional - HOOD FAN Included with **New Image Canopies**

**See price book, "Cabinet Extras"



229 cu.ft. 36" Counter-Depth 4-Door Flox French Door Refrigerator with AutoFill Water Pitcher



free Brilliantly Clean and Smudge

Fingerprint Resistant Finish

Make sure your fridge always looks spotlessly clean. A special Fingerprint Resistant Finish prevents surfaces from becoming covered in unsightly fingerprints and other marks and smudges. And they can be quickly wiped away if they do appear. So your home will stay looking stunningly beautiful.



Specifications


Samsung and Cookies
This site uses cookies By clicking ACCEPT or cookies. Endiswinger.htts

7/9

22.9 cu.ft. 36" Counter-Depth 4-Door Flex French Door Refrigerator with AutoFIII Water Pitcher

6000

Ç **1**0×



22.9 cu.ft. 36"
Courrier-Depth
4-Door Rex
French Door
Refrigerator
with Autofill
Water Pitcher

- Easy access to fresh and flavoured water with Autofill Water Pitcher
 More for with more choice Dual Auto ize Haler
 Keep food fresher with Triple
 Cooling System

Choose your Colour











Flexible Storage

Redefinina refriaeration

Sameting and Cocurs
This are used cockies. By clock
cookies. Louis of Postabless

\$

SAMSUNG NA36N7755TG | Appliance Canada

FREE SHIPPING WITHIN THE GTA, LONDON 8 OTTAWA CITY LIMITS

Appliance Canada

AMEX S VISA

Toll Free 1-800-374-3437

Product Search

Log In 😲

Blog Lifestyles

Promotions

Quote Request

Shop All

Brands

Categories

Builder

Book Online


Contact

Our Story

CALL TO DISCUSS PRICING 1-800-374-3437

VIEW PROMOTIONS 💢

Home / SAMSUNG NA36N7755TG



SKU: SAMSUNG:NA36N7755TG SAMSUNG NA36N7755TG

May 13/21

C\$2,399.99 C\$1,994.99

Quantity

B

ADD TO CART

BUY NOW











Disclaimer:

The product images shown may represent the range of product, or be for illustration purposes only and may not be an exact representation of the product.

Product Pricing or Inquiries	
ries	
•	
+	

Delivery Information

Product Specs +

Energy Star

Warranty









~

and receiving alerts when it finishes** monitor the cooktop at any time using a smartphone App*, while setting the cooking timer Wi-Fi Connectivity maximizes safety and offers peace of mind by letting you remotely Remote & convenient cooktop monitoring with an extra boost of heat.

Powerful heat with precise control

SAMSUNG NA36N7755TG

water in a flash and cook food faster. The Power Boost function can reduce cooking times from a high heat to a true simmer for intense and even cooking, or turn it right up to boil A high power, 22 K Dual Burner provides powerful heat and precise control - quickly going

One-touch control of both cooktop & hood

in cooking convenience. one-touch control of the cooktop, instantly turning them both On' or Off', for the ultimate Connectivity* aligns the hood and cooktop's status so you can control the hood using the Automatically syncs the fan and the lights with the burners through Bluetooth. Auto

Convenient and precise burner control

simple and precise temperature control. left the cooktop on even from a distance. Large, ergonomic metallic knobs also enable With the brilliant and intuitive Illuminated Knob you can easily check whether you have

Enjoy grilled food

move and looks stylish. sizzling, searing and saut(eback)ing. With stainless steel handles on both sides, it's easy to Included heavy-duty cast iron griddle with a wide surface is ideal for quickly and evenly

Hexagon Grates enable a superior cooking performance by conducting heat efficiently Improved flexibility & space efficiency

Stir-fry without tipping

quickly and evenly distributed fits snugly around the burner, so your wok or large pans are kept stable and heat is A specially designed Wok Grate lets you cook more efficiently and safely. Its circular design

Simmer & keep food warm without burning

A Precise 5K BTU Simmer Burner ensures the cooking temperature stays low. With more

LET'S CHAT!

SAMSUNG NA36N7755TG | Appliance Canada

FREE SHIPPING WITHIN THE GTA, LONDON 8 OTTAWA CITY LIMITS

Toll Free 1-800-374-3437



Log In VV

Product Search

Stylishly compatible with built-in ovens Promotions Quote Request Shop All Brands

Builder

Book Online

Contact

Our Story

Blog

Lifestyles

technology make it easy to manage kitchen tasks, even for ambitious cooks. creating the ideal kitchen. These sleek and contemporary designs, plus sophisticated

Fully compatible with Samsung Built-in Ovens to create a sleek and stylish combination,

Powerful heat with precise control

Cookt

- 0 Remote & convenient cooktop monitoring
- 0 0 Convenient and precise burner control One-touch control of both cooktop & hood
- O Enjoy grilled food
- 0 Improved flexibility & space efficiency
- 0 Stir-fry without tipping
- Simmer & keep food warm without burning
- Heats food evenly & stays cleaner
- Stylishly compatible with built-in ovens

Materials/Finishes

- 0 Materials/Finishes
- Model Type Install 36 inch built-in gas cooktop
- 0 Control Method

Illuminated Knobs

Power/Ratings

- 0 Power/Ratings
- Total Power 59,000 BTU
- 0 Power Level
- Low-Med-High
- 0 9,500 BTU Burner - Left Front
- 0 Burner - Left Rear
- 9,500 BTU

0

- Burner Right Front 13,000 BTU
- Burner Right Rear
- 0 5,000 BTU, Precise Simmer
- 22,000 BTU, Dual Brass Burner - Center Front
- 0 Power Supply

120V/60Hz, 1A

Features

- 0 Features
- Grate Cast Iron (3pcs)
- 0 Surface
- **Black Stainless**
- 0 Simmer/Melt
- Yes

Cooktop

- Cooktop
- Number of Burner 5 EA
- Fuel Type

Natural Gas (factory set)

Accessories

Accessories

WOK grate Yes

CHAT!

LET'S

SAMSUNG NA36N7755TG | Appliance Canada

ED TO WESTE, ALL LOCATIONS FREE SHIPPING WITHIN THE GTA, LONDON & OTTAWA CITY LIMITS

Toll Free 1-800-374-3437

Log In V

Promotions Smart WiFi Embedded Yes **Quote Request** Shop All Categories Builder **Book Online** Contact Product Search Our Story Blog Lifestyles

WiFi Dongle(Separate sale) Support Auto Connectivity (with Hood)

WiFi Kit


COOK


App Connectivity

App Connectivity SmartThings App Support Yes

Weights/Dimensions

- Weights/Dimensions
- Package (WxHxD) 1,030 x 270 x 650 mm
- Cutout (WxHxD)
- Net (WxHxD) W 860.4 x D 485.8 mm
- 914.4 x 139.7 x 568 mm
- 43.7 kg
- Weight (Gross)
- 39.8kg Weight (Net)
- Loading Quantity (20/40ft) 152/328





Promotions	CANADA
SHIPPING 8 RETURNS	
905-660-2424	

24

1-800-FRIDGES

TERMS 8 CONDITIONS https://www.appliancecanada.com

Enter Email

Email

SUBSCRIBE



CHAT!

https://www.appliancecanada.com/product-page/samsung-na36n7755tg

Our Story

Contact

Builder

Book Online

Brands

Categories

PAYMENT METHODS


STORE POLICY

Shop All

Quote Request

Whirlpool: 6.4 cu. ft. Smart Combination Wall Oven





Stainlosa Steel WOC54EC0HS

Also available in;

O White Black

WOCSAECOHW WOC54ECOHB

> General features & Properties
> Frozen Bako" technology Capacity

Multi-Step Cooking

Steam Clean option

Scan-to-Connect Tech

Remote Start

Party Mode Keep Warm Setting

Enhanced Troubleshooting Guided Service

Electrical Details 8

Connected/Smi Appliance 240

ğ ž

Reference Material Technical Details Cutout Dimensions (H x W x D) Oven Type 0 mensions Cleaning Type Product Dimensions (H x W x D) Number of Oven Racks Depth with Door Open Oven Cooking System Self-Cleaning w/Steam 40-3/4" 41-5/16" x 28-1/2" x 24" 42-9/18° x 30° x 26-1/2° Thornas

Use & Care Guide


ATOCIVERA

Key Features & Benefits

imant Appliance
Jare smaller with connected features that
are smaller with promocion to the oven
rom your smarlphone, control your kitchen
with voice commands using a compatible
roice-enabled device" or skip preheating.

uchacreen
It instant access to the settings you use
st with a fourbscreen that learns, adapts
of suggests customized presets based on
or family's routines.

Voice Control with a Compatible Voice-Enabled Device*
Control your kitchen no matter what control your kitchen no matter what pru've got on your hands with simple voice commands using the Google Assistant or an Alexa-enabled device.



"Appliance must be set to remote enable. Wif1 8 App Required. Features subject to change. Details and privacy into at whirtpool.com/connect. "U.S. Only, NOTE. Dimensions are for planning purposes only. For complete details, see installation instructions packed with product. Specifications subject to change without notice.

Change without notice.

Serve 9 2000, All agains reserved. Privated in the U.S.A. D200104XXE. WOGS-ECOHSpecShee(NOT).