2(m m/2)

### LG STUDIO

#### LSHD3089BD / LSHD3080ST/L \_SHD3680ST LSHD3689BD

30"/36" Wall Mount Range Hood

in Stewnless

STUD

E LG

Available in 30" & 36" Widths Accomodates Ceilings up to 9'6" 22 1/16" Depth 5" Low-Profile Body Fingerprint & Smudge Resistant

**Dual Level LED Lighting** 5-Speed IR Touch Controls

Decorative Mesh Filters (2)

RoHS Compliant wi-fi Capabilities





Controls
Auto Delay-Off
Lighting
Dual-Level Lighting FEATURES

BLOWER

Speed Levels
CFM (min-max)
Sones (min-max)
DUCTING

Vertical Internal Blower
MATERIALS/FINISHES

Fingerprint & Smudge Resistant POWER/RATINGS

Ratings/Requirements/Type Circuit Breaker Size

IR Touch
Yes
9W LED Light Strip
Yes
Decorative Mesh (2)
Dishwasher-Safe
Yes (On/Off, Control CFM, Lights, Status)
Yes

200-600

Black Stai Yes iless Steel (BD)

MOUNTING HEIGHT

30" DIMENSIONS/WEIGHT
Product Dimensions (WxHxD)
Carton Dimensions (WxHxD)

36" DIMENSIONS/WEIGHT

Carton Dimensions (WxHxD)
Weight (Product/Shipping)
LIMITED WAS TO THE PRODUCT OF THE PROPERTY OF THE PROPERTY

LIMITED WARRANTY

UPC CODES

LSHD3089BD (30" Black Stainless Steel)
LSHD3689BD (36" Black Stainless Steel)
LSHD3080ST (30" Stainless Steel)
LSHD3680ST (36" Stainless Steel)

26"- 34"

29 15/16" x 27" to 48 1/2" x 22 1/16" 34 1/4" x 27 3/8" x 26 5/8" 35 / 52 lbs

35 7/16" x 27" to 48 1/2" x 22 1/16" 39 1/2" x 27 3/8" x 26 5/8" 37 / 55 lbs

2 years parts and labor

Life's Good

## LG COOKING

**LSGL6335**\_ 6.3 cu ft. Smart Wi-Fi Enabled ProBake Convection® InstaView™ Gas Slide-in Range with Air Fry

EasyClean® + Self Clean Built-In Air Fry with ProBake Convection® ThinQ® App with Proactive Customer Care 20K BTU on Edge-to-Edge Cooktop 6.3 cu ft. Capacity

000

### **AVAILABLE COLOURS**













#### LG ThinQ





	Single Oven
stem	ProBake Convection*
ersion Auto-Adjust Yes	Yes
pe	EasyClean* + Self Clean
Door Lock	Automatic
u.ft.)	6.3
Ower	13,500 BTU
wer	19,000 BTU
nent	n/a
Positions	7
Racks	2
	1 Standard, 1 Heavy Duty
	Storage
	Bake, Conv. Bake, Conv. Roast,

umbyyven Type
Yven Cooking System
Oven Capacity (cu. ft.)
Oven Cleaning Type
Drawer Type
Size in Width (in.)
APPEARANCE
---nur

asyClean\* + Self Clean

SUMMARY

Oven wiodes	Broil High, Broil Low, Warm, Proof, BrosyClean, SelfClean, Frozen Meal,
Over light Tupe	L'Annan
CONTROL FEATURES	
Kitchen Timer	Yes
Timed Cook	Yes
Oven Control Lock	Yes
Door Lock	Yes
Sabbath Mode	Yes

Cooktop Type

Number of Cooktop Burners

Element/Burner - Left Front

Element/Burner - Right Front

Element/Burner - Right Rear

Element/Burner - Right Rear

Element/Burner - Center

Cooktop Burner Grate Features

Cooktop Burner Grate Material

18,000 BTU
9,100 BTU
20,000 BTU Ultrah
5,000 BTU
10,000 BTU Oval
Edge-to-Edge Conf

COOKTOP

ntrol Type

FEATURES	
mnect	Yes
e Customer Care	Yes
hagnosis**	Yes
vith	LG ThinQ®
	Amazon Alexa
	Google Assistar
	200000000

DIMENSIONS & WEIGHT	Voits/Hertz/Amps	POWER/RATINGS							Works with	Smart Diagnosis™	Proactive Customer Care	
	120V/60Hz/4.2A		Tovala (*)	Kraft-Heinz(*)	Nestle (*)	SIDECHEF	Google Assistant	Amazon Alexa	LG ThinQ®	Yes	Yes	r c

Cabinet Width (in.)	30
Overall Depth (in.) - including handle	29.3*
Overall Height (in.)	37.2"
Overall Width (in.)	29.9"
Product Weight (lb)	157.7
Shipping Weight (lb)	200.3
Shipping Dimensions (VV x H x D) (in.)	32 1/2" x 44" x 30 1/2"
UPC CODES	
LSEL6335F (Stainless Steel)	048231341882
I.SEL6335D (Smudge Resistant Black Stainless Steel)	048231341899

irk of LG Corp. All other product and brand in Some features may require Internet access





with QuadWash® and 3rd Rack Top Control Wi-Fi Enabled Dishwasher

#### QuadWash®

**Smudge Resistant Finish** 

SmartThinQ® Wi-Fi Connectivity

3rd Rack

EasyRack™ Plus System

Stainless Steel Tub

Inverter Direct Drive™ Motor

LoDecibel™ Quiet Operation (46 dBA)

**ENERGY STAR® Qualified** 







# Enjoy new ways to control your home with LG smart appliances Get notifications when dishes are clean Monitor the cycle time from your smartphone Works with the LG SmartFhinQ®app













## LG REFRIGERATION

## LFXC22526

22 cu.ft. Counter Depth 3-Door French Door Refrigerator

Smudge Resistant Finish
10 Year Warranty on Inverter Linear Compressor
Slim SpacePlus® Ice System

Dual Ice Maker in freezer

Door Cooling+
Glide N' Serve Pantry Drawer
SmartThinQ® - WiFi Connectivity

Fresh Air Filter Flat Duct design SmartPull™ Handle ENERGY STAR®



# Enjoy new ways to control your home with LG smart appliances


- Get an alert when kids forget to clos Make more ice while you're at work Works with the LG SmartThinQ®app








FREEZER





Inverter Linear Compressor  UPC CODES	Sealed System	Part & Labour	WARRANTY	Carton Dimensions (WxHxD)	Weight (Unit/Carton)	Installation Clearance	Door Edge Clearance without Handle	Door Edge Clearance with Handle	Width (Door Open 90° without Handle)	Width (Door Open 90" with Handle)	Width	Height to Top of Door Hinge	Height to Top of Case	Depth (Total with Door Open)	Depth without Door	Depth without Handles	Depth with Handles	DIMENSIONS/CLEARANCES/WEIGHTS	Available Colours	Handles	Smudge Resistant Finish	Hidden Hinges	Contour Door	MATERIALS AND FINISHES	SmartDiagnosis	Wi-Fi Enabled	SmartThinQ SMART FEATURES	Freezer Handle	Freezer Light	Drawer Divider	DuraBase Solid Drawer Base	Drawers	Daor Type
10 Years	5 Years	1 Year		38" x 73" x 36"	271 lbs. / 301 lbs.	Sides 1/8", Top 1", Back 2"	1 3/4"	4 1/2"	39 1/4"	44 1/4*	35 3/4"	69 3/4"	68 3/8"	43 1/2"	24 3/4"	28 3/4"	31 1/4"		Smudge Resistant Stainless Steel	Matching Commercial	Yes	Yes	Yes		Yes	Yes	THE PARTY OF THE P	SmartPull™ Handle	LED Lighting	Yes	Yes	2-Tier Organization	Pull Drawer





LFXC225265 (Smu

udge Resistant Stainless Steel) 048231797238 idge Resistant Black Stainless Steel) 048231797245