CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-10-01 / 3:33 PM / Page 1 of 1

Site: WASAGA

Lot: 123
Model: DUNE (40-05) ELEV B

Purchaser: JULIE ALDRIDGE

Purchaser: SEAN BOSSENCE
Phone: 647.521.5483/ 416.709.1197

ALDRIDGE2JULIE@GMAIL.COM





21 22 23 24 25

WATERLINE TO FRIDGE

COMPLETE LENNOX AIR CONDITIONER (13 ACX) INSTALLED.

** SIZED ACCORDING TO HVAC CALCULATIONS

20-Sep-21

KITCHEN- TWO BIN RECYCLER-RICHELIEU 4614100

COMFORT HEIGHT- MAIN AND MASTER

PAGE 1 OF 2 PURCHASER VENDOR APPROVAL	sketches, PES and/or colour charts <u>PRIOR to installation.</u>
SHORELINE	Trades to inform the builder of any discrepancies on
	Any upgrades in the colour chart must be
SIGNATURES	***FOR TRADE USE***
STD Master Ensuite - FAUCET(s) STD	Master Ensuite - SINK(s)
7213-58	Master Ensuite - COUNTERTOP
H800BC	Master Ensuite - CABINE IS Master Ensuite - HANDLES/KNOBS
PERLATO ROYALE PERLATO ROYALE	Master Ensuite - SHOWER JAMB
ONIARIO SERIES HEX IAUPE MAITE- UP I	Master Ensuite - SHOWER FLOOR
	Master Ensuite - SHOWER WALL
NEW BYZANTINE PENTELLIC GREY 12 X 24- BRICKED	Master Ensuite - FLOORING
NA	Bedroom 5 - FLOORING
NA NA	Bedroom 4 - FLOORING
T03- OPENING NIGHT	Bedroom 3 - FLOORING
T03- OPENING NIGHT	Bedroom 2 - FLOORING
1 1	Master Bedroom - FLOORING
MIRAGE ROCK CLIFF RED OAK CHARACTER 5" DURAMATT- UP 3	Upper Hall - FLOORING
2ND FLOOR	Powder Room - FAUCE I
SID	Powder Room - SINK
NA	Powder Room - COUNTERTOP
NA	Powder Room - CABINETS
LOFT DOVE 12 X 24- BRICKED	Powder Room - FLOORING
POWDER ROOM	では、
NA	Stair Stain - SERVICE STAIRS (if applicable)
	Stair Stain - BASEMENT STAIRS (if applicable)
STAIN TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	Stair Stain - MAIN STAIRS
2 1/2" OVAL OAK HANDRAIL	Pailing Details - HANDRAII
	Railing Details - PICKELS Railing Details - POSTS
STAIRS BLACK METAL SINGLE COLLAB W/ ALT BLAIN	
NA	Basement Rec Room - FLOORING
NA	Library / Den - FLOORING
NA	Dining / Living Room - FLOORING
MIRAGE ROCK CLIFF RED OAK CHARACTER 5" DURAMATT- UP 3	Main Hall - FLOORING
GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT MIRAGE ROCK CLIFF RED OAK CHARACTER 5" DURAMATT- UP 3	GREAT ROOM - FLOORING
	Kitchen - FAUCET
SEE UNDERMOUNT	Kitchen - SINK
MARBLE ORIENTAL WHITE 2 X 4- UP 5	Kitchen - BACKSPLASH
CALCATTA OCEAN- UP 5	Island - COUNTERTOP
CALCATTA OCEAN- UP 5	Kitchen - COUNTERTOP
H800BC	Kitchen - HANDLES/KNOBS
NA	Servery - CABINETS
	Island - CABINETS
CAMBRIDGE MDF GLACIER WHITE-UP 1	Kitchen - CABINETS
	NICCIEII - FEOONING
HARDWOOD- MIRAGE ROCK CLIFF RED OAK CHARACTER 5" DURAMATT- UP 3	Vitchon El COBING
NA	Basement Foyer - FLOORING
NA	Side Hall - FLOORING
LOFT DOVE 12 X 24- BRICKED	Mudroom - FLOORING
LOFT DOVE 12 X 24- BRICKED	Main Fover - FI OORING
ENTRANCES	

	1	Vendor APPROVAL	*	**PAGE 2 OF 2*
Nr.		DÉCOR CONSULTANT		HOMES
m	M	PURCHASER SIGNATURE	charts <u>PRIOR to</u>	discrepancies on sketches, PES and/or colour charts <u>PKIOK to</u> <u>installation.</u>
S. S	4	PURCHASER SIGNATURE	e builder of any	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any
DATE	SIGNATURES /			***FOR TRADE USE***
@GMAIL.COM	ISGE2	647.521.5483/ 416.709.1197	647.521	CONTACT:
	SEAN BOSSENCE	SEAN		PURCHASER(S):
123	is Alphone	WASAGA		SITE / LOT:
M	0	the Vendors's selection must be accept	r installed. In this event	construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
11 200	fortuing/manufacturors Duo to	ng.	d selections before signir	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
The state of the s	8	plus costs	000 administration fee	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
INITIALS	A STATE OF THE PARTY OF THE PAR	R	DISCLAIMER	
		YES		WATERLINE to Fridge
DECLINED	ELECTRICAL for Bar Fridge	6" STD		HOOD FAN VENT SIZE
VES VES	ELECTRICAL for OTR	DECLINED	DE	GAS LINE & ELECTRICAL TO STOVE
DECLINED	ELECTRICAL for Built-in Oven			GAS LINE TO BBQ
		APPLIANCE REQUIREMENTS	APPLIAN	こうとのない 一般によるない
DO NOT INSTALL	BATH ACCESSORIES	YES		Mirrors
	50" DIMPLEX			Location / Insert / Mantle
The second second		FIREPLACE		The second secon
	BIRCH WHITE			PAINT - Throughout
	STD			Interior Door Hardware
	STD			Interior Doors
	STD	TIME / I PILAT	STATE OF THE PARTY	Casing/Baseboards
		RIM / DAINT		Laundry - BACKSPLASH
STD	Laundry - FAUCET	58		Laundry - COUNTERTOP
STD	Laundry - SINK	400 SERIES WHITE PVC	400	Laundry - CABINETS
I	Laundry - HANDLES/KNOBS	ED	LOFT DO	Laundry - FLOORING
		LAUNDRY		一年 日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日
NA	Ensuite Bath - FAUCET(s)	NA		Ensuite Bath - SINK(s)
	NA			Ensuite Bath - COUNTERTOP
	NA S			Ensuite Bath - HANDLES/KNOBS
	NA A			Ensuite Bath - SHOWER JAMB
	Z			Ensuite Bath - SHOWER FLOOR
	NA			Ensuite Bath - TUB / SHOWER WALL
	NA			ENSUITE Bath - FLOORING
NA	Shared Bath - FAUCET(s)	NA		Shared Bath- SINK(s)
				Shared Bath- COUNTERTOP
	NA			
	NA			Shared Bath- CABINETS
	NA :		+	Shared Bath- SHOWER JAMB
	NA S			Shared Bath- SHOWER FLOOR
	NA			Shared Bath- FLOORING
SID	Main Bath - FAUCE I(s)	SID		Main Bath - SINK(s)
CTD				Main Bath - COUNTERTOR
	H900ABC			Main Bath - HANDLES/KNOBS
ORT HEIGHT	SAGE GREEN- UP 1- COMFORT	SIERRA NARROW FRAME MDF	SIE	
	NA			Main Bath - SHOWER JAMB
	NA			Main Bath - SHOWER FLOOR
	I OFT DOVE 12 X 24- STACKED HORIZON	LOFT DOVE 12 X 2		Main Bath - FLOORING
	E 12 V 24 BBICKED	ZND FLOOR CONTINUED	ZND FLO	
The state of the s	The second secon			

Dimplex®

Prism Series

50" Linear Electric Fireplace

BLF5051



The best-selling electric linear fireplace just got better with the all new Prism Series. Sparkling with intensity in a full spectrum of colors, the Prism effect illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Plug-in or hard-wire, hung on the wall or built-in; the Prism Series is beautifully versatile.






™Dimplex®



50" **Prism Series** Linear Electric Fireplace





Accessories



120 Volts | 1.230 Watts | 4,197 BTU

Model #	Description	Lbs / Kg UPC		Wty.	Wty. [†] Carton Dimensions (WxHxD	xHxD)	Cube	(D
THE REAL PROPERTY.	大学 日本	THE REAL PROPERTY.	THE REAL PROPERTY.		Inches	cm	큥	3,
BLF5051	50" Linear Electric Fireplace	75 / 34.1	781052 098787	2 yr.	75 / 34.1 781052 098787 2 yr. 55 x 23-1/4 x 12-7/8 139.7 x 58.9 x 32.7 9.5 0.26	139.7 × 58.9 × 32.7	9.5	0.26
DT1267BLK	DT1267BLK Cohesion Trim - Black	51 / 23,1	781052 080355	an	51/23,1 781052 080355 1 an 64-7/8 x 26-1/4 x 8-3/4 164.8 x 66.8 x 22,1 8.6 0,24	164.8 x 66.8 x 22.1	8.6	0.24
LF50DWS-KIT	LF50DWS-KIT 50" Driftwood and River Rock Accessory Kit	7/3.17	7/3.17 781052 102842		34-1/4 x 5-7/8 x 8-1/8 87.2 x 14.98 x 20.6	87.2 × 14.98 × 20.6		

ange. †Limited warranty, ©2020 Glen Dimplex

Glen Dimplex Americas | 1-800-668-6663

www.dimplex.com

Features BLF5051

- The Original Dimplex Flame Effect A blend of technology, artistry and craftsmanship that sets the standard for realism.
- Acrylic Ice Media Bed Light plays through different size pieces and sparkle in a spectrum of colors.
- Wedia Accent Colors
 Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
- Hanging Glass Design Detachable glass trim easily finishes rough openings and provides access to media.
- Remote Thermostat Control
 Temperature control at your fingertips
 for convenient comfort.
- Multi-function Remote
 Control the flame, heat and thermostat
 from the comfort of your chair.
- LED Lighting Flame and lights use brilliant, low-en-ergy LED's that require zero mainte-nance.
- All-season Flames
 Enjoy the unique charm of a fireplace 365 days a year using the flames without the heat.
- Cool-touch Glass
 Glass remains cool making it safe for any location and any user.
- Low Carbon Footprint
 The most sustainable fireplace option;
 no emissions and 100% efficient.

SE-022-R06-041520



Dimplex





Prism Series

Linear Electric Fireplace

BLF5051

Product Dimensions:








SIDE


Installation **Options** and Framing Dimensions

3 Mounting Options









ON WALL

Must mount to a minimum of three (3) wall studs

PARTIAL RECESSED

2 X 4 Wall Construction Framing dimensions: 46-1/2" W x 16-1/2" H (118.1 cm) W x (42 cm) H


Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com



SHORELINE POINT

DUNE 40-05

12/06/10











DUNE 40-05

Just 123 Supt 20/21




Elevation A / Second Floor




3/5



DUNE 40-05



Elevation A&C /S Basement




Elevation B Basement




16 Jun 2021 40-05 KITCHEN 850-1000 750-1000C 81000 900-1000 OVER THE TONE BC2000L valance Lighting 950-1000 CLIENT NAME: ZANCOR HOMES SHIP TO: SHORELINE POINT DRAFTED BY: FERNANDA COMMENT CARINETS-M RAUG-G THAU 770-600 BS900 CELL: MIC ROWANCE BP-PANEL FLOOR ISLAND REST. \otimes 900-1000 DW615 70 DWG RIGHT 885H x 600D 1 of 22 BE and Drawers -Cutlery Divider -Soft Close Doors

3


Two BIN Recyclers



R



Whirlpool By closing this message, you consent to our cookies on this device in accordance with our Privacy Notice unless you have disabled them. Home > Kitchen Appliances > Cooking Appliances > Microwaves > Over the Range Microwaves > YWML55011HS O SIGN IN H III



Color

Concealed Touch Controls

Tap-To-Open Door

400 CFM Motor Class High Performance Venting¹

Purposeful Capacity Low Profile Design **Key Features**

Stainless Steel



View More V

Specifications

Height: 10-5/16"

Inches

Width: 29-7/8" Inches

Depth: 18.0" Inches

Lot 123 Sept 20/21

Dimensions

Width	Net Weight	Height	Depth With Door Open 90 Degree	Depth	Capacity
29-7/8 in	57 lbs	10-5/16 in	42-1/8 in	18.0 in	1-1/10


Configuration and Overview

Micro
Microwave :
е Тур
Ō
Over-the-Range

Controls


8





Home > Kitchen Appliances > Dishwasher & Cleaning > Dishwashers > Top-Control Dishwashers > WDT750SAKZ





Key Features

- 3rd rack
- Adjustable 2nd rack
- 3-piece silverware basket
- Fingerprint resistant
- Leak Detection System

EMERGY GUIDE

Color

Fingerprint Resistant Stainless Steel



3 of 8



Height Net Weight Minimum Height Maximum Height 34-5/8 in 33-5/8 in 33-5/8 in 85 lbs

Certifications

ADA Compliant

8

Electrical

Volts Amps 120 15

Exterior

Handle Type

Refinements

Towel Bar

Reviews

***** 4.5 1959 Reviews
1738 out of 1897 (92%) reviewers recommend this product

Search topics and reviews

Reviews

Rating Snapshot

Select a row below to filter reviews.

By closing this message, you consent to our cookies on this device in accordance with our Privacy Notice unless you have disabled them.

36

de



SIGN IN

0



Home > Kitchen Appliances > Refrigerators: Built-in & Counter Depth > Refrigerators > French Door Refrigerators > WRF560SEHZ

30-inch Wide French Door Refrigerator - 20 cu. ft.



Model: WRF560SEHZ

4.2 (1481) Write a review



⇔ Share

☐ Compare

Wish List

Key Features

- Humidity-Controlled Crispers
- Adjustable Gallon Door Bins
- **Tuck Shelf**
- FreshFlow™ Produce Preserver
- Spillproof Glass Shelves

ENERGY GUIDE

Color

Fingerprint Resistant Stainless Steel





MSRP: \$2,249.99

Tuck Shelf

Make room for tall items. The front adjusts and slides out of the way, creating space for things like a 2-liter bottle or large salad bowl.

Spillproof Glass Shelves

Simplify cleanup with shelves that help contain spills and prevent liquids from leaking below.

View More >

Specifications

Height: 68-3/8"

Inches

Width: 30.0"

Inches

Inches

Depth: 34-3/8"

.

12 / 23 2 / 4/23

Download Specs Sheet

Download Dimension Guide

Dimensions

3



By closing this message, you consent to our cookies on this device in accordance with our **Privacy Notice** unless you have disabled them.

Close





Q







III

Home > Kitchen Appliances > Cooking Appliances > Ranges > Electric Ranges > YWFE775H0HZ

6.4 Cu. Ft. Freestanding Electric Range with Frozen Bake™ Technology ★★★★★ 4.5 (18) Write a review Model: YWFE775H0HZ

Reviews

Overview

Specifications

Help And Resources

Find In Store





Let 123/21 Supt 20/21









Key Features

- Fingerprint-Resistant
- Frozen Bake™ Technology
- Fan Convection Cooking
- FlexHeat™ Dual Radiant Element
- AquaLift® Self-Cleaning Technology

Color

Fingerprint Resistant Stainless Steel







Specifications

Height: 46-1/2" Inches

Width: 29-7/8"

Depth: 27-3/8"

Inches

Inches

[at 123 Septro] 21

Dimensions

Width 29-7/9	Net Weight 165	Height 46-1/2	Depth With Door Open 90 Degree 47-7/8	Depth Excluding 25-5/16 Doors	Depth Closed 27-3/8 Including Handles	Depth Closed 25-5/16 Excluding Handles	Depth 27-3/5	Cutout Width 30.0	Cutout Height 36.0	Capacity 6-
29-7/8 in	165 lbs	46-1/2 in	47-7/8 in	25-5/16 in	27-3/8 in	25-5/16 in	27-3/8 in	30.0 in	36.0 in	6-2/5

Configuration and Overview

200





APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller smiller@appliancecanada.com

It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

Stove Opening Fridge Opening 36" x 74" 30"

Dishwasher Opening Hood Fan & Vent **Hood Fan Opening**

30" 6" with Under Cabinet Hood 24"

> Openings **Initial Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. to provide this

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

INITIA

***Specs that require changes/modifications after this date will not be accepted**

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

FRIDGE UPGRADE	
	Built-in
	Paneled **Panel to match required
	Integrated / Flush Inset
RANGE UPGRADE	Waterline
*Larger hood fan CFM might be	36" **Hood fan opening must be the same size or larger (8" vent might be required)
required, which need a larger vent	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)
	Gas Range ** gas line and electrical required & sold separately
	Induction **electrical required & sold separately
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately
HOOD FAN & VENT	Cooktop (Drop-in) **countertop Cut-out required & sold separately
UPGRADE	8 Inch **Required for 600 CFM
	10 Inch
	Chimney Hood Fan **Vent must be centred
WALL OVEN/MICRO	Insert / Liner
UPGRADE	Single Wall Oven **electrical required & sold separately
**Electrical required	Double Wall Oven **electrical required & sold separately
	Steam Oven **electrical required & sold separately
	Warming Drawer **electrical required & sold separately
	Over Then Range Microwave (OTR)
	Built-In Microwave **Trim Kit required **electrical required & sold separately
CA 20/21	WASAGA SHORLINE /23
2010	

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948



SHORELINE POINT



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale.



upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

materials and shall not hold the Vendor liable for provision of same. should never be cleaned with lemon oil or vinegar. expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and **quartz,** no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser Stones are porous materials, therefore any spilled substance require

approximately 5'x 8' applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

materials installed in the home. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the

acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry **CABINETRY:** Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all Builder liable for provision of same. factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras

are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall Expansion, compression and cupping are characteristics of hardwood

HARDWOOD / LAMINATE WAIVER:

areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** /We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

SITE

DATE

5

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

WASAGA SHORELINE









(Cable, CAT5/6, Telephone) **HOME AUTOMATION**

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

Purchase Sale. locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Trade: **Smart-Tech Home Automation**

Phone: **Email:** (905) 761-6469

kris@smart-tech.ca

Kris

Rep:

Location: 200 Millway Avenue, Unit 8

Concord, Ont L4K 5K8

ACKNOWLDEGEMENT:

Smart-Tech, locations of the standard rough-ins will be installed as per Vendors discretion. I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Hømeowner(s) Ihitia

DATE

SITE

ГОТ

WASAGA SHORELINE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948







BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

BRICK installation is included as a standard on the floor for 12 x 24 tiles and must be noted on the colour chart and acknowledged on this form

(Large tiles installation for floor and wall) – - ¼ Brick

standard occurrence with all suppliers and manufacturers. shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a Please be advised it has come to our attention, that due to production, many of the over-sized and odd

It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed o='[n a ¼ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ¼ brick installation that has been recommended.

	21
LOCATIONS: LOCATIONS: LOCATIONS:	Jewsin Famor, Toman, Liam par
LOCATIONS:	
Please understand, even in usir fully be eliminated.	Please understand, even in using this $\%$ brick installation, there may still be minimal lippage which cannot fully be eliminated.
Hence, when there is a request	Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held
responsible for this matter.	
	Homeowner(s) Initial
(Small tile installation for walls) - 1/2 Brick	or walls) – ½ Brick

(Small tile

installed on a ½ brick pattern. Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be

LOCATIONS:

,	7 ac/21			LOCATIONS:	LOCATIONS:	Control of the last of the las
SITE	WASAGA SHORELINE					
LOT	123	Homeowner(s) Initial				

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948



SHORELINE POINT




Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES

Kitchen Standard Countertop Edge in



Vanity Standard Countertop Edge in

Homeowner(s) Initia

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250


Optional Edge in Kitchen

Optional Edge in Bathroom













ď,



"B"



OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

Optional Edge for Kitchen





Optional Edge in Vanity







**X"

SITE

DATE

WASAGA SHORELINE

Homeowner(s) Initial

ГОТ