CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-10-03 / 8:56 PM / Page 1 of 1

Site: WASAGA

Lot: 124

Model: SHORE (40-02) ELEV C
Purchaser: MUVAKKIL GASSANOV

Purchaser: ELVIN GASSANOV Phone: 647.470.4554

Email: GASSANOV_ELVIN@HOTMAIL.COM





	DESCRIPTION	DATE SELECTED
	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	INCLUDED IN APS
	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	INCLUDED IN APS
	STRICTIDALS	
1	7 FOOT INTERIOR DOORS ON MAIN FLOOR IN LIEU OF STANDARD (6'8"), CLEARANCES PERMITTTED- QTY 5- SEE SKETCH	22-Sep-21
2	CONVERT TUB INTO FRAMED GLASS SHOWER ENCLOSURE IN ENSUITE BATH WITH STANDARD 2 X 2 TILES ON THE FLOOR, STANDARD WALL TILES, STANDARD MARBLE JAMB, & LED POTLIGHT IN LIEU OF TUB- SEE SKETCH	22-Sep-21
	COLOURS	
ь	ELECTRICAL- 50" DIMPLEX - BLF5051- IN LIEU OF STANDARD. WALL TO BE BUILT INTO ROM APPROX 8" TO ACCOMMODATE- SEE SKETCH	22-Sep-21
2	ELECTRICAL- QTY 5 POTLIGHT IN KITCHEN ON SAME SWITCH. DELETE STD LIGHT	22-Sep-21
ω	2 CAPPED LIGHTS OVER KITCHEN ISLAND, SPACED EVENLY ON SEPARATE SWITCH. STD LIGHT TO REMAIN- SEE SKETCH	22-Sep-21
4	PLUG OVER FIREPLACE FOR FUTURE TV, INSTALL 65 AFF, BESIDE CABLE- SEE SKETCH	22-Sep-21
5	HARDWOOD- UP 1- MAIN HALL, FAMILY ROOM, LANDINGS	22-Sep-21
6	STAIN FOR STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	22-Sep-21
7	HARDWOOD IN KITCHEN/BREAKFAST- UP 1	22-Sep-21
000	HARDWARE - H800MB	22-Sep-21
9	ENSUITE- SHOWER FLOOR TILE- UP 2	22-Sep-21
10	NA	22-Sep-21
11	WATERLINE TO FRIDGE	22-Sep-21
12	SMOOTH CEILINGS ON MAIN FLOOR	22-Sep-21


PURCHASER VENDOR INITIALS APPROVAL	**PAGE 1 OF 2**	sketches, PES and/or colour charts <u>PRIOR to installation.</u>
W. C.	SHORELINE	Trades to inform the builder of any discrepancies on
7	WASAGA 124	Any upgrades in the colour chart must be
SIGNATURES		***FOR TRADE USE***
- FAUCET(s) STD	STD Master Ensuite - FAU	Master Ensuite - SINK(s)
	5001K-07	Master Ensuite - COUNTERTOP
	H800MB	Master Ensuite - CABINETS Master Ensuite - HANDLES/KNOBS
	PERLATO ROYALE	Master Ensuite - SHOWER JAMB
4- UP 2	MARBLE ICEBURG 2 X 4- UP	Master Ensuite - SHOWER FLOOR
4- STACKED HORIZONTAL	NEW BYZANTINE PENTELLIC GREY 12 X 24-	Master Ensuite - SHOWER WALL
12 X 24- BRICKED	NEW BYZANTINE PENTELLIC GREY 12 X	Master Ensuite - FLOORING
	NA	Bedroom 5 - FLOORING
	NA	Bedroom 4 - FLOORING
	NA	Bedroom 3 - FLOORING
HT .	TO3 OPENING NIGHT	Bedroom 2 - FLOORING
HT	T03 OPENING NIGHT	Master Bedroom - FLOORING
	NA	Upper Hall - FLOORING
	2ND FLOOR	
	NA	Powder Room - FAUCET
	NA	Powder Room - SINK
	NA	Powder Room - COUNTERTOP
	NA	Powder Room - CABINETS
	NA	Powder Room - FLOORING
	POWDER ROOM	
	NA	Stair Stain - SERVICE STAIRS (if applicable)
S POSSIBLE	STAIN TO MATCH AS CLOSE AS POSSIBLE	Stair Stain - BASEMENT STAIRS (if applicable)
S POSSIBLE	STAIN TO MATCH AS CLOSE AS POSSIBLE	Stair Stain - MAIN STAIRS
VRAIL	2 1/2" OVAL OAK HANDRAIL	Railing Details - HANDRAIL
OST	2 3/4" TURNED OAK POST	Railing Details - POSTS
PLAIN	ALL BLACK METAL W/ ALT PLAIN	Railing Details - PICKETS
The state of the s	STAIRS	
	NA	Basement Rec Room - FLOORING
	NA	Library / Den - FLOORING
	NA	Dining / Living Room - FLOORING
5 5	MIRAGE ADMIRATION CHARCOAL RED OAK 3	Main Hall - FLOORING
S 5/16' CASHMERE- UP 1	GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT	GREAT ROOM:
		Kitchen - FAUCET
	STD	Kitchen - SINK
	DECLINED	Kitchen - BACKSPLASH
	5001K-07	Island - COUNTERTOP
	5001K-07	Kitchen - COUNTERTOP
	Н800МВ	Kitchen - HANDLES/KNOBS
	NA	Servery - CABINETS
	EURO BLACKWOOD	Island - CABINETS
	EURO BLACKWOOD	Kitchen - CABINETS
3 5/16' CASHMERE- UP 1	MIRAGE ADMIRATION CHARCOAL RED OAK 3	Breakfast - FLOORING
3 5/16' CASHMERE- UP 1	MIRAGE ADMIRATION CHARCOAL RED OAK 3	Kitchen - FLOORING
2 A 24- BRICKED	NEW BIZAN LINE PENTELLIC GNET 12	Basement royer - FLOORING
	NEW DYZANTINE DENTELLIC GBEV 13 Y 27	Side Hall - FLOORING
	NA NA	Mudroom - FLOORING
2 X 24- BRICKED	NEW BYZANTINE PENTELLIC GREY 12 X 24- BRICKED	Main Foyer - FLOORING
	ENTRANCES	

A Table	1	Vendor APPROVAL		**PAGE 2 OF 2**
NIF	<i>/</i>	DÉCOR CONSULTANT		PANCOR
	Same S	PURCHASER SIGNATURE	rts PRIOR to	discrepancies on sketches, PES and/or colour charts PRIOR to installation.
		PURCHASER SIGNATURE	ied with a PES. uilder of any	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any
/ DATE	SIGNATURES			***FOR TRADE USE***
ELVIN@HOTMAIL.COM	2	647.470.4554		CONTACT:
	ELVIN GASSANOV	ELV		PURCHASER(S):
124	CASSANCE	WASAGA		SITE / LOT:
S. 6.6	ted by the purchaser	dentical due to dye lot variances in man t the Vendors's selection must be accep	talled. In this event	Colours or all materials are as close as possible to builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers. construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
	, I	ng.	ections before signin	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
24 52		e plus costs	0 administration fee	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
INITIALS		R	DISCLAIMER	
		YES		WATERLINE to Fridge
DECLINED	ELECTRICAL for Cooktop ELECTRICAL for Bar Fridge	6" STD	DE	GAS LINE & ELECTRICAL TO DRYER HOOD FAN VENT SIZE
DECLINED	ELECTRICAL for Built-in Micro		DE	RICAL TO
DECLINED	ELECTRICAL for Built-in Oven	APPLIANCE REQUIREMENTS STD EL	APPLIAN	GAS LINE TO BBQ
DO NOT INSTALL	BATH ACCESSORIES			Mirrors
	O DIME LEV	ACCESSORIES	1	rocation / insert / Infantic
	SO" DIMPLEY			location / Insert / Mantle
		FIREPLACE		0.00
	WARM GREY	<		PAINT - Throughout
NO LOKCOLKA	STD T	4		Interior Door Hardware
200	STD			Casing/Baseboards
		TRIM / PAINT		一日 一
		NA		Laundry - BACKSPLASH
STD	Laundry - FAUCET			Laundry - COUNTERTOP
+	Laundry - SINK	_		Laundry - CABINETS
8S H800MB	Laundry - HANDLES/KNOBS	NEW BYZANTINE PENTELLIC GREY 12 X 24- BRICKED	NEW BYZANTIN	Laundry - FLOORING
		IAIINDRY		Fibratic part Strate
NA	Ensuite Bath - FAUCET(s)	NA		Finsuite Bath - SINK(s)
	NA NA			Bath -
	Z		T	Ensuite Bath - CABINETS
	NA			Ensuite Bath - SHOWER JAMB
	NA			Ensuite Bath - SHOWER FLOOR
	NA			
	NA			Ensuite Bath - FLOORING
NA	Shared Bath - FAUCET(s)	NA		Shared Bath-SINK(s)
	NA			Shared Bath- COUNTERTOP
	NA S			Shared Bath- HANDLES/KNOBS
	NA NA			Shared Rath- CARINETS
	NA			Shared Bath- SHOWER FLOOR
	NA			Shared Bath- TUB / SHOWER WALL
	NA			Shared Bath- FLOORING
STD	Main Bath - FAUCET(s)	STD		Main Bath - SINK(s)
	5001K-07			Main Bath - COUNTERTOP
	H800MB			Main Bath - HANDLES/KNOBS
	EURO LARICE BIANCO	EURO		Main Bath - CABINETS
	NA NA			Main Bath - SHOWER FLOOR
IORIZONTAL	GREY 12 X 24- STACKED H	NEW BYZANTINE PENTELLIC GREY 12 X 24- STACKED HORIZONTAL	7	Main Bath - TUB / SHOWER WALL
- BRICKED	NTELLIC GREY 12 X 24- BRIG	NEW BYZANTINE PENTELLIC GREY 12 X 24		Main Bath - FLOORING
1000年の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の		2ND FLOOR CONTINUED	2ND FL	




E6

35



F.G

7,9



FG

Dimplex®

Prism Series

50" Linear Electric Fireplace

BLF5051



The best-selling electric linear fireplace just got better with the all new Prism Series. Sparkling with intensity in a full spectrum of colors, the Prism effect illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Plug-in or hard-wire, hung on the wall or built-in; the Prism Series is beautifully versatile.


LOT 124



Dimplex



50 **Prism Series** Linear Electric Fireplace



Color Themes













Accessories



50" LF5CDWS-KIT



120 Volts | 1,230 Watts | 4,197 BTU

Model #	Description	Lbs / Kg UPC	UPC	Wty. [†]	Wty,¹	xHxD)	Cube	4
Organization Color	The state of the s	1	THE REAL PROPERTY.		Inches	cm	₹	3
BLF5051	50" Linear Electric Fireplace	75 / 34.1	781052 098787	2 yr.	75 / 34.1 781052 098787 2 yr. 55 x 23-1/4 x 12-7/8	139.7 x 58.9 x 32.7 9.5 0.26	9.5	0.26
DT1267BLK	DT1267BLK Cohesion Trim - Black	51 / 23,1	781052 080355	an	$51/23,1$ 781052 080355 1 an $64-7/8 \times 26-1/4 \times 8-3/4$ $164.8 \times 66.8 \times 22.1$ 8.6 0.24	164.8 x 66.8 x 22.1	8.6	0.24
LF50DWS-KIT	LF50DWS-KIT Accessory Kit	7/3.17	7 / 3.17 781052 102842		34-1/4 x 5-7/8 x 8-1/8 87.2 x 14.98 x 20.6	87.2 x 14.98 x 20.6		1

are subject to change, 'Limi

Glen Dimplex Americas | 1-800-668-6663 www.dimplex.com

Features

BLF5051

- ★ The Original Dimplex Flame Effect**
 A blend of technology, artistry and craftsmanship that sets the standard for realism.
- G Acrylic Ice Media Bed
 Light plays through different size pieces and sparkle in a spectrum of colors.
- Media Accent Colors

 Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice,
- Hanging Glass Design Detachable glass trim easily finishes rough openings and provides access to media. ** Flexible Installation
 Simply surface mount and plug-in or fully-recess and direct wire for a seam-
- Remote Thermostat Control
 Temperature control at your fingertips for convenient comfort.

Multi-function Remote
Control the flame, heat and thermostat
from the comfort of your chair.

- LED Lighting Flame and lights use brilliant, low-en-ergy LED's that require zero mainte-nance.
- All-season Flames
 Enjoy the unique charm of a fireplace
 365 days a year using the flames
 without the heat.
- Cool-touch Glass
 Glass remains cool making it safe for any location and any user.
- The most sustainable fireplace option; no emissions and 100% efficient,







Prism Series

50" Linear Electric Fireplace

BLF5051


Product Dimensions:






Installation **Options** and Framing **Dimensions**

3 Mounting Options






PARTIAL RECESSED

2 X 4 Wall Construction Framing dimensions: 46-1/2" W x 16-1/2" H (118.1 cm) W x (42 cm) H

Must mount to a minimum of three (3) wall studs


ON WALL




2 X 8 Wall Construction Framing dimensions: 49" W x 18-1/2" H (124.5 cm) W x (47 cm) H

SHORELINE POINT

SHORE 40-02









EG



SHORE 40-02



Ground Floor





Optional Loft Elevation A, B & C

EG





APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

V Manufacturers specifications after closing It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per

STANDARD APPPLIANCE OPENINGS provided by Zancor:

*Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have been made to the cabinetry.

V V Fridge Opening 36" x 74"

Hood Fan Opening Stove Opening 30"

Hood Fan & Vent 6" with Under Cabinet Hood 24"

Dishwasher Opening

Openings **Initial **Accepts Standard**

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

responsible for any necessary requirements and the standard opening will be built. Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

INITIAL

6

***Specs that require changes/modifications after this date will not be accepted**

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner

SITE LOT		DATE
WASAGA SHORLINE	2/2/	36 + 33
Built-In Microwave **Trim Kit required **electrical required & sold separately	Built-In Microv)
Over Then Range Microwave (OTR)	Over Then Ran	
Warming Drawer **electrical required & sold separately	Warming Draw	
Steam Oven **electrical required & sold separately	Steam Oven **	
Double Wall Oven **electrical required & sold separately		**Electrical required
Single Wall Oven **electrical required & sold separately		UPGRADE
] [WALL OVEN/MICRO
	Insert / Liner	
Chimney Hood Fan **Vent must be centred	Chimney Hood	
	10 Jnch	
ed for 600 CFM	8 Inch **Required for 600 CFM	UPGRADE
		HOOD FAN & VENT
Cooktop (Drop-in) **countertop Cut-out required & sold separately	Cooktop (Drop	
Cooktop (Apron Front) **Countertop Cut-out required & sold separately	Cooktop (Apro	
Induction **electrical required & sold separately	Induction **el	
Gas Range ** gas line and electrical required & sold separately	Gas Range **g	
48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)		vent
36" **Hood fan opening padst be the same size or larger (8" vent might be required)) 	*Larger hood fan CFM might be
	m]	RANGE UPGRADE
	Waterline	
sh Inset	Integrated / Flush Inset	
**Panel to match required	Paneled **	
	Built-in	
	Ĭ	FRIDGE UPGRADE

^{**}It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation



^{**} Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.



SHORELINE POINT



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale.

77

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

materials and shall not hold the Vendor liable for provision of same. acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone immediate attention. Stone countertops require regular seal re-application as part of home maintenance. should never be cleaned with lemon oil or vinegar. expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and **quartz,** no two pieces are exactly the same. PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, Variations in colour, tone, granularity (pitting, fissures) and pattern are to be Stones are porous materials, therefore any spilled substance require

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually **STONE COUNTERTOP JOINTS:** Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

materials installed in the home. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product. actors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

Builder liable for provision of same acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. The purchaser This

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be is a pre-finished product in a controlled environment. responsible nor held liable for minor variances ilooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring ook of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall of fluctuation in hardwood flooring materials Expansion, compression and cupping are characteristics of hardwood

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storagė areas shall consist of resilient /We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS**

WASAGA SHORELINE

SITE

DATE

5

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

MASTER - ALL MASTER SIGN OFF FORMS 2020 Dec 17 2020







(Cable, CAT5/6, Telephone) **HOME AUTOMATION**

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

Purchase Sale. locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Trade: **Smart-Tech Home Automation**

Email: Phone: kris@smart-tech.ca (905) 761-6469

Kris

Rep:

Location: 200 Millway Avenue, Unit 8

Concord, Ont L4K 5K8

ACKNOWLDEGEMENT:

Smart-Tech, locations of the standard rough-ins will be installed as per Vendors discretion. I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Homeowner(s) Initial

WASAGA SHORELINE

ЮТ

SITE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948



SHORELINE POINT



BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

BRICK installation is included as a standard on the floor for 12 x 24 tiles and must be noted on the colour chart and acknowledged on this form

(Large tiles installation for floor and wall) -- ¼ Brick

standard occurrence with all suppliers and manufacturers. shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a Please be advised it has come to our attention, that due to production, many of the over-sized and odd

It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed o='[n a ¾ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ¼ brick installation that has been recommended.

IOT	SITE	DATE
	WASAGA SHORELINE	
Homeowner(s) Initial	1	
		LOCATIONS: LOCATIONS:
oint pattern, that it be	Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.	Purchaser requests to install small wall til installed on a ½ brick pattern.
Homeowner(s) Initial		(Small tile installation for walls) – ½ Brick
tractor, cannot be held	Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter.	Hence, when there is a request for brick-j responsible for this matter.
page which cannot	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot	Please understand, even in using this ¼ b
	, Laurdy, Chsut, M	LOCATIONS: Fager LOCATIONS: LOCATIONS:

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

DATE