## CONSTRUCTION SUMMARY OF ENTRAS Printed 2021-01-08 / 10:39 AM / Page 1 of 2

Site: INNISFIL 33W

Fot:

Model: 50-04 (ELEV. C) RIDGE SHERRY E. CHRISTODOULOU 647-500-6300

Purchaser: Phone/Email:



AUGUST 20 2020		
AUGUST 20 2020	#25 KITCHEN - SIRAIGHT WINDOW VALANCE ABOVE SINK	# #
AUGUST 20 2020		ŧ ;
AliGlist 20 2020	#24 KITCHEN - CROWN AND RISER TO CEILING	#2
AUGUST 20 2020	#23 KITCHEN COUNTERTOP - UPGRADE 3	#2
AUGUST 20 2020	#22 KITCHEN - UPGRADE 1 CABINETS	#2
AUGUST 20 2020	#21 INTERIOR RAILINGS - UPGRADE 2 - SQUARE OAK WITH BEVELED CORNER 🗸	#
AUGUST 20 2020	#20 INTERIOR TRIM - UPGRADE 2 STEP STYLE V	#
AUGUST 20 2020	#19 TILES - FOYER & POWDER - UPGRADE 6 24 X 24	世
AUGUST 20 2020	#18 CABINETS - BANK OF DRAWERS IN MASTER ENSUITE BETWEEN SINKS AND IN SHARED BATH	世
AUGUST 20 2020	#17 STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE /	世
AUGUST 20 2020	#16 HARDWOOD -UPGRADE 1 THORUHGOUT 2ND FLOOR *PRICE IS IN LIEU OF THE STANDARD THAT IS INCLUDED IN THE APS	世
AUGUST 20 2020	#15 HARDWOOD - UPGRADE 1 IN KITCHEN BREAKFAST IN LIEU OF TILE SEE CHANGES #2	世
AUGUST 20 2020	#14 HARDWOOD - UPGRADE 1 ON MAIN FLOOR STANDARD AREAS SEE CHANGES # 1	世
AUGUST 20 2020	#13 8 FOOT HIGH INTERIOR DOORS (x6)	进
AUGUST 20 2020	#12 ELECTRICAL - POTLIGHT (x1) OVER SINK ON SEP SWITCH V KITCHEN.	世
AUGUST 20 2020	#11 ELECTRICAL - 50 AMP PLUG FOR INDUCTION STOVE IN LIEU OF STD	#
AUGUST 20 2020	#10 ELECTRICAL - ADD CAPPED LIGHT IN PORTICO CEILING **STD LIGHT REMIANS	世
AUGUST 20 2020	#9 ELECTRICAL - CAPPED LIGHT IN LIVING ROOM ON EXISTING SWTICH	#
AUGUST 20 2020	#8 ELECTRICAL - POTLIGHTS IN GREAT ROOM (x8) **STD TO REMAIN	#
AUGUST 20 2020	#7 ELECTRICAL - POTLIGHTS IN KITCHEN (x9) **SEE LOCATION FOR STD LIGHT	#
AUGUST 20 2020	#6 ELECTRICAL - POTLIGHTS IN MAIN HALL (x5) **DELETE STD LIGHT /	#
AUGUST 20 2020	#5 ELECTRICAL CLARIFICATION - 2 STANDARD LIGHTS TO REMAIN IN MASTER BEDROOM CLOSET	<b>#</b>
AUGUST 20 2020	#4 ELECTRICAL - ADD CAPPED LIGHT IN MASTER ENSUITE ON SEP SWITCH	#
AUGUST 20 2020	#3 ELECTRICAL - ADD CAPPED WALL LIGHT ABOVE SINK AND SHIFT OVER STD ABOVE OTHER SINK V MISSTER EN SUITE	#
AUGUST 20 2020	#2 ELECTRICAL - POTLIGHTS IN MASTER ENSUITE (x1) **DELETE STD /	<b>#</b>
AUGUST 20 2020	#1 ELECTRICAL - POTLIGHTS IN UPPER HALL (x4) **SEE LOCATION FOR STD LIGHT	*
	COLOURS	
MAY 25 2020	#13 DELETE CLOSET IN MUD ROOM	费
INCLUDED IN APS	#12 HARDWOOD - 3-1/4" NATURAL OAK IN BEDROOMS IN LIEU OF CARPET AS PER AMENDMENT IN APS	#
INCLUDED IN APS	#11 SMOOTH CEILINGS THROUGHOUT AS PER AMENDMENT IN APS	豊
	#10 N/A	#
MAY 25 2020	#9 LARGER BASEMENT WINDOWS 30 X 24 IN LIEU OF STANDARD V	共
MAY 25 2020	#8 DELETE WALL BETWEEN HIS/HER CLOSET IN MASTER BEDROOM **CREATE A DOUBLE DOOR ENTRY	#
MAY 25 2020	#7 SHOWER NICHE IN ENSUITE 2 **CENTRED ON WALL	#
MAY 25 2020	#6 SHOWER NICHE IN TWIN BATH **CENTRED ON WALL	#
MAY 25 2020	#5 SHOWER NICHE IN MASTER ENSUITE **CENTRED ON WALL V	推
MAY 25 2020	#4 FRAMELESS GLASS SHOWER IN MASTER ENSUITE	#
	#3 N/A	無
MAY 25 2020	#2 GARAGE INSULATION ON EXTERIOR WALLS ONLY V	#
MAY 25 2020	#1 TRAY CEILING MASTER BEDROOM	#
	STRUCTURALS	
INCLUDED IN APS	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
INCLUDED IN APS	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	
DATE SELECTED	DESCRIPTION	

## CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-01-08 / 10:39 AM / Page 2 of 2

Site: INNISFIL 33W

Lot:

Model:

Purchaser:
Phone/Email: 50-04 (ELEV. C) RIDGE SHERRY E. CHRISTODOULOU 647-500-6300




#5 ELECTRICAL - PLUG ABOVE FIREPLACE 5'5" AS PER SMARTTECH


# ANCOR HOMES COLOUR CH.

Purchaser Initial Vendor		** PAGE 1 OF 2 **	
	charts <u>PRIOR to</u>	to inform the builder of any discrepancies on sketches, PES and/or colour charts <u>PRIOR to installation.</u>	to inform the builder of a
1	onsibility of all Trades	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades	Any upgrades in the colour cha
INNISFIL 33W	S. C. Stranger	***FOR TRADE USE***	のでは
SITE & LOT		Purchaser has reviewed the colour chart	Pu
N/A	ion		Bathroom Accessories
N/A	Opt. Crown Moulding	<b>\$</b>	Mirrors
PLASTER MOULDING	PLA	& ACCESSORIE	MIRRORS
	NAME OF THE PARTY	GREAT BOOM	LOCATION
COLOUR STONECROP in lieu of carpet (2)		NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5"	Bedroom 4
COLOUR STONECROP in lieu of carpet (2)	P.0	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5"	Bedroom 3
)LOUR STONECROP in lieu of carpet (2)	OOD BRUSHED OAK 5" - CC	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5" - COLOUR STONECROP in lieu of carpet (2)	Bedroom 2
COLOUR STONECROP in lieu of carpet (2)	OOD BRUSHED OAK 5" - CC	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5"	Master Bedroom
)LOUR STONECROP in lieu of carpet (2)	OOD BRUSHED OAK 5" - CC	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5". COLOUR STONECROP in lieu of carpet (2)	Upper Hall
AK 5" - COLOUR STONECROP (2)	KENTWOOD BRUSHED C	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5" - COLOUR STONECROP (2)	Living Room
AK 5" - COLOUR STONECROP (2)	KENTWOOD BRUSHED C	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5" - COLOUR STONECROP (2)	Dining Room
)AK 5" - COLOUR STONECROP (2)	KENTWOOD BRUSHED C	NOVEMBER 20, 2020 - HARDWOOD - KENTWOOD BRUSHED OAK 5" - COLOUR STONECROP (2)	Family Room
D	REVISED HARDWOOD	REVI	
AK 3-5/16" - COLOUR RIO in lieu of tile	ECTION (CASHMERE) - 0/	HARDWOOD - MIRAGE ADMIRATION COLLECTION (CASHMERE) - OAK 3-5/16" - CO	Breakfast
4K 3-5/16" - COLOUR RIO in lieu of tile	ECTION (CASHMERE) - 0/	HARDWOOD - MIRAGE ADMIRATION COLLECTION (CASHMERE) - OAK 3-5/16" - CO	Kitchen
	ARPET	HARDWOOD / CARPET	
	BIANCO CARRARA		Ensuite 3/4 Niche Surround
	UNIWALL WHITE 8 X 10	CN	Ensuite 3/4 Tub Wall
	MELINA ICF 13 X 13	~	Ensuite 3/4 Floor
	BIANCO CARRARA	CZ	Ensuite 2 Niche Surround
	MELINA ICE 13 X 13	~	Ensuite 2 Floor
	BIANCO CARRARA		SURROUND
	BIANCO CARRARA		Master Shower JAMB
	WHITE 2 X 2		Master Shower Floor
) X 13 (1)	TRIANGULAR DARK GREY GLOSS 10 X 13 (1)	TRIANGULAR	Mstr Ensuite Shower WALL
	MEMORY GLOSS 18 X 18 (1)	MEM	Mstr Ensuite Floor
	CINZA GREY 13 X 13	C	Laundry
	HARDWOOD		Kitchen Br Splach
	HARDWOOD		Kitchen
*STACKED (1)	NOVEMBER 20, 2020 - LOFT ASH 12 X 24 *STACKED (1	NOVEMBER 20, 20	Mud Room
DOM	TILE IN MUDROOM	REVISED	
5)	VOLKAS WHITE POLISHED (6)	VOLK!	Powder Room
	N/A		Basement Fover
	VOLKAS WHITE POLISHED (6)	NOLK:	Main Foyer
	-		Eddini
		N/A	aindry
1573-60	H800128BC	SIERRA PVC - WHITE	Ensuite 3/4
1573-60	H800128BC	SIERRA PVC - WHITE	Ensuite 2
EMERSTONE CARRARA (2)	H800128BC	SIERRA MDF - GLACIER (1)	Master Ensuite
		N/A	Powder Room
EMERSTONE STATUARIO (3)	H800128BC	SIERRA MDF - GLACIER (1)	Island
EMERSTONE STATUARIO (3)	H800128BC	SIERRA MDF - GLACIER (1)	Kitchen
COUNTERTOP EDGE	HARDWARE	DOOR STYLE	
	TERTOPS	CABINETRY / COUNTERTOPS	


# NCOR HOMES COLOUR CH

Vendor Signature Date			PAGE 2 OF 2 ***	
				***
A PON DEST	-		HOMES	
>			ANCOR	N
Decor Consultant Signature Date		ion.	PES and/or colour charts PRIOR to installation	PES and/or colo
	the etches	ith a PES. It is a spancies on ske	art must be accompanied w orm the builder of any discr	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of <u>all trades</u> to inform the builder of any discrepancies on sketches
		STATE OF THE PARTY OF	***FOR TRADE USE***	***
Purchaser Signature Date	Т			DÉCOR NOTES
		AAIL.COM	SETRINITY@GMAIL.COM	EMAIL:
Purchaser Signature Pate		300	647-500-6300	HOME #/CELL #
A De la	$\Lambda$	DOULOU	SHERRY CHRISTODOULOU	PURCHASER(S):
	33W	LOT:	INNISFIL	SITE:
8	* D. C.	re signing.	uracy of colour and selections befo	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
No.		tion fee plus costs	are subject to a \$5000 administra	Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
vent the Vendors's selection	e to dye lot variances in ed or installed. In this e	sarily identical due ve been pre-selecte	e to builders selection but not nece: uction progress some items may ha	manufacturing/manufacturers. Due to construction progress some items may have been pre-selected or installed. In this event the Vendors's selection must be accepted by the purchaser
INITIALS		8	DISCLAIMER	
			NO	ELECTRICAL for Bar Fridge
			NO	ELECTRICAL for Gas Stove / Cooktop
			NO	ELECTRICAL for Built-in Micro / OTR
			NO	ELECTRICAL for Built-in Oven
		Ξ	6 INCH	Hood Fan Venting SIZE
			NO	WATERLINE to Fridge
			NO	GAS LINE TO STOVE
NOTES	DECLINED	PES)	UPG (SEE PES)	
	Package Name:	NO N	1	Appliance Package received in 'Schedule E'
DETAILED ON PES	JPGRADES TO BI	JIREMENTS-U	ZANCOR APPLIANCE REQUIREMENTS-UPGRADES TO BE DETAILED ON PES	Z
	ARD	STANDARD	STANDARD	Ensuite 3/4
	ARD	STANDARD	STANDARD	Ensuite 2
APARE-SINGIF HOLE	ADF 1	コステスタンド	UNDERMOUNT SINK	Master Ensuite
	ARD	STANDARD	STANDARD	Powder room
NOTES	ARD	STANDARD	UNDERMOUNT SINK	Kitchen
	PLUMBING- UPGRADES TO BE DETAILED ON PES	JPGRADES TO	PLUMBING- I	
¥	WARM GREY			Throughout
	T	PAINT		
	STANDARD			Exterior Door Hardware
	STANDARD			Interior Door Hardware
STANDARD STYLE - 8 FOOT HIGH ON MAIN FLOOR	STYLE - 8 FOOT H	STANDARD S		Interior Doors
UPGRADE 2 - STEP STYLE 3" CASING & 7-1/4" BASEBOARD	EP STYLE 3" CASI	GRADE 2 - STE	UPO	Casing/Baseboards
	7	TRIM		
WOOD - UPGRADE 2 - 1-3/4" OAK PICKETS WITH BEVEL CORNERS WITH MATCHING POST AND OVAL HANDRAIL	/4" OAK PICKETS AND OV	iRADE 2 - 1-3,	WOOD - UPG	Main to 2nd Railing Details:
STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	RS TO MATCH HA	STAIN STAIR		Stair Stain / Species:
	STAIRS, RAILING & PICKETS & STAIR STAIN	LING & PICH	STAIRS, RA	





# **50-04 THE RIDGE**



90

0 2

ti

0

3 S

Buy it for looks. Buy it for life.®

There is more than 1 version of this model. Page down to identify the version you have.

#### DESCRIPTION

- Metal construction with various finishes identified by suffix Includes metal pop-up type waste assembly Includes optional 3 hole deck plate (escutcheon) Flexible supplies with 3/8" compression fittings

#### ERATION

- ivot action lever style handle emperature controlled by 100° arc of handle travel

Water usage is limited to these maximum flow rates as indicated by the corresponding product markings

 1.2 gpm max (4.5L/min) at 60 psi
 1.5 gpm max (5.7L/min) at 60 psi

 CARTRIDGE


 1255<sup>m</sup> Duralast<sup>m</sup> cartridge for Cingle-Handle Faccords

## STANDARDS alast™ cartridge for Single-Handle Faucets

- Third party certified to WaterSense\*, ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein Certified to NSF 61/9 & 372 Products marked with 1.2 gpm are compliant with California water efficiency regulations Complies with California Proposition 65 and with the Federal Safe Drinking Water Act

#### ADA for lever handles


- WARRANTY
  Lifetime limited warranty against leaks, drips and finish defects to the original consumer purchaser
  5 year warranty if used in commercial installations




Single-Handle Lavatory Faucet

**Model:** 6400

NOTE: THIS FAUCET IS DESIGNED TO BE INSTALLED THRU 1 HOLE, 1-1/8" MIN. DIA.
\* USE A1717 EXTENSION KIT FOR VESSEL SINK APPLICATIONS







(DO NOT SCALE)

Rev. 8/15

# 191/4" OVAL UNDERMOUNT SINK

### ☐ 4220CFY **Undermount Sink**

#### Product Specs:

- · Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

## Overall Dimensions (W x D x H):

(OD): 490mm(19¼") x 410mm(16¼") x 195mm(7¾") (ID): 430mm(17") x 350mm(13%") x 145mm(5%")

## Compliance Certifications:

- Meets or exceeds the following:
   IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2013

#### Shipping:

Cube 1.53


G₩ 19 lbs



Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is at for use of superseded or voided pages.

igh Direct import (CIF) only



contrac<sub>e</sub>


5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

55W Master

Revised: January 2016

# **Product Specification Sheet**

**HORIZON U 2 - 8"** 





## PRODUCT DIMENSIONS



#### HORIZON U 2 - 8"

#### Colour Finish

#### Model No.

#### Refined brushed finish

401234

0

## FEATURES / SPECIFICATIONS

- 18-gauge stainless steel with 18/10 chrome-nickel content One piece construction; no seam
- Rear-positioned drain hole(s) for maximum usable bowl and cabinet
- condensation

  Double bowl configuration allows for easy multi-tasking in busy kitchens Under sink coating protects cabinetry from water damage associated with

## Standard with Granite Countertops

## **DESIGN AND PLANNING TIPS**

Cabinet Size: 33" (840 mm)
Bowl depth: 8" (205 mm) / 8" (205 mm)

#### WARRANTY

Limited Lifetime warranty


## Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

BLANCO CANADA 100 Corporation Drive Brampton, ON L6S 6B5

© 2016 BLANCO CANADA

33 W



		New Image Kitchens Inc.    Scale:   Approved by:   Drawn by:   MGER
--	--	---

MES



# **APPLIANCE ACKNOWLEDGEMENT**

# CONTACT: Wayne @ Coast Appliances (905) 303-6909 / 1748 Credit Stone Circle, Vaughan

- NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.
- homeowner. Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the
- It is the Purchaser's responsibility to provide Zancor Homes with the correct specification for each appliance where it exceeds the standard openings. Zancor Homes will not be responsible for applinaces not fitting due to late changes.
- It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per
- been made to the cabinetry. Manufacturers specifications after closing. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when modifications have

Que 19/2020	WALL OVEN & MICRO	HOOD FAN & VENT	RANGE	FRIDGE	UPGRADE APPLIANC	Appliance Spe *** <sub>Sk</sub>	Dishwasher Opening	Stove Opening	Fridge Opening	STANDARD OPENING
SITE NNIS D	Single Oven  Double Oven  Steam Oven	Under Cabinet (Standard) Chimney (centre vent) Insert / Liner	36" 48" Induction	Built-In Paneled / Integrated	UPGRADE APPLIANCE OPENING REQUIREMENTS:	e Specs are DUE 2 WEEKS FROM SIGNED DATE (if not received during appoi	➤ 24" Hood Fan Vent	➤ 30" Hood Fan Opening	▶ 36" (+/-) × 74" (+/-)	STANDARD OPENINGS ACCEPTED BY PURCHASER:
10T	Warming Drawer Over the Range Microwave Built-in Microwave (*trim kit required)	6 Inch (Standard) 8 Inch 10 Inch	Cooktop (Apron front) Cooktop (Dropin) **Countertop Cut-out charge required for cooktop	HOMEOWNER INITIALS  Flush Inset  Water Line Required	4	Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE (if not received during appointment)  ***Specs that require changes/modifications after this date will not be accepted***	▼ 6"	▶ 30"	**Space above the fridge is required due to proper air flow	

st\* Any upgrades checked in this appliance form must be accompanied with specs provided by the Puchaser.

\*\*It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



## (Cable, CAT5, Telephone) **HOME AUTOMATION**

LOT / SITE:

**HOMEOWNERS:** 

#### **OPTION 1**

the locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement I/we the Homeowner(s) have chosen to contact the Home Automation Company to select of Purchase Sale.

to select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release

Smart -Tech Systems Ltd.

Phone: (905) 761-6469

Location: 200 Millway Avenue, Unit #8

Concord, Ont L4K 5K8

the rough-ins as mentioned above will be installed in locations at the Vendor's discretion Should the homeowner not make these selections within the sufficient time provided,

Homeowner(s) Initia

#### **OPTION 2**

the Homeonwer(s) have selected the locations for the standard rough-ins for Cable, CAT5, Telephone that are included in the Agreement of Purchase and Sale directly with a décor I/we the Homeowner(s) have chosen to not contact the home automation company. I/we

Homeowner(s) Initial


#### G П D

ZANCOR

# Stone Countertop Edge Profiles


\*\*Where applicable as per site specifications\*\*

Standard Counterton Edge in **Kitchen** "DPR"




# Option 1 — Countertop Edges

Optional Edge in Kitchen - \$250















# Option 2 — Countertop Edges

Option 2 Edge in Kitchen – Custom \$\$

Optional 2 Edge in Vanity – Custom \$\$



















Homeowner(s) Initials



# INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better to meet its'

PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE** All upgrades and additional selections indicated on the colour chart must be accompanied by an CHANGES WILL NOT BE

Vendor liable for provision of same. product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Stone countertops require regular seal re-application as part of home maintenance. cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate attention. no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never be ORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz, Purchaser acknowledges colour and

applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually approximately 5'x 8'. STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

materials installed in the home. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the **CERAMIC TILES**: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to

**STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the unfinished differences between the two products stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there MAY be shade

of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry finish. All cabinets shall but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for provision of same site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that the Builder cannot guarante e be finished with a white melamine interior box unless a finished interior is upgraded. Due to building specifications and/or may affect the overall look of the finished product. Such factors make exact colour matching impossible. The type and intensity CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected.

**UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT BE** PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall look held liable for minor variances of fluctuation in hardwood flooring materials. significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a

# HARDWOOD / LAMINATE WAIVER:

I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain areas. I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled on to

the floor and in contravention of Ontario Building Code Section 9.30.1.2(1).
"Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing similar degrees of water resistance.

I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter.

\*\*SEE COLOUR CHART FOR LOCATIONS\*\*

DATE

SITE

0