CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-08-17 / 10:46 AM / Page 1 of 1

CALEDON

Site:

Lot: Model: Purchaser: 116A CAPILANO (30-05) NAVNEET SINGH SEMI

Phone: Purchaser: MANPREET KAUR BAGGI 647-786-0440 / 647-781-9075

NAVNEET114@GMAIL.COM / MANPREET.BAGGI@GM

HOMES

Email:



	KITCHEN - DELETE UPGRADE HANDLES IN KITCHEN	6
	KITCHEN - UPGRADE FAUCET MOMEN ARBOR 7594SRS	5
	KITCHEN - SINK BLANCO QUATRUS U2 401547	4
	SMOOTH CEILINGS ON MAIN FLOOR	ω
	KITCHEN - DELETE UPPER CABINET ABOVE STOVE FOR FUTURE CHIMNEY HOOD FAN *CENTRE VENT	2
	KITCHEN BACKPLASH - ADDITIONAL TILES FOR BEHIND CHIMNEY	Ъ
	ADDITIONAL	
	RAILNGS - PROVINCIAL	17
	BATHROOM ACCESSORIES - METHOD CHROME (4 BATHROOMS, YB2418, YB2486)	16
	KITCHEN COUNTERTOP - UPGRADE 4	15
	KITCHEN BACKSPLASH - UPGRADE 3	14
	MASTER ENSUITE CABINET - ADD DRAWERS BETWEEN SINKS	13
	MASTER ENSUITE CABINETS - UPGRADE 1	12
	HARDWOOD - UPGRADE COLOUR IN STANDARD AREAS	11
	KTCHEN - HARDWARE H800MB	10
	0	
	KITCHEN - FRIDGE ENCLOSURE	9
	ELECTRICAL - STRIP FOR VALANCE IN KITCHEN	∞
	KITCHEN - MATHCING LIGHT VALANCE	7
	WATERLINE TO FRIDGE	6
	FIREPLACE - ADD WOOD LOG KIT LF50DWS-KIT	5
	FIREPLACE - UPGRADE TO THE 50 INCH ELECTRIC FIREPLACE BLF5051	4
	ELECTRICAL - ADD PLUG ABOVE FIREPLACE APPROX 65 INCHES AFF	ω
	0	
	ENLARGE (4) BASESMENT WINDOWS 30 X 24	2
	GAS LINE TO STOVE *INCLUDES 15 AMP	1
	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	
	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	
	DESCRIPTION	
п		

PRINTED 2021-08-16, 11:41 AM

A=17/21		Vendor APPROVAL		PAGE 2 OF 2
_				2
m	SIMONE	DÉCOR CONSULTANT		NANCOR
	The area occur	PURCHASER SIGNATURE		installation.
	7	PURCHASER SIGNATURE	8	It is the responsibility of all Trades to inform the builder of any
DATE	SIGNATURES /		ind with a DES	***FOR TRADE USE***
M / MANPREET.BAGGI@GMA		647-786-0440 / 647-781-9075	647-786-0	CONTACT:
	MANPREET KAUR BAGGI	MANPR		PURCHASER(S):
116A	NAVNEET SINGH SEMI	CALEDON		SITE / LOT:
		he Vendors's selection must be accept	stalled. In this event tr	construction progress some items may have been pre-selected or in:
A.S. 3.13.	Due to	entical due to dye lot variances in manu	but not necessarily ide	Colours of all materials are as close as possible to Builders selection but not necessarily identical due to dye lot variances in manufacturing/manufacturers.
3.5	A >	gu Tus costs	lections before signing	Purchaser has checked and acknowledged accuracy of colour and selections before signing.
INITIALS		Alus costs	DISCLAIMER O administration fee of	DISCLAIMER Any changes to the colour chart after signing are subject to a \$5000 administration fee plus costs
		YES		WATERLINE to Fridge
N/A	ELECTRICAL for Bar Fridge	6 INCH	6	HOOD FAN VENT SIZE
N/A	ELECTRICAL for Cooktop	N/A		GAS LINE & ELECTRICAL TO DRYER
	ELECTRICAL for Built-in Micro			GAS LINE & ELECTRICAL TO STOVE
N/A	ELECTRICAL for Built-in Oven	STANDARD EL	STAI	GAS LINE TO RRO
UPGRADE	BATH ACCESSORIES		ADDITAN	Mirrors
	京山田 大田 大田 日本	ACCESSORIES	A	大学 一年 一日
	W/WOOD LOG ACCESSORY IT	50 INCH BLF5051 w/WOOD LOG		Location / Insert / Mantle
		FIREPLACE	SAME TO SERVICE SAME TO SERVIC	こうない かんしょう はるいない とうない
	WARM GREY	×		PAINT - Throughout
	STANDARD			Interior Door Hardware
	STANDARD	(0)		Interior Doors
STATE OF THE PARTY	STANDARD		TO STATE OF THE PARTY OF THE PA	Casing/Rasehoards
		TRIM / PAINT	-	Lduridry - BACNSPLASH
STANDARD	Laundry - FAUCEI	N/A	LAMI	Laundry - COUNTERTOP
STANDARD	Laundry - SINK		400 SE	Laundry - CABINETS
H800BC	Laundry - HANDLES/KNOBS	3RICK'	NEW BYZANT	Laundry - FLOORING
ALCOHOL: CAMPA				は 日本の ないない ないない にない
STANDARD	Ensuite Bath - FAUCET(s)	STANDARD	STAN	Ensuite Bath - SINK(s)
	IATE - 4922K-52	LAMINATE		Ensuite Bath - COUNTERTOP
	K1100C **AUG 16 2021**	K1100C		Ensuite Bath - HANDLES/KNOBS
	SHAKER PVC - TUXEDO	SHAKE		Ensuite Bath - CABINETS
	N/A			Ensuite Bath - SHOWER FLOOR
	NEW BYZANTINE GREY 12 X 24 *STACKED	NEW BYZANTINE		
	NEW BYZANTINE GREY 12 X 24 *BRICK	NEW BYZANTIN		Ensuite Bath - FLOORING
	Shared Bath - FAUCET(s)			Shared Bath- SINK(s)
	N/A			Shared Bath- COUNTERTOP
	N/A			Shared Bath- HANDLES/KNOBS
	N/A			Shared Bath- CABINETS
	N/A			Shared Bath- SHOWER JAMB
	N/A			Shared Bath- IOB / SHOWER WALL
	N/A			
STANDARD	Main Batn - FAUCEI(S)	SIANDARD	SIAN	Main Bath - SINK(s)
21222	LAMINAIE - 4922N-52			Main Bath - COUNTERTOP
	AUG 16 2021	K1100C*		Main Bath - HANDLES/KNOBS
	R PVC - TUXEDO	SHAKER PVC		Main Bath - CABINETS
	N/A			Main Bath - SHOWER JAMB
	N/A			Main Bath - SHOWER FLOOR
	NEW BYZANTINE GREY 12 X 24 *STACKED	NEW BYZANTINE		Main Bath - TUB / SHOWER WALL
	NE GREV 12 X 24 *BRICK	AND FLOOR CONTINUED	ZIND FLO	A. S. Bath Clooping
		OR CONTINUED		

ZANCOR HOMES COLOUR C R

* PURCHASER VINDOR INITIALS APPROVAL	**PAGE 1 OF 2**	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
A 3.8.	CALEDON 116A	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
SIGNATURES		***FOR TRADE USE***
Master Ensuite - FAUCET(s) STANDARD	STANDARD OVAL UNDERMOUNT Mast	Master Ensuite - SINK(s)
BIANCO CARRARA	BIANCO	Master Ensuite - COUNTERTOP
RO COSTELLO HIGH GLOSS (1)	K1100C **AIIG 16.2	Master Ensuite - CABINETS
RA Por)	Master Ensuite - SHOWER JAMB
TE 2 X 2	WHITE	Master Ensuite - SHOWER FLOOR
URO 12 X 24 *STACKED	NEW BYZANTINE ASSURO 12 X 24 *	Master Ensuite - SHOWER WALL
SSURO 12 X 24 *BRICK	NEW BYZANTINE ASSURO 12 X 24	Master Ensuite - FLOORING
N/A	7	Bedroom 5 - FLOORING
OUR T15 w/STANDARD UNDERPAD	CARPET - OPENING NIGHT COLOUR T15 w/STA	Bedroom 4 - FLOORING
CARPET - OPENING NIGHT COLOUR T15 w/STANDARD UNDERPAD	CARPET - OPENING NIGHT COLO	Bedroom 3 - FLOORING
CARPET - OPENING NIGHT COLOUR T15 w/STANDARD UNDERPAD	CARPET - OPENING NIGHT COLO	Master Bedroom - FLOORING
HARDWOOD - VINTAGE OAK 3-1/4" PEARL - BAROQUE	HARDWOOD - VINTAGE OA	Upper Hall - FLOORING
	2ND FLOOR	
STANADARD	STAN	Powder Room - FAUCET
AL UNDERMOUNT	STANDARD OVAL UNDERMOU	Powder Room - SINK
BIANCO CARRARA MARBLE	BIANCO CAR	Powder Room - COUNTERTOP
	SHAKER PVC - TUXEDO /	Powder Room - CABINETS
SURO 12 X 24 *BRICK	NEW BYZANTINE ASSURO 12 X 24	Powder Room - FLOORING
	POWDER ROOM	
N/A	2 4	Stair Stain - BASEMEN STAIRS (if applicable)
STAIN STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE	SIAIN SIAIRS IO MAICH HAR	Stair Stain - MAIN STAIRS
3-1/4" SQUARE OAK WITH BEVEL CORNER	3-1/4" SQUARE OAK	Railing Details - HANDRAIL
2-3/4" OVAL OAK	2-3/4" (Railing Details - POSTS
PROVINCIAL OAK	UPGRADE 1-3/4" PROVINCIAL OA	Railing Details - PICKETS
	STAIRS	
1.5	TOROWOOD WININGS OF	Racement Rec Room - FLOORING
AN 3-1/A" PEARL - RAROOUE	HARDWOOD - VINTAGE OAK 3-1/4" DEAR	Dining / Living Room - FLOORING
AK 3-1/4" PEARL - BAROQUE	HARDWOOD - VINTAGE OAK 3-1/4" PEAR	Main Hall - FLOORING
.	HARDWOOD - VINTAGE OA	Family / Great Room - FLOORING
- MOEN 7594SRS **AUG 16 2021**	UPGRADE - MOEN 759	Kitchen - FAUCET
**	UPGRADE - BLANCO 401247 **AUG 16	Kitchen - SINK
DES BEHIND CHIMNEY - AUG 16 2021**	SIMPOLO GLASS TERRA (3) ***INCLUDES BEHIND CHIMNEY	Kitchen - BACKSPI ASH
EMERSTONE BROGHINI LINCOLN (4)	EMERSTONE BROW	KITCHEN - COUNTERTOR
H800BC **AUG 16 2021**	H800BC **AI	Kitchen - HANDLES/KNOBS
N/A	Z	Servery - CABINETS
400 SERIES PVC - CHOCOLATE	400 SERIES PV	Island - CABINETS
400 SERIES PVC - CHOCOLATE	400 SERIES PV	Kitchen - CABINETS
NEW BYZANTINE ASSURO 12 X 24 *BRICK	NEW BYZANTINE ASS	Breakfast - FLOORING
NEW BYZANTINE ASSURO 12 X 24 *BRICK		Kitchen - FLOORING
THE RESERVE THE PROPERTY OF THE PARTY OF THE	KITCHEN	
N/A	N,	Basement Foyer - FLOORING
N/A	Z :	Side Hall - FLOORING
N/A	N. S. C.	Mildroom - FLOORING
SIRO 12 X 24 *BRICK	ENTRANCES NEW BYZANTINE ASSURO 12 X 24 *B	Mais Force ELOOPING
	ENTE ANCTO	The same of the sa

Method™

Traditional | Transitional | Modern

Pivoting

Tank (1) YB2401

- \$38.75 - \$65.34

Chron Other

Model YB2403

- \$2%61 - \$46.31

Other

Other rome

Pivoting Paper Holder Model YB2408

Chrome \$49.28

XO

18" Towel Bar Model YB2418

\$60.62

\$101.99

Chrome Other

Other Shrome

24" Towel Bar Model YB2424

- \$63.72 - \$107.12

Chrome Other

9" Towel Bar Model YB2486

- \$63.18

\$37.67

INSTALLATION SYSTEM

유

BR


FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):


Chrome (CH), LifeShine® Brushed Nickel (BN).

AVH-308CS/368CS

Dimensions



Installation



m	D	C	Œ	A
Chimney height	Hood height	Recommended height between cooking surface and bottom of the hood	Floor to counter top height (standard)	Floor to celling height
Max 44.63"	2.36"	28" to 30"	36"	variable


Duct transition

6" round top



may be incomplete and/or may change without notice. The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us,





30" Wall mounted hood - MSRP: \$929.00 AVH-308CS

cted Model	
el number	AVH-308CS
ensions	
ensions	29 1/2" (W) x 19 3/4" (D) x 3 1/4" (H)
rior Appearence	
nless steel grade	201
ures	

Chimney (ducted out)
Electrical Requirements
Electrical requirements
Accessories (optionnal)
Optional duct covers
Warranty
1-year Warranty Lighting Blower type Blower performance Selecte
Model n
Dimens
Dimens
Exterio
Stainles
Feature
Control Duct transition
Ducting Filter type Soft touch with LED display
2 bulbs, 3W LED (bulbs included)
860 CFM, 6-Speed
Speed 1, 2.4 sones
Speed 6, 6.2 sones
2 aluminium micro hole filters (included)
2 Stainless steel baffle filters (included)
6" Round (Top)
Ducted Parts and labour, in-home service AD-884S (884mm, AVN-AVH compatible) 120V / 60Hz / 2.7 Amps For ceiling heights up to 9'0"

PLLLA ALLES BL #5051 SMOTH CEILNG ELECTRIC FIREPLACE GROUND FLOOR FLAN 018 DPT. UPPERS HOBBX ROOM 9'(0' X 8'0" LAUNDRY GARAGE 10'0" X 20'0" T DN TO MEL STEP IF REQ'D) FOYER (SUNKENLE REQ'D) COVERED PORCH BREAKFAST BAR DINING ROOM 11'10 14'3" 00 DW PANEL SLIDING DOOR BREAKFAST 8'10"/X 10'0" TO. POWDER OPT. DOOR WHERE GRADE PERMITS

3.8.

116A

30-05


TOWEL BAR TO ME SECOND FLOOR PLAN ELEV. W(C) MAIN BATH BEDROOM 4 9'4 (X)1'6" THE S 0 MASTER ENSUITE ENSUITE 2 0 LINEN CATHEDRAL CEILING Ŋ OPT 18" RAISED TRAY CEILING RAILING BEDROOM 3 11'10" X 10'0" MIS SELECTION OF THE SE

7

)16A


300

30-05



300

116A



30-05

116A

かし

Dimplex®

Prism Series

50" Linear Electric Fireplace

BLF5051




The best-selling electric linear fireplace just got better with the all new Prism Series. Sparkling with intensity in a full spectrum of colors, the Prism effect illuminates the diamond-like acrylic ice ember bed in a show-stopping effect. Plug-in or hard-wire, hung on the wall or built-in; the Prism Series is beautifully versatile.






Dimplex®



50" Linear Electric Fireplace **Prism Series**















Accessories





120 Volts | 1,230 Watts | 4,197 BTU

Model #	Description	Lbs / Kg UPC	UPC	Wity.	Wty.¹ Carton Dimensions (W)	xHxD)	Cub	æ
THE PERSON NAMED IN	TO SEE STATE OF THE PARTY OF			1	Inches	CITI	港	3
BLF5051	50" Linear Electric Fireplace	75 / 34.1	781052 098787	2 yr.	75 / 34.1 781052 098787 2 yr. 55 x 23-1/4 x 12-7/8 139.7 x 58.9 x 32.7 9.5 0.26	139.7 × 58.9 × 32.7	9.5	0.2
DT1267BLK	DT1267BLK Cohesion Trim - Black	51 / 23,1	781052 080355	<u>a</u>	$51/23,1 \ 781052\ 080355\ 1\ an\ 64-7/8\times 26-1/4\times 8-3/4\ 164.8\times 66.8\times 22.1\ 8.6\ 0.24$	164.8 x 66.8 x 22.1	8.6	0.2
LF50DWS-KIT	LF50DWS-KIT 50" Driftwood and River Rock Accessory Kit	7/3.17	7/3.17 781052 102842		34-1/4 x 5-7/8 x 8-1/8 87.2 x 14.98 x 20.6	87.2 × 14.98 × 20.6		

Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com

BLF5051

Features

A blend of technology, artistry and craftsmanship that sets the standard for realism.

Acrylic Ice Media Bed Light plays through different size pieces and sparkle in a spectrum of colors.

Wedia Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.

Flexible Installation Simply surface mount and plug-in or fully-recess and direct wire for a seam-less installation

Hanging Glass Design Detachable glass trim easily finishes rough openings and provides access to media.

Remote Thermostat Control

Temperature control at your fingertips for convenient comfort.

Multi-function Remote
Control the flame, heat and thermostat
from the comfort of your chair.

LED Lighting Flame and lights use brilliant, low-en-ergy LED's that require zero mainte-nance.

All-season Flames
Enjoy the unique charm of a fireplace
365 days a year using the flames
without the heat. Cool-touch Glass
Glass remains cool making it safe for any location and any user.

Low Carbon Footprint
The most sustainable fireplace option, no emissions and 100% efficient.


∞ Dimplex




Prism Series Linear Electric Fireplace

BLF5051

Product Dimensions:








SIDE

Installation **Options** and Framing Dimensions

3 Mounting Options








ON WALL

Must mount to a minimum of three (3) wall studs



2 X 8 Wall Construction Framing dimensions: 49" W x 18-1/2" H (124.5 cm) W x (47 cm) H

2 X 4 Wall Construction Framing dimensions: 46-1/2" W x 16-1/2" H (118.1 cm) W x (42 cm) H

Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com





DRAFTED BY: COMMENT

FERNANDA

CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

PH: CELL:

INSTALL DATE:

17 of 24

30-5-ELEV. A,B,C KITCHEN





CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

PH: CELL:


DRAFTED BY: FERNANDA COMMENT


INSTALL DATE:


18 of 24

P/0#

STD VANITIES 30-5-ELEV. A,B,C








LAUNDRY ROOM

1510



300



CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB


PH: CELL:

DRAFTED BY: FERNANDA COMMENT

INSTALL DATE:

16 of 24

30-5-ELEV. A,B,C KITCHEN



chiminey hood to


Product Specification Sheet

QUATRUS U 2

Satin brushed finish



PRODUCT DIMENSIONS



Colour Finish Model No.

(1)

Satin brushed finish

401247

- FEATURES / SPECIFICATIONS

- German engineered with 304 series, 18-gauge stainless steel
 Zero- radius corners; X-pattern drain grooves
 Double bowl configuration for easy multi-tasking
 18/10 chrome-nickel content for exceptional lustre, durability and strength
- Rear-positioned drain holes maximize cabinet storage space

DESIGN AND PLANNING TIPS

Cabinet Size: 36" (915 mm)

Bowl depth: 9" (230 mm) / 9" (230 mm)
Depending on cabinet construction, a different cabinet size may be required.
Consult the cabinet manufacturer.

WARRANTY

Limited Lifetime warranty

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.

100 Corporation Drive Brampton, ON L6S 6B5 BLANCO CANADA

www.blancocanada.com

© 2016 BLANCO CANADA

116 A Kitchen



Ò

(

0

0 9

4

-

0

ns

There is more than one version of this model. Page down to identify the version you have.

FAUCET DESCRIPTION

- secure docking

 Netal construction with various finishes identified by suffix wn system offers smooth operation, easy movement and

- Duralock" quick connect system
 Pullout spray with 68" braided hose
 Flexible supply lines with 3/8" compression fittings
 High arc spout provides height and reach to fill or clean large
 pots while pull out wand provides the maneuverability for cleaning or rinsing
 360" rotating spout
 Power Boost" Spray Technology

- OPERATION

 Lever style handle

 Temperature controlled by 100° arc of handle travel

 Operates with less than 5 lbs. of force

 Operates in stream or spray mode in the pullout or retracted position FLOW

- How is limited to 1.5 gpm (5.7 L/min) at 60 psi
 CARTRIDGE
- 1255th Duralastth cartridge for Single-Handle Faucets **STANDARDS** Third party count?

- Third party certified to IAPMO Green, ASME A112.18.1/CSA B125.1 and all applicable requirements referenced therein Certified to NSF 61/9 & 372 Meets CalGreen and Georgia SB370 requirements Complies with California Proposition 65 and with the Federal Safe Drinking Water Act
- The backflow protection system in the device consists of two independently operating check valves, a primary and a secondary which prevent backflow

ADA 🕒 for lever handle


- WARRANTY

 Lifetime limited warranty against leaks, drips and finish defects to the original homeowner

 10 year limited warranty when used in a multifamily installation
 5 year limited warranty when used in a commercial installation
 Visit www.moen.com/support for complete details and limitations








CRITICAL DIMENSIONS


(DO NOT SCALE)

TO ORDER PARTS CALL: 1-800-BUY-MOEN www.moen.com

AVH-308CS/368CS



Installation



C cool	B Floo (stai	A Floo
ommended height between king surface and bottom of the d	r to counter top height ndard)	Floor to ceiling height
28" to 30"	36"	variable
	Recommended height between cooking surface and bottom of the hood	Floor to counter top height (standard) Recommended height between cooking surface and bottom of the hood







The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.

Need technical support? 1(888) 651-2534





APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

Stove Opening Fridge Opening 30" 36" x 74"

Hood Fan & Vent **Hood Fan Opening** 30"

Dishwasher Opening

6" with Under Cabinet Hood 24"

N. P. とこ

Openings **Initial

Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Homes by the due date that has been provided. specs/information sheets required and it is the responsibility of the homeowner to provide this to Zancor

responsible for any necessary requirements and the standard opening will be built. If appliance specs are not submitted, Zancor Homes will not be

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

CALLINI

25

Specs that require changes/modifications after this date will not be accepted

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

FRIDGE UPGRADE

	Built-in	
	Paneled **Panel to match required	,
1	Integrated / Elush Inset	and I'm Dur
RANGE UPGRADE	Waterline	
*Larger hood fan CFM might be	36" **Hood fan opening must be the same size or larger (8" vent might be required)	arger (8" vent might be required)
vent	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)	larger (8" or 10" vent required)
	Gas Range **gas line and electrical required & sold separately	separately
	Induction **electrical required & sold separately	
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately	ired & sold separately
	Cooktop (Drop-in) **countertop Cut-out required & sold separately	& sold separately
HOOD FAN & VENT	8 Inch **Required for 600 CFM	
	10 Inch	
	Chimney Hood Fan **Vent must be centred	
•	Insert / Liner	
WALL OVEN/MICRO	Single Wall Oven **electrical required & sold separately	ately
UPGRADE	Double Wall Oven **electrical required & sold separately	arately
**Electrical required	Steam Oven **electrical required & sold separately	
	Warming Drawer **electrical required & sold separately	rately
	Over Then Range Microwave (OTR)	
	Built-In Microwave **Trim Kit required **electrical required & sold separately	l required & sold separately
tuly 15/2)	CALEDON	HOM
DATE	SITE	LOT

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to ** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

production/installation.

ANCOR

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale. quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its'

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

33

materials and shall not hold the Vendor liable for provision of same. should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require **quartz**, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone immediate attention. Stone countertops require regular seal re-application as part of home maintenance. expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and

approximately 5'x 8' applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

materials installed in the home the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

Builder liable for provision of same building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected Inis

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART.

look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall esponsible nor held liable for minor variances of fluctuation in hardwood flooring materials. efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be Expansion, compression and cupping are characteristics of hardwood

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). //We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing similar degrees of water resistance. Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient"

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** /We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

DATE

CALEDON

SITE

101

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





(Cable, CAT5/6, Telephone) **HOME AUTOMATION**

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

OPTION 1:

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of l/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Purchase Sale.

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Artistic Smart Homes

Phone: (905) 850-9386

Location:

Concord, Ont L4K 5N9 8601 Jane Street

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

OPTION 2:

ins for Cable, CAT6, Telephone that are included in the Agreement of Purchase and Sale. company, I/we the Homeowner(s) have agreed to the Vendor locations for the standard rough I/we the Homeowner(s) acknowledge that if we do not contact the home automation

Homeowner(s) Initial

CALEDON

SITE

T0

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

WALL TILES *Brick installation requires an additional charge and must be included on the extras if selected* FLOOR TILES *Brick installation is standard*

(Large tiles installation for floor and wall) – ¼ Brick

Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers.

will find a layout of the ¼ brick installation that has been recommended. joint pattern, that it be installed o='[n a ¼ brick pattern, to try to avoid lippage. Attached with this letter, you It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-

OCATIONS: ALL I LOUNT			_
ALL I LOUNT			
ALL I LOUNT			
ALL I LOUNT			
ALL I LOWAR I			
ALL I LOUNT			

fully be eliminated. Please underst

responsible for this matter. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held

Homeowner(s) Initial

(Small tile installation for walls) – % Brick

installed on a ½ brick pattern. Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be

221 North River	DATE July 18/11		LOCATIONS:
221 North Rivermede Road Contord Ontario IAK 3N7 * T. JONEL 728 7010 E. JONEL 728 E048	CALEDON		
DOE1 730 FOA0	LOT	Homeowner(s) Initial	






Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES

Standard Countertop Edge in Kitchen




Vanity Standard Countertop Edge in

Homeowner(s) Initial

OPTION (1) EDGE FOR KITCHEN & VANITIES \$250

Optional Edge in Kitchen






"G"













Homeowner(s) Initial


OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING


Optional Edge for Kitchen


Optional Edge ip Vanity
















CALEDON



ГОТ