CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-12-15 / 4:15 PM / Page 1 of 1

168 WASAGA

Lot: Site:

Model: **VOLHA RUSENCHYK VADZIM KHARLANAU**

Purchaser:

Purchaser:

Email: Phone: 416.807.8303 / 416.837.1867

VADIM.HARLANOV@GMAIL.COM






	DESCRIPTION
BONU	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER
BONU	BONUS PACKAGE: STAINLESS STEEL HOOD FAN
	STRCUTURALS
1 ELETC	ELETCRICAL- PLUG FOR FUTURE TV OVER FIREPLACE. INSTALL 65 AFF- SEE SKETCH
2 OVER	OVER THE RANGE MICROWAVE, INCLUDES ELECTRICAL- 15AMP
з КІТСН	KITCHEN TILE- UP 2- 18 X 18
4 FOYER	FOYER TILE- UP 2- 18 X 18
5 POWI	POWDER ROOM TILE- UP 2- 18 X 18
6 HARD	HARDWOOD- UP 2- DINING ROOM, FAMILY ROOM, MAIN HALL
7 N/A	
8 ***ST	***STAIRS TO BE VARNISHED ONLY- HOMEOWNER ACCEPTS THAT STAIRS WILL BE A DIFFERENT COLOUR THAN HARDWOOD FLOORS***

VENDOR APPROVAL	PURCHASER INITIALS	1 OF 2**	**PAGE	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
54	7		SUCKELINE	
P		168	WASAGA	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all.
A LOKES	NILL			""FOR IKADE USE""
4	FAUCET	Master Ensuite -	STD	Master Ensuite - SINK(s)
		4945-38		Master Ensuite - COUNTERTOP
		H800BC		Master Ensuite - HANDLES/KNOBS
	D	EURO BLACKWOOD		Master Ensuite - CABINETS
		BIANCO CARRARA		Master Ensuite - SHOWER JAMB
		WHITE 2 X 2		Master Ensuite - SHOWER FLOOR
ICAL	4- STACKED VERTICAL	NEW BYZANTINE ASSURO BLUE 12 X 24-	NEW BYZAI	Master Ensuite - SHOWER WALL
	2 X 24- BRICKED	NEW BYZANTINE ASSURO BLUE 12 X	NEW	Master Ensuite - FLOORING
		NA		Bedroom 5 - FLOORING
		NA		Bedroom 4 - FLOORING
		NA		Bedroom 3 - FLOORING
	T	T03 OPENING NIGHT		Bedroom 2 - FLOORING
	TT .	T03 OPENING NIGHT		Master Bedroom - FLOORING
		NA		Upper Hall - FLOORING
			2ND FLOOR	rowder Room - FAUCE!
		STD		Powder Room - SINK
		NA NA		Powder Room - COUNTERTOP
		NA NA		Powder Room - CABINETS
	(18- UP 2	VERSAI GRIS POLISHED 18 X 18-		Powder Room - FLOORING
ではないのは			POWDER ROOM	一年 中華 化二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十
		NA		Stair Stain - SERVICE STAIRS (if applicable)
		NA		Stair Stain - BASEMENT STAIRS (if applicable)
WOOD***	DLOUR THAN HARDWOOD****	STAIRS TO BE VARNISHED ONLY**** DIFFERENT COLOU	STAIRS TO BE VARNI	Stair Stain - MAIN STAIRS
	RAIL	2 1/2" OVAL OAK HANDRAIL		Railing Details - HANDRAIL
	- 1	2 3/4" TURNED OAK POST		Railing Details - POSTS
	// ALT PLAIN	BLACK METAL SINGLE COLLAR W/ AL	BI	Railing Details - PICKETS
The second		IVA	STAIRS	Basement Rec Room - FLOOKING
ONOLSIAIN	IAIN COLOUR- DO	LANDINGS IO MAICH NAIDRAL HARDWOOD SIAIN COLOOR- BO NOI SIAIN	LANDINGS TO MATC	ANDINGS FLOORING
O NIOTS TOIN	1/2" × 3/4"- UP 1	KENTWOOD OAK WOLFHOUND 3 1/2"	KENTW	Dining / Living Room - FLOORING
	1/2" X 3/4"- UP 1	KENTWOOD OAK WOLFHOUND 3 1/2" X 3/4"- UP 1	KENTW	Main Hall - FLOORING
	1/2" X 3/4"- UP 1	KENTWOOD OAK WOLFHOUND 3 1/2	KENTW	Family / Great Room - FLOORING
	NT	DEN / OFFICE / BASEMENT	GREAT ROOM / DINING / LIVING / DEN / OFFICE	
		STD		Kitchen - FAUCET
		STD		Kitchen - SINK
		DECLINED		Kitchen - BACKSPLASH
		3690-58		kitchen - COUNTERTOR
		3600-58 H8UUBC		Kitchen - HANDLES/KNOBS
		NA		Servery - CABINETS
	ITE	HIGH GLOSS EURO WHITE		Island - CABINETS
	ITE	HIGH GLOSS EURO WHITE		Kitchen - CABINETS
	-00000	VERSAI GRIS POLISHED 18 X 18-		Breakfast - FLOORING
	18- UP 2	VERSAI GRIS POLISHED 18 X 18-	Section of the Control of the Contro	Kitchen - FLOORING
			KITCHEN	
	CKED	LOFT WHITE 122 X 24- BRICKED		Basement Foyer - FLOORING
		NA		Side Hall - FLOORING
		NA		Midroom - FI OORING
	18- UP 2	VFRSALGRIS POLISHED 18 X 18-1		Main Fover - El OORING
A CONTRACTOR OF THE PARTY OF TH	Account of the last of the las		ENTRANCES	

Main Islan - IRIN 5400/88 WALL MA WA Main Islan - IRIN 5400/88 WALL MA WA Main Islan - SIDVERT ELONG MA WA Send Sath - SIDVERT ELONG MA MA Main Sath - MACESTAN MA MA Send Sath - SIDVERT ELONG MA MA Main Sath - MACESTAN MA MA MA Main Sath - MACESTAN MA MA MA </th <th>me 15/11</th> <th>1</th> <th>Vendor APPROVAL</th> <th></th> <th>**PAGE 2 OF 2**</th>	me 15/11	1	Vendor APPROVAL		**PAGE 2 OF 2**
DIOGRAM NA NA NA NA NA NA NA		/			HOMES
DECIMEN DECI		A fort	PURCHASER SIGNATURE	rts <u>PRIOR to</u>	installation.
NOT WITH 13 24 - BRICKED NA NA NA NA NA NA NA N		8	PURCHASER SIGNATURE	ied with a PES.	Any upgrades in the colour chart must be accompan It is the responsibility of all Trades to inform the b
NAMES NAME	ATE				***FOR TRADE USE***
NUMBER WALL NA NA NA NA NA NA NA	MAIL.COM		.8303 / 416.837.1867	416.807.	CONTACT:
NA NA NA NA NA NA NA NA		\sim	Vad		PURCHASER(S):
NA NA NA NA NA NA NA NA	.68		_		SITE / LOT:
NUMBER WAIL			the Vendors's selection must be accep	stalled. In this event 1	construction progress some items may have been pre-selected or in
VER WALL NA		. Due to	ng. dentical due to dye lot variances in man	but not necessarily id	olours of all materials are as close as possible to Builders selection.
NA NA NA NA NA NA NA NA			e plus costs	0 administration fee	Any changes to the colour chart after signing are subject to a \$500
NA NA NA NA NA NA NA NA	INITIALS		R	DISCLAIME	
DECINIED DECINICD DECINICAL for Bull-in Owen			ECLINED	DE	NATERLINE to Fridge
VANDERS VANDES	DECLINED	ELECTRICAL for Bar Fridge	6" STD	6 7	HOOD FAN VENT SIZE
VAN VAN	YES	ELECTRICAL for OTR		DE	& ELECTRICAL TO
NA NA NA NA NA NA NA NA	DECLINED	ECTRICAL for Built-in Oven			SAS LINE TO BBQ
NA NA NA NA NA NA NA NA	NO MOLINOIPAEL		40	APPLIAN	WILLOID
NA NA NA NA NA NA NA NA	I I ATSINI TON O				Airror.
NA NA NA NA NA NA NA NA		0" DIMPLEX			ocation / Insert / Mantle
NA NA NA NA NA NA NA NA					日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日本の日
NA NA NA NA NA NA NA NA		OOL WHITE			AINT - Throughout
AND FLOOR CONTINUED NA		STD			nterior Door Hardware
NA NA NA NA NA NA NA NA		STD			nterior Doors
NA NA NA NA NA NA NA NA		STD STD	KIN / PAINI	The State of the last of the l	reing/Baroboards
NA NA NA NA NA NA NA NA	And the Control of th		NA NA		aundry - BACKSPLASH
NA NA NA NA NA NA NA NA	STD	Laundry - FAUCET			aundry - COUNTERTOP
NA NA NA NA NA NA NA NA	STD			HIGH	aundry - CABINETS
NA NA NA NA NA NA NA NA	NA			LOFT W	aundry - FLOORING
NA NA NA NA NA NA NA NA	310	Elistite Batil - FAOCE (S)	INTEN	-	nsuite Bath - SINK(s)
NA NA NA NA NA NA NA NA	CTD	FAI			nsuite Bath - COUNTERTOP
NA NA NA NA NA NA NA NA		H800BC			nsuite Bath - HANDLES/KNOBS
NA NA NA NA NA NA NA NA) BLACKWOOD	EUR		nsuite Bath - CABINETS
NA NA NA NA NA NA NA NA		NA			nsuite Bath - SHOWER JAMB
NA NA NA NA NA NA NA NA	I CAL	NA	NEW BYZANTINE ASSURE		nsuite Bath - IOB / SHOWER WALL
NA NA NA NA NA NA NA NA	2	SURO BLUE 12 X 24- BRICKED	NEW BYZANTINE AS		nsuite Bath - FLOORING
NA NA NA NA NA NA NA NA	NA	Shared Bath - FAUCET(s)	NA		hared Bath- SINK(s)
NA NA NA NA NA NA NA NA		NA			hared Bath- COUNTERTOP
NA NA NA NA NA NA NA NA		NA			hared Bath- HANDLES/KNOBS
MA		NA			hared Bath- CABINETS
MA MA MA MA MA MA MA MA		NA			hared Bath- SHOWER JAMB
VALUED NA NA NA NA NA NA NA		NA			hared Bath- SHOWER FLOOR
VA NA NA NA NA NA NA NA		NA NA			hared Bath- FLOORING
WER WALL WER WALL LOOR NA NA NA NA NA NA NA NOBS NA NA NA NA NA NA NA NA NA N	310	Mail Batil - FAOCE (3)	310		lain Bath - SINK(S)
WER WALL LOOR AMB KNOBS KNOBS	OILS	Main Rath ENLICET(c)	CTD		Tain Bath - COUNTERTOP
WER WALL LOOR AMB		NA NA			lain Bath - HANDLES/KNOBS
WER WALL LOOR AMB		NA			1ain Bath - CABINETS
WER WALL 2ND FLOOR CONTINUED		NA			lain Bath - SHOWER JAMB
2ND FLOOR CONTINUED		NA			lain Bath - SHOWER FLOOR
2ND FLOOR CONTINUED		NA N			lain Bath - FLOORING
	を とり		OOR CONTINUED	ZND FLC	· · · · · · · · · · · · · · · · · · ·

SHORFLINE POINT

REEF 60-01



Elevation A Ground Floor



Elevation BGround Floor




VK







REEF 60-01




Elevation & C Basement




Elevation B Basement




< <</p>





Jet /68







APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller -Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

 \blacksquare It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. *Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

Fridge Opening 36" x 74"

Hood Fan Opening Stove Opening 30" 30"

Hood Fan & Vent 24" 6" with Under Cabinet Hood

Dishwasher Opening

Openings **Initial **Accepts Standard**



Homes by the due date that has been provided. OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner: If appliance specs are not submitted, Zancor Homes will not be homeowne to provide this to Zanco

responsible for any necessary requirements and the standard opening will be built. Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

INITIAL

***Specs that require changes/modifications after this date will not be accepted**

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

FRIDGE UPGRADE		
	Built-in	
	Paneled **Panel to match required	
	Integrated / Flush Inset	
	Waterline	
RANGE UPGRADE		
*Larger hood fan CFM might be	36" **Hood fan opening must be the same size or larger (8" vent might be required)	tht be required)
vent	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)	ent required)
	Gas Rapge **gas line and electrical required & sold separately	
	Induction **electrical required & sold separately	
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately	itely
HOOD EAN & VENT	Cooktop (Drop-in) **countertop Cut-out required & sold separately	
UPGRADE	8 Inch **Required for 600 CFM	
	10 Inch	
	Chimney Hood Fan **Vent must be centred	
WALL OVEN WICEO	Insert / Liner	
UPGRADE	Single Wall Oven **electrical required & sold separately	
**Electrical required	Double Wall Oven **electrical required & sold separately	
	Steam Oven **electrical required & sold separately	
	Warming Drawer **electrical required & sold separately	
	Over Then Range Microwave (OTR)	
	Built-In Microwave **Trim Kit required **electrical required & sold separately	separately
Dec 9/2	WASAGA SHORLINE	8
THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER, THE OW		

st * Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

SITE

10

DATE

^{**}It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation





SHORELINE POINT



INTERIOR FINISHES ACKNOWLEDGEMENT / **WAIVER**

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an <

BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. materials and shall not hold the Vendor liable for provision of same. acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be **PORCELAIN & NATURAL STONES**: Due to the properties of natural stones including but not limited to **marble, granite,** cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require

4

approximately 5'x 8' applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product. the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the substantial variations in stain intensity. Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in materials installed in the home. The purchaser accepts that although the Vendor will do their best to match stain the and that there

F

Builder liable for provision of same building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. **CABINETRY:** Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The MAY be shade differences between the two products The purchaser

KK

SP

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras

Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall Expansion, compression and cupping are characteristics of hardwood

 \leq

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material . I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled and as such not recommended by the Builder in certain

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS*: absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the /We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

WASAGA SHORELINE

DATE

SITE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

101

MASTER - ALL MASTER SIGN OFF FORMS 2020 Dec 17 2020







(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of Purchase Sale. l/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Trade:

Phone:

Email:

Rep: Location:

Smart-Tech Home Automation

(905) 761-6469

kris@smart-tech.ca

Kris

Concord, Ont L4K 5K8 200 Millway Avenue, Unit 8

ACKNOWLDEGEMENT:

Smart-Tech, locations of the standard rough-ins will be installed as per Vendors discretion. I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Homeowner(s) Initial

DATE

SITE

WASAGA SHORELINE

LOT

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948







BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

stBRICK installation is included as a standard on the floor for 12 x 24 tiles and must be noted on the colour chart and acknowledged on this form*

(Large tiles installation for floor and wall) – ¼ Brick

shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers. Please be advised it has come to our attention, that due to production, many of the over-sized and odd

It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed o='[n a ¾ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ¼ brick installation that has been recommended.

DATE				Purcha	Hence, respon	Please fully be	
	8		5 5 5 5	ser reques	sible for the	Please understand, fully be eliminated.	5 5 5 5
	2	1	LOCATIONS: LOCATIONS: LOCATIONS:	Purchaser requests to install sinstalled on a ½ brick pattern.	Hence, when there is a requestion responsible for this matter.	d, even in i	LOCATIONS: LOCATIONS: LOCATIONS:
	ı			Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.	Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter. W V	Please understand, even in using this $kappa$ brick installation, there may still be minimal lippage which cannot fully be eliminated.	all
SITE	l ∨			tiles on a ba	<-joint insta	brick install	Now
	SAGA			acksplash o	llation, Zan	ation, there	1M S
	WASAGA SHORELINE			shower w	cor Homes	e may still b	12%
	L NE			all in a brick	and their co	e minimal I	74
LOT		Homeo		-joint patte	Homeow	ippage whi	thes
	2	Homeowner(s) Initial		ern, that it b	tractor, cannot be held V V Homeowner(s) Initial	ch cannot	1111
		Initial		Эе	eld Initial		

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948