CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-12-16 / 2:58 PM / Page 1 of 1

Site: CALEDON (B)

Lot: Model: 93B GLENDALE 38-05 (B) *OPT. FINISHED BASEMENT

Purchaser: MHD ZID HAFFAR

Phone: 647-472-9143

Purchaser:

ZAIDHAFFAR91@GMAIL.COM




BONUS PACKAGE: 3 PIECE STANILESS STEEL APPLIANCES WITH WHITE WASHER & DRYER BONUS PACKAGE: STANILESS STEEL HOOD FAN BONUS PACKAGE: STANILESS STEEL HOOD FAN CONTROL LARRESE BASEMENT WINDOWS; PAZI AT REAR 20 X 24 ADD STANDARD SINGLE DOOR ON MAIN ROOR BETWEEN KITCHEN AND FAMILY ROOM SIDE DOOR ENTRANCE FROM EXTERIOR POTUGINS AS PER NETCH (6) A DOD STANDARD SINGLE DOOR ON MAIN ROOR BETWEEN KITCHEN AND FAMILY ROOM SIDE DOOR ENTRANCE FROM EXTERIOR TO STAIR LANDING, GRADE PERMITTING IF POSSIBLE A DOD STANDARD SINGLE DOOR ON MAIN ROOR BETWEEN KITCHEN AND DINING ROOM LECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN DEVI, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - ADD CAPPED BOX FOR FUTURE LIGHT IN NEW, ON EXISTING SWITCH ELECTRICAL - DO PLUG ABOUT EREPLACE IN GRADE TO MOLD SAME SWITCH (6) ELECTRICAL - DO PLUG ABOUT EREPLACE IN GRADE TO MOLD SAME SWITCH (7) ITLES - UPGRADE I - FOYER TILES - UPGRADE I - FOYER TILES - UPGRADE I - FOYER ITLES - UPGRADE I - FOYER EXERCAGE ITLES - UPGRADE I - FOYER EXE AND PAUGH ITLES - UPGRADE I - FOYER EXERCAGE ITLES - UPGRADE
BONUS PACKAGE: BONUS PACKAGE: BONUS PACKAGE: CARGER BASEMENT FROSTED GLASS ON FROSTED GLASS ON ADD STANDARD SII
BONUS PACKAGE: BONUS PACKAGE: BONUS PACKAGE: CARGER BASEMENT FROSTED GLASS ON
BONUS PACKAGE: BONUS PACKAGE: BONUS PACKAGE: CARGER BASEMENT
BONUS PACKAGE: BONUS PACKAGE: BONUS PACKAGE:
DESCRIPTION




CALEDON

38-05 Glendale



B






CALEDON

38-05 Glendale





9#B

N

VENDOR APPROVAL	PURCHASER INITIALS	1 OF 2**	**PAGE	sketches, PES and/or colour charts <u>PRIOR to installation.</u>
Y	211	93B	CALEDON	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
ATURES	SIGNAT			***FOR TRADE USE***
STANDARD	- FAUCET(s)	Master Ensuite - FAU	STANDARD	I - I
	ARBLE	BAINCO CARRARA MARBLE		Master Ensuite - COUNTERTOP
	GREEN (1)	m		Master Ensuite - CABINETS
	SLE 2 X 4	ORIENTAL WHITE MARBLE 2		Master Ensuite - SHOWER JAMB
ED	VERTICAL STACKED	NEW BYZANTINE ASSURO 12 X 24 *VERT	NEW BY:	Master English SHOWER WALL
		NEW BYZANTINE ASSURO 12 X 24	2	Master Ensuite - FLOORING
81 B	v/STANDARD UN	CARPET - OPENING NIGHT COLOUR TO3 w/STANDARD UNDERPAD	CARPET - OPEI	BASEMENT BEDROOM
in lieu of carpet	L-LW1317-PEFC)	TORLYS ROCHEFORT OAK 7-9/16" (TI	LAMINATE - TORLYS R	BASEMENT REC ROOM & HALL
DERPAD	v/STANDARD UN	CARPET - OPENING NIGHT COLOUR TO3 W/STANDARD UNDERPAD	CARPET - OPE	Bedroom 4 - FLOORING
DERPAD	v/STANDARD UN	OPENING NIGHT COLOUR TO3 W/STANDARD UNDERPAD	CARPET - OPE	Bedroom 3 - FLOORING
DERPAD	v/STANDARD UN	COLOUR 1	CARPET - OPE	Bedroom 2 - FLOORING
of carnet	INCH (2) in lieu of carnet	HARDWOOD - KENTWOOD STONECRO	HARDWOOD -	Upper Hall - FLOORING
THE RESERVE OF THE PERSON OF T			2ND FLOOR	Section 1
		STANDARD		Powder Room - FAUCET
	MOUNT	STANDARD OVAL UNDERMOUNT		Powder Room - SINK
	RBLE	BIANCO CARRARA MARBLE		Powder Room - COUNTERTOP
	EEN (1)	SIERRA MDF - SAGE GREEN (Powder Room - FLOOKING Powder Room - CABINETS
	24 *BBICK	GENESIS LIGHT GREV 12 X 24 *RRICK	POWDER ROOM	P. L. P. C. CODING
10日の中では大きりの	The state of the s	N/A		Stair Stain - SERVICE STAIRS (if applicable)
	LOSE AS POSSILE	STAIN TO MATCH HARDWOOD AS CLOSE	STAIN	Stair Stain - BASEMENT STAIRS (if applicable)
		STAIN TO MATCH HARDWOOD AS CLOSE	STAIN	Stair Stain - MAIN STAIRS
	×	STANDARD OVAL OAK		Railing Details - HANDRAIL
		STANDARD TURNED OAK		Railing Details - POSTS
	WITH ALT. PLAIN	STANDARD METAL - SINGLE COLLAR WITH	STAND	Pailing Details - DICKETS
DERPAD	//STANDARD UNDERPAD	CARPET - OPENING NIGHT COLOUR TO3 w/STA	CARPET - OPEN	Basement Rec Room - FLOORING
	CROP 5 INCH (2)	VOOD - KENTWOOD STONECROP 5 INCH (2)	HARDWOOD	HOBBY - FLOORING
	ECROP 5 INCH (2)	HARDWOOD - KENTWOOD STONECROP 5 INCH (2)	HARDV	Dining / Living Room - FLOORING
		HARDWOOD - KENTWOOD STONECRO	HARDV	Main Hall - FLOORING
	ECROP 5 INCH (2)	GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT	DINING / LIVING / DINING / LIVING / DINING / LIVING / DINING / DIN	GREAT ROOM - FLOORING
	21	STANDARD STANDARD		Kitchen - FAUCET
		STANDARD		Kitchen - SINK
	NE POSLISHED (5)	ETERNA CALCATTA GREY HERRINGBONE POSLISHED (5)	ETERN/	Kitchen - BACKSPLASH
	НТЕ (2)	EMERSTONE CARRARA WHITE		
	HITE (2)	EMERSTONE CARRARA WHITE (2)		Kitchen - COUNTERTOP
		H800BC		Kitchen - HANDLES/KNOBS
	7+1	N/A		Senieni - Carinets
	N (1)	SIERRA MDF - SAGE GREEN (1)		Kitchen - CABINETS UPPERS
	9	0 18 X		Breakfast - FLOORING
)	LIVORNO 18 X 18 (2)		Kitchen - FLOORING
The State of the S		· · · · · · · · · · · · · · · · · · ·	KITCHEN	TO THE REAL PROPERTY OF THE PARTY OF THE PAR
			4	Basement Foyer - FLOORING
		N/A		Side Hall - FLOORING
	4 *BRICK	GENESIS LIGHT GREY 12 X 24 *BRI		Mildroom - FLOORING
	STATE OF THE PARTY	11VORNO 18 Y 18 /7)	ENIKANCES	100000
			ENTRANCES	

EURO HIGH GLOSS WHITE H800BC EMMERSTONE GRREY GALAZY (1) Shared Bath - FAUCET(8) Shared Bath - FAUCET(8) Shared Bath - FAUCET(8) Shared Bath - FAUCET(8) N/A LONG LON	PAINT LACE CORIES S CQUIREMENTS CQUIREMENTS COUSTINE S COUSTINE CONSULTANT	H Ile TO STOVE TO DRYER
CET(S) STAND RES / DATE STAND	PAINT LACE SORIES S CQUIREMENTS CQUIREMENTS TO dye lot variances in 15's selection must be ac 24. ALEDON (B) N LACE N LAC	ing/Baseboards rior Doors rior Door Hardware NT - Throughout APPL SLINE TO BBQ SLINE & ELECTRICAL TO STOVE SLINE & ELECTRICAL TO DRYER OD FAN VENT SIZE OD FAN VENT SIZE APPL TERLINE to Fridge DISCIAN Changes to the colour chart after signing are subject to a \$5000 administration haser has checked and acknowledged accuracy of colour and selections before surs of all materials are as close as possible to Builders selected or installed. In this e TE / LOT: ****FOR TRADE USE*** ****FOR TRADE USE*** ****FOR TRADE USE*** ****Poposibility of all Trades to inform the builder of any of is the responsibility of all Trades to inform the builder of any discrepancies on sketches, PES and/or colour charts PRIOR to installation.
CET(s) STAND SRICK ACKED INITI Fridge N/ Fridge N/ Fridge N/ Pridge N/ Prid	PAINT LACE SORIES S QUIREMENTS QUIREMENTS S ALEDON (B) N N ALEDON (B) N N ALEDON (B) N N N N N N N N N N N N N N N N N N N	ing/Baseboards Prior Doors Prior Door Hardware NT - Throughout NT - Throughout APPL S LINE TO BBQ S LINE TO BBQ S LINE & ELECTRICAL TO STOVE S LINE & ELECTRICAL TO DRYER OD FAN VENT SIZE APPL TERLINE to Fridge DISCIAL TERLINE to Fridge TERLINE to Fridge TERLINE TO BB COlour chart after signing are subject to a \$5000 administration progress some items may have been pre-selected or installed. In this e TE / LOT: ****FOR TRADE USE*** ****FOR TRADE USE*** ****FOR TRADE USE*** ****FOR TRADE USE*** ***** ***** ***** ***** ***** ****
CET(S) STAND RICK ACKED STAND SRICK ACKED STAND SIJKNOBS SJKNOBS SJK	PAINT LACE SORIES S CQUIREMENTS COURTEMENTS To dye lot variances in the action must be action mu	ing/Baseboards rior Doors rior Door Hardware NT - Throughout Torrs APPL SLINE TO BBQ SLINE & ELECTRICAL TO STOVE SLINE & ELECTRICAL TO DRYER OD FAN VENT SIZE TERLINE to Fridge OD FAN VENT SIZE TERLINE to the colour chart after signing are subject to a \$5000 administration haser has checked and acknowledged accuracy of colour and selections before sururs of all materials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this e TE / LOT: ***FOR TRADE USE***
CET(s) STAND RICK ACKED CET(s) STAND SRICK ACKED INITIAL STAND SORROD N/ Fridge N/ Fridge N/ Fridge N/ Fridge N/ PFridge N/ PFridge N/ PFridge N/ PFR91@GMAIL.CO	PAINT LACE SORIES S CQUIREMENTS COURTEMENTS To dye lot variances in 1875's selection must be ac 1875's selection m	ing/Baseboards rior Doors rior Door Hardware NT - Throughout NT - Throughout APPL S LINE TO BBQ S LINE TO BBQ S LINE & ELECTRICAL TO STOVE S LINE & ELECTRICAL TO DRYER OD FAN VENT SIZE TERLINE to Fridge TERLINE TO BBQ BOSSIBLE TO Bullders selection but not necessal struction progress some items may have been pre-selected or installed. In this e TE / LOT: RCHASER(S): NTACT:
CET(s) STAND SRICK ACKED CET(s) STAND SRICK ACKED NUMICRO VE SKNOBS SK	PAINT LACE SORIES S QUIREMENTS COURTEMENTS S S ALEDON (B)	ing/Baseboards prior Doors prior Door Hardware NT - Throughout IT - Throughout APPL S LINE TO BBQ S LINE TO BBQ S LINE & ELECTRICAL TO STOVE S LINE & ELECTRICAL TO DRYER OD FAN VENT SIZE ITERLINE to Fridge DISCLAII Changes to the colour chart after signing are subject to a \$5000 administration progress some items may have been pre-selected or installed. In this e TE / LOT: RCHASER(S):
CET(s) STAND SRICK ACKED CET(s) STAND SICET(S) STAND Pridge N/ P	PAINT LACE SORIES S QUIREMENTS COURTEMENTS S	ing/Baseboards Prior Doors Prior Door Hardware NT - Throughout Throughout APPL SLINE TO BBQ SLINE TO BBQ SLINE & ELECTRICAL TO STOVE SLINE & ELECTRICAL TO DRYER OD FAN VENT SIZE TERLINE to Fridge TERLINE to Fridge TERLINE to Stocked and acknowledged accuracy of colour and selections before struction progress some items may have been pre-selected or installed. In this entre of the colour chart after signing are subject to a \$5000 administration characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour chart after signing are subject to a \$5000 administration characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed. In this entre of the colour characterials are as close as possible to Builders selection but not necessal struction progress some items may have been pre-selected or installed.
CET(S) STAND SRICK ACKED CET(S) STAND SIJKNOBS SJKNOBS SJKNOBS N/ Fridge N/ Pridge	PAINT LACE SORIES S CQUIREMENTS COURTEMENTS S COURTENTS S COURTENTS S COURTENTS S COURTENTS S S COURTE S S COURTE S S S S COURTE S S S COURTE S S S COURTE S S S COURTE S S S S COURTE S C COURTE S C C C C C C C C C C C C C C C C C C	ing/Baseboards irior Doors irior Door Hardware NT - Throughout S LINE TO BBQ S LINE TO BBQ S LINE & ELECTRICAL TO STOVE S LINE & ELECTRICAL TO DRYER OD FAN VENT SIZE TERLINE to Fridge TERLINE to A \$5000 administration to the colour and selections before selected or installed. In this e
CET(s) STAND STAND STAND STAND SIGNOBS	PAINT	ing/Baseboards rior Doors rior Door Hardware NT - Throughout ation / Insert / Mantle S LINE TO BBQ S LINE & ELECTRICAL TO STOVE S LINE & ELECTRICAL TO DRYER OD FAN VENT SIZE TERLINE to Fridge TERLINE to Fridge DISCLAII changes to the colour chart after signing are subject to a \$5000 administration chaser has checked and acknowledged accuracy of colour and selections before selections before selections.
CET(s) STAND STAND STAND STAND STAND STAND STAND Ooktop N/ Fridge N/ Fridge N/	PAINT	y - BACKSPLASH y - BACKSPLASH Baseboards Doors Door Hardware Throughout I Insert / Mantle E TO BBQ E TO BBQ E & ELECTRICAL TO STOVE E & ELECTRICAL TO DRYER AN VENT SIZE INE to Fridge DI es to the colour chart after signing are subject to a \$5000 adminus and adminus are subject to a \$5000 adminus
CET(s) STAND SRICK ACKED CET(s) STAND SINCE OUT OF THE STAND SORTON N/ Fridge N/ INITI	FIREPLACE FIREPLACE YES VES N/A N/A R	y - BACKSPLASH y - BACKSPLASH Baseboards Doors Door Hardware Throughout E TO BBQ E TO BBQ E & ELECTRICAL TO STOVE E & ELECTRICAL TO DRYER AN VENT SIZE LINE to Fridge
CET(s) STAND RICK ACKED STAND STAND STAND ACKED DELI ACKED N/ Pridge N/ Pridge N/		y - BACKSPLASH y - BACKSPLASH Baseboards Doors Door Hardware Throughout Throughout E TO BBQ E & ELECTRICAL TO STOVE E & ELECTRICAL TO DRYER AN VENT SIZE
CET(s) STAND SRICK ACKED SYKNOBS SYKNOBS DELL AMicro N/ NOven NOVEN N/ NOVEN NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN NOVEN N/ NOVEN NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN N/ NOVEN NOVEN N/ NOVEN NOVEN N/ NOVEN N/ NOVEN NOVEN N/ NOVEN NOVEN N/ NOVEN NOVEN NOVEN NOVEN N/ NOVEN NOVEN NOVEN N/ NOVEN NOVEN NOVEN NOVEN N/ NOV		y - BACKSPLASH aseboards Doors Door Hardware Throughout E TO BBQ E & ELECTRICAL TO DRYER E & ELECTRICAL TO DRYER
ACKED STAND SKNOBS SKNOBS SKNOBS SKNOBS STAND DELI DELI DELI OFFICE OF THE STAND ACKED		y - BACKSPLASH Saseboards Doors Door Hardware Throughout 1 / Insert / Mantle E TO BBQ E & ELECTRICAL TO STOVE
CET(s) STAND RICK ACKED SJKNOBS SJKNOBS DELI	The second secon	y - BACKSPLASH Saseboards Doors Door Hardware Throughout 1 / Insert / Mantle
CET(s) STAND SRICK ACKED SJKNOBS SJKNOBS DELI		y - BACKSPLASH Baseboards Doors Door Hardware Throughout 1 / Insert / Mantle
CET(s) STAND RICK ACKED SJKNOBS		ing/Baseboards irior Doors prior Door Hardware NT - Throughout ation / Insert / Mantle
CET(s) STAND SRICK ACKED STAND S/KNOBS		indry - BACKSPLASH ing/Baseboards irior Doors irior Door Hardware NT - Throughout
CET(S) STAND SRICK ACKED SJKNOBS SJKNOBS		indry - BACKSPLASH ing/Baseboards prior Doors prior Door Hardware NT - Throughout
CET(s) STAND SRICK ACKED STAND S/KNOBS		Indry - BACKSPLASH Ing/Baseboards Prior Doors Prior Door Hardware
CET(S) STAND SRICK ACKED SJKNOBS		indry - BACKSPLASH ing/Baseboards erior Doors
CET(s) STAND SRICK ACKED STAND STAND		indry - BACKSPLASH ing/Baseboards
CET(s) STAND RICK ACKED STAND SYKNOBS	TRIM / PAINT	indry - BACKSPLASH
CET(S) STAND SRICK ACKED STAND STAND		ndry - BACKSPLASH
T) CET(s) RICK ACKED CET(s)		MARY - COMMITTALITY
CET(s) CET(s) CET(s)	N/A	Laundry - CABINETS
1) CET(s) RICK ACKED	NOW II	aundry - FLOORING
T) CET(s) ACKED	LAUNDRY	
1) CET(S) BRICK ACKED		SINK(s)
1) CET(s) 3RICK ACKED	LAMIN	BasementBath - COUNTERTOP
(CET(S)) BRICK ACKED		BasementBath - HANDLES/KNOBS
1) CET(s) RICK ACKED	EURO HIG	BasementBath - CABINETS
1) CET(s) 3RICK ACKED		BasementBath - SHOWER FLOOR
1) CET(s) RICK	GENESIS LIGHT G	BasementBath - TUB / SHOWER WALL
N/A N/A N/A H GLOSS WHITE 800BC GREY GALAZY (1) hared Bath - FAUCET(s)	GENESIS LIGHT	BasementBath - FLOORING
N/A N/A H GLOSS WHITE 800BC GREY GALAZY (1)	UNDERMOUNT	Shared Bath- SINK(s) OVAL
N/A N/A IIGH GLOSS WHITE	EMERSTON	ERTOP
N/A N/A		Shared Bath- HANDLES/KNOBS
N/A	EURO HIG	Shared Bath- CABINETS
N/A		Shared Bath- SHOWER JAMB
GENESIS LIGHT GREY 12 X 24 STACNED	GENESIS LIGHT G	
GENESIS LIGHT GREY 12 X 24 *STACKED	GENESIS LIGHT	Shared Bath- FLOORING
	STANDARD	
Encuito Rath - FAUCET(s) STANDARD	LAIVIIN	Ensurte 2 Bath - COUNTERTOP
H800BC	I AMINI	Ensuite 2 Bath - HANDLES/KNOBS
EURO HIGH GLOSS WHITE	EURO HIG	Ensuite 2 Bath - CABINETS
N/A		Ensuite 2 Bath - SHOWER JAMB
N/A		2 Bath -
GENESIS LIGHT GREY 12 X 24 *STACKED	GENESIS LIGHT G	nsuite 2 Bath - TUB / SHOWER WALL
GENESIS LIGHT GREY 12 X 24 *BRICK	GENESIS LIGHT	Ensuite 2 Bath - FLOORING



CLIENT NAME: ZANCOR HOMES SHIP TO: CALEDON CLUB

<u></u> 모

CELL:


DRAFTED BY: COMMENT

FERNANDA

INSTALL DATE:


13 of 22

KITCHEN 38-5-ELEV A,B,C



₹-Soft Close Doors 0009×HS88 Cutlery Divider B700 \otimes 770-1000 770-1000 930-550 2500

3) Micronave Shelf. In base.
3) Mishwas her Panel matching Valance







APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller -Appliance Canada (905) 660-2424 / smiller@appliancecanada.com

At is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

STANDARD APPPLIANCE OPENINGS provided by Zancor:

Fridge Opening modifications have been made to the cabinetry. 'Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when 36" x 74"

Hood Fan Opening Stove Opening Hood Fan & Vent 30" 30" 6" with Under Cabinet Hood

> \mathcal{N} I

Openings **Initial Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Dishwasher Opening

24"

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. required and it is the responsibility of the homeowner to provide this to Zancor

 $\mathcal M$ F

INITIAL

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

Specs that require changes/modifications after this date will not be accepted

FRIDGE UPGRADE

RANGE UPGRADE		
*Larger hood fan CFM might be	ω	*Larger hood fan CFM might be 36" **Hood fan opening must be the same size or larger (8" vent might be required)
required, which need a larger		
vent		48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)

Waterline

Integrated / Flush Inset

Paneled

**Panel to match required

Gas Range **gas line and electrical required & sold separately Cooktop (Apron Front) **Countertop Cut-out required & sold separately Induction **electrical required & sold separately

Cooktop (Drop-in) **countertop Cut-out required & sold separately

UPGRADE HOOD FAN & VENT 10 Inch 8 Inch **Required for 600 CFM

UPGRADE WALL OVEN/MICRO Double Wall Oven **electrical required & sold separately Single Wall Oven **electrical required & sold separately Insert / Liner Chimney Hood Fan **Vent must be centred

Over Then Range Microwave (OTR) Warming Drawer **electrical required & sold separately Steam Oven **electrical required & sold separately

**Electrical required

oxedgeBuilt-In Microwave **Trim Kit required **electrical required & sold separately

CALEDON

SITE

回

Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948





221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale. quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its

will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an

acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. immediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser ORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite,

applicable). STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually

materials and shall not hold the Vendor liable for provision of same.

the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to materials installed in the home. CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the

MAY be shade differences between the two products. unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in **STAIR STAINS**: Due to the natural properties of wood, many variables can affect the overall look of the finished product

building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser finish. All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This Builder liable for provision of same. factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades not hold the

UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. **CHANGES WILL NOT** upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras

flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall responsible nor held liable for minor variances of fluctuation in hardwood flooring materials of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be Expansion, compression and cupping are characteristics of hardwood 24

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the l/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture

DATE Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** CALEDON 5

SITE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948

MASTER - ALL MASTER SIGN OFF FORMS 2020 Dec 17 2020





(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

OPTION 1:

locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of Purchase Sale. I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

Artistic Smart Homes

select locations of the standard rough-ins review other optional products for purchase. I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Location: Phone: 8601 Jane Street (905) 850-9386

Concord, Ont L4K 5N9

Should the homeowner not make these selections within the sufficient time provided, the rough-ins as mentioned above will be installed in locations at the Vendor's discretion.

Homeowner(s) Initial

OPTION 2:

ins for Cable, CAT6, Telephone that are included in the Agreement of Purchase and Sale. company, I/we the Homeowner(s) have agreed to the Vendor locations for the standard rough I/we the Homeowner(s) acknowledge that if we do not contact the home automation

Homeowner(s) Initial

DATE

CALEDON

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T. (905) 738.7010 F: (905) 738.5948

SITE





BRICK/JOINT PATTERN INSTALLATION RELEASE FORM

FLOOR TILES *Brick installation requires an additional charge and must be included on the extras if selected*

(Large tiles installation for floor and wall) – ¼ Brick

standard occurrence with all suppliers and manufacturers. shaped, man-made tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a Please be advised it has come to our attention, that due to production, many of the over-sized and odd

DATE CALEDON SITE CALEDON LOT	Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern. LOCATIONS: Homeowner(s) In	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be eliminated. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter. Homeowner(s) Init	It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern, that it be installed o='[n a ½ brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the ½ brick installation that has been recommended. LOCATIONS: LOCATIONS:
R SS	oint pattern, that it be	tractor, cannot be held	les in a brickth this letter, you

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948







Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES



OPTION (1) EDGE FOR KITCHEN & VANITIES \$250



OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

