

MODENA





Modena offers a classic designer chimney appearance for under-cabinet installations, with a striking 9" high pyramid shape. Modena also provides high-end features not commonly found in under-cabinet hoods, including 520 CFM blower, LED dimmable lighting, stainless steel microhole filters and easy to use glass capacitive touch controls that deliver convenience and safety.

Available in 30" or 36" width, and designed for standard ducted installation, Modena can also be installed as a recirculating system using the kit available as an accessory. For design versatility to suit almost any kitchen.



×	٦	_	I	G	п	m	D	C	B	>		
12" (3	714" (1316"	58" (131316"	3" (7.6 cm)	110 ₁₆ "	23 ₁₆ " (934" (1958"	30" (76 cm)	EMD530S3	Mo
12" (30.5 cm)	71 ₄ " (18.4 cm)	13 ₁₆ " (3 cm)	⁵ 8" (1.6 cm)	13 ¹³ 16" (35 cm)	5 " (14.6 cm)	1 ¹⁰ 16" (4 cm)	2³16" (5.5 cm)	9³4" (25 cm)	19 ⁵ 8" (50 cm)	36" (91.2 cm)	EMD536S3	Models

For gas range installation: Mount this hood so that the bottom edge is at minimum 27"(68.6 cm) above the cooking surface. For electric range installation: mount this hood so that the bottom is not less than 24"(61 cm).



26 W

1 07 10

MODENA TECHNE SERIES



SPECIFICATIONS



	30" UNIT	36" UNIT
Model:	EMD530S3	EMD536S3
Dimensions:	30"W × 20"D × 9"H	36"W × 20"D × 9"H
Blower Type(internal):	520 CFA	520 CFM blower
Blower Performance:		
Speed 1	170	170 CFM
Speed 2	280	280 CFM
Speed 3	430	430 CFM
Speed 4	520 CFM	CFM
Noise (sones): Woking Speed	Min: 1.73, N	Min: 1.73, Max: 6 Sones
Finish:	Stainless Stee	Stainless Steel + Black Glass
Controls:	Touch Contro	Touch Control 3S+ Booster
Illumination:	2 Premium LED Dimmable Lights, 2.5 W	mable Lights, 2.5 W
Filter Type:	2 Dishwasher- Safe, Stain	2 Dishwasher- Safe, Staineless Steel Microhole Filter
Installation Type:	Ducted or Recirculating with installation Kit (sold	nstallation Kit (sold separately)
Duct Transition:	3 1/4" x 10" with back drc	3 1/4" x 10" with back draft damper (top and rear)
Electrical:	120 Volts, 60 Hertz,	120 Volts, 60 Hertz, 455 Watts, 3.8 Amps
KITS:		
Optional Recirculating Kit	КІТО	KIT02667

PLUS FEATURES



AMBIENT LIGHT - Elica studies on hood lighting leaves no stone unturned. Here we have thought about products not only able to light the cooktop, but the entire kitchen space. And so the hood is transformed: from a kitchen appliance to a true lighting element. Considering the design of Elica hoods, it is not hard to imagine how this option is quite unique, and represents one extraordinary point of strength for us.



LED LIGHT - LED lighting is undoubtedly the smartest solution in terms of energy saving. Expected life time of over 20.000 hours, represents the most remarkable advantage of LED light bulbs.



HUSH SYSTEM - An exclusive sound deadening technology that effectively reduces sound levels up to 35%, compared to typical range hoods.

(CRS) CFM REDUCTION - CFM Reduction System (CRS), is an exclusive feature to Elica hoods, which enables the user to reduce directly in the glass touch control the maximum blower CFM, to meet local code requirements.



DIM-LIGHT - The Dimmer allows you to adjust the brightness of the light as you wish. With Elica, lighting is customized in a discreet, personal and practical way, in order to contribute in creating the perfect kitchen atmosphere.



(35)

ELECTRONIC TOUCH CONTROLS - Enjoy the modern design and convenience of multi-function electronic touch controls, which are discreetly hidden behind sleek black glass, and will illuminate a soft blue when activated.

26W 0) 70



Lot 26W Innisfil

Prepared by
Wayne Wanamaker
COAST APPLIANCES
wwanamaker@coastappliances.com



26 W

3 of [0

KitchenAid®



Available Finishes/Colours

KRFC300EBS
Black Stainless
Steel with
PrintShield™ Finish



KRFC300EWH White

Manuals & Literature:

Use and Care Dimension Guide



Counter Depth

Yes

Cooling Type

Single Evaporator

Door Refrigerator with Interior Dispense 20 cu.ft. 36-Inch Width Counter-Depth French

KRFC300ESS

This 20 cubic foot refrigerator has a counter-depth design that gives it a built-in look. But the beauty of this French door refrigerator goes beyond the exterior. The ExtendFresh™ Temperature Management System and Produce Preserver help keep food fresh. LED lighting throughout the refrigerator makes food easy to find on every level.

Top Features

ExtendFresh™ Plus Temperature Management System
Ensures ingredients remain fresh for maximum taste and texture using a sensor-controlled system with a variable-capacity compressor. There is one thermistor in the freezer and one thermistor in the refrigerator.

Interior Water Dispenser
Provides easy access to filtered water inside the refrigerator

Produce PreserverAbsorbs ethylene gas emitted by many fruits and vegetables, causing them to over ripen. By removing ethylene, the produce preserver helps extend freshness.

FreshChillTM Temperature-Controlled Full-Width Pantry
Lets you properly store everything from meats to produce with a manual temperature setting. It gives you total control over of the amount of cool air that enters the drawer.

Better Energy Performance	Giobal Warming Potential and	Advance Foam Insulation 99.9% lower	Details			Refrigerator Volume (Cu Ft) 14.38	Freezer Volume (Cu Ft) 5.62	AHAM Volumes And Shelf Area	The state of the s	Width 35 3/4	Height 70 1/8	Depth 29 3/8	Dimensions	
	Max Cool/Fast Cool	Colling Focation	Control Location	Door Ajar/Open Alarm	Control Lockout	LCD Touch Screen	Automatic Defrost	Air Filter Indicator/Reset	Control Type	Controls	With committee of the c	Door Style	Details	
	Yes		Interior III Front	Yes	No	No	Yes	No	Electronic			Contour		

COAST APPLIANCES Wayne Wanamaker

wwanamaker@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 2 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

16/2

01 30 h

KitchenAid®

Range

KSGG700ESS

30-Inch

5-Burner Gas

Convection Front Control

This beautiful gas range produces flawless cooking results thanks to Even-Heat™ True Convection; the unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature. This range also features a Steam Rack that offers the ability to add additional moisture to the inside of the oven, enhancing cooking results. The oven is 5.8 cu ft.



Available Finishes/Colours

KSGG700EBS
Black Stainless
Steel with
PrintShield TM Finish

KSGG700ESS Stainless Steel

Installation Instructions

Warranty

Manuals & Literature: Dimension Guide Use and Care

5.8 cu ft. Oven Capacity This gas slide-in range provides a large cooking capacity that's perfect for multiple dishes at once. Steam Rack Offers the ability to provide additional moisture to the inside of the oven, enhancing cooking results. Even-Heat™ True Convection Produces flawless results. The unique bow-tie design and convection fan ensure the inside of the entire oven is heated to, and stays at, the perfect temperature.

5 burners (5k, 8k, 9.2k, 15k and 17k) Provides the perfect range of cooking power from 5,000 to 17,000 BTU, so you can go from a rolling boil to a delicate simmer.

Dimensions		Configuration	
Height	36	Oven Configuration	Single Oven
Width	29 7/8		
		Controls	
Configuration and Overview	erview	Knob Color	Stainless Stee
Range Type	Slide-in	Knob Type	Metal
		Display Color	Red/White
Exterior		Electronic Display Type	Digital
Drawer Type	Storage Drawer		
Door Type	Metal & Glass	GDS	
Oven Window Size	Large	isBaseUnit	true
Handle Type	Towel Bar	isConsumerUnit	true
Handle Color	Stainless Steel	lsDispatchUnit	
Handle Material	Metal	IsInvoiceUnit	true
		- IsOrderableUnit	true
Configuration		Product Type	EA

Range Configuration

Slide-In

COAST APPLIANCES
Wayne Wanamaker

wwanamaker@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 3 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.

7 00 (0

Kitc 5 enAid®



Available Finishes/Colours

KDTM404KBS
Black Stainless
Steel with
PrintShield TM Finish

KDTM404KPS Stainless Steel with PrintShield™ Finish

Warranty Energy Guide

Manuals & Literature:

Dimension Guide Use and Care

44 dBA Dishwasher in FreeFlex™ Third Rack PrintShield™ Finish with

KDTM404KPS

Keep up with the tools you use from prep to table with this dishwasher's three racks of versatile loading possibilities and complete wash coverage. The FreeFlex™ Third Rack fits glasses, mugs, bowls, silverware and cooking tools, freeing up room below for pots, plates and mixing bowls. The Advanced Clean Water Wash System circulates clean water to dishes in all three racks.

FreeFlex™ Third Rack
The largest third rack available has a deep, angled design that fits 6" glasses, mugs and bowls. It features rotating wash jets to clean items in the rack, a drying bar with tabs that help wick moisture off glasses and a removable utensil tray for cooking.

ENERGY STAR® Certified

ENERGY STAR® certified models exceed government standards to help save money on your utility 44 dBA
Provides quiet cleaning without compromising performance, so there's no need to wait to run a wash cycle while entertaining and enjoying meals, even in open concept kitchens.

Height	Width	Depth	Dimensions	
34 5/8	23 7/8	26 3/4		

Controls	
Automatic Temperature Controls	Yes
Control Location	Hidden, Top
Control Type	Tap Touch
Sensor	Yes
Status Light	White
End of Cycle Signal	Yes

Rinse Aid Dispenser Level Indicator

Yes

Features

	Features		
and the same of th	Dispensers	Detergent and Rinse Aid	
	Sound Package	Yes	
Α	Number of Wash Levels	7	
	The section of the se		
_	Exterior		
	Control Panel Color	Black	
	Handle Type	Towel Bar	
	True Hold Door	Yes	
	Handle Color	Stainless Steel	
	Magnetic Door	Yes	
	Toe Panel Color	Black	
	Fingerprint Resistant	Yes	

COAST APPLIANCES
Wayne Wanamaker

wwanamaker@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 4 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice. are for





with Intuitive Controls 5.0 cu.ft I.E.C. Closet-Depth Front Load Washer

WFW560CHW

Match your family's routines and your space with a closet-depth front load washing machine that still offers plenty of room for bulky items at 5.0 cu. ft. I.E.C. capacity. Let the ENERGY STAR® certified washer guide you to the right cycle combinations, like the Sanitize cycle with Oxi, or customize up to 35 of your own with Intuitive Controls.

Top Features

#1 in Customer Satisfaction in the J.D. Power 2020 Laundry Appliances Satisfaction Study Skip steps with the Load & Go™ XL dispenser. Simply add detergent once and skip refills for 40 loads.

5.0 cu. ft. I.E.C. Capacity
Get plenty of room for bulky items with 5.0 cu. ft. I.E.C capacity.

ENERGY STAR® Certified

ENERGY STAR® certified models exceed government standards to help conserve natural resources and save money on your utility bills.

Intuitive Controls

Let the washer guide you to the right cycle combinations or customize up to 35 of your own to get the right type of tabric care for whatever you're washing.

Width	Depth	Dimensions
27	31 9/16	

Available Finishes/Colours

WFW560CHW White

Manuals & Literature:

Dimension Guide

Installation Instructions

Use and Care Energy Guide

Warranty

es es	Lid/Door Swing Left	Lid/Door Lock Yes	Exterior	Width 27	0.010
-------	---------------------	-------------------	----------	----------	-------

Controls	
Automatic Temperature Controls	Yes
Control Location	Front
Control Type	Tap Touch
Electronic Display Type	Cycle Indicator Lights with Digits Time Remaining

	Compatibility	LED Color	LCD Touch Screen	End of Cycle Signal	Controls
:		Blue	No	Yes	
- 1					

Advanced Vibration	Details		Works With
No		Managed Control	No

No N/A

COAST APPLIANCES
Wayne Wanamaker

wwanamaker@coastappliances.com


#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 5 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specific planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.





Intuitive Touch Controls 7.4 cu. ft. Front Load Electric Dryer with

YWED5620HW

Let the front load electric dryer guide you to the right cycle combinations for whatever you're drying with Intuitive Controls. Advanced Moisture Sensing uses three moisture sensors to help prevent overdrying. The ENERGY STAR® certified electric dryer helps keep wrinkles from setting after the cycle with the Wrinkle ShieldTM option.

Advanced Moisture Sensing

Help prevent overdrying. Three sensors track moisture and temperature, adapting drying times to end
the cycle at just the right time.

Wrinkle Shield™ Option

Help keep wrinkles from setting into clean, dry fabrics with the Wrinkle Shield™ option. It keeps clothes tumbling for up to 150 minutes after the cycle ends or until you open the door.

7.4 cu. ft. Capacity
Get plenty of room to dry the large loads you washed in the matching front load washer. This 7.4 cu. ft. dryer easily handles bulky items like comforters and sleeping bags.

Depth Intuitive Controls

Let the dryer guide you to the right cycle combinations or customize up to 36 of your own to get the right type of fabric care for whatever you're drying. Dimensions $\frac{3}{2}$

Available Finishes/Colours

YWED5620HW White

Height Width 38 3/4 27

Reversible Door

Yes

Right

Door Opening Exterior

Manuals & Literature:

Dimension Guide

Installation Instructions

Use and Care Energy Guide

Warranty

Details Interior Light Drying Rack **Drum Material** Maytag Commercial Components Eco Monitor/Efficiency Monitor Door Style Side Swing No o Powder Coat o O

End of Cycle Signal **Control Location** Controls Lint Filter Indicator Feedback-Status Indicators Control Type Yes Front Panel 8 Check Vent,Cool Down,Damp,Sensing,W Electronic

Automatic Dry Control Yes

Window Exterior

Yes

Quad Baffles

Yes Front

Lint Screen Location

COAST APPLIANCES
Wayne Wanamaker

wwanamaker@coastappliances.com

#1-1748 Creditstone Rd Vaughan, ON L4K 5V8

Page 6 of 6



Because Whirlpool Corporation policy includes a continuous commitment to improve our products, we reserve the right to change materials and specifications without notice. Dimensions are for planning purposes only. For complete details, see Installation Instructions packed with product. Specifications subject to change without notice.








WNER SUPP

how to get the most out of them when you get home. Whirlpool is dedicated to providing resources and tools that will make sure you love your appliances and know



RESOURCES AVAILABLE TO ALL OWNERS

We've ensured that you can easily access info related to your appliances when and where you need it.



WEBSITES:

The Product Help section is a great tool to help you drill down on FAQs and DIY. Our sites are constantly updated with relevant content and resources to help answer questions.







Maytag product help >

KitchenAid product help >



YOUTUBE:
Our videos help you with unboxing, installation and early use of your appliances, and we are working to add more! Check out our Youtube channels - we've organized our playlists to help you find what you need!







26W

_ 0) 10





CUSTOMIZED INFO & TIPS SENT DIRECTLY TO YOUR INBOX

Register your appliance today. It only takes 3 minutes, and when you opt-in to receive emails, we'll send you personalized content based on your new appliance. You'll also gain exclusive access to great promotions. Click below to get started.



BUILDING AN OWNER PROFILE:

Upon signing up for emails, we will ask you to take a short, fun quiz (if you'd like). This helps us know what appliances you own, the type of content you want / don't want to receive and how often.











ONBOARDING EMAILS:

FAQs and resources on our websites. points you to where you can find great videos, of the appliance, provides ongoing tips as well as Our Onboarding program helps you with early use



ONGOING PERSONALIZED CONTENT:

to recipes and more. emails range from promos, cooking and cleaning tips, send only what is relevant and helpful to you. These Based on your profile preferences, we'll make sure to











OUR GOAL IS TO HELP YOU HAVE THE BEST EXPERIENCE WITH YOUR APPLIANCE AND BE HERE WHEN YOU NEED US! REMEMBER TO REGISTER YOUR APPLIANCE AND OPT-IN TO RECEIVE PERSONALIZED CONTENT BY EMAIL.