
DW80R5061

SAMSUNG

Samsung StormWash™ 48 dBA Dishwasher



Signature Features

StormWash"

A heavy-duty wash gets the messiest pots and pans thoroughly clean without pre-washing.

Whisper Quiet Cleaning

Less noise and less disturbance with silent wash cycles at 48 dBA

AutoRelease™ Door

At the end of the cycle, the door automatically opens to circulate air and improve drying performance.

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Tuscan Stainless Steel



StormWash"



AutoRelease™ Door

Features

- 3rd Rack
 Fingerprint Resistant Stainless Finish
 One-Touch Adjustable Racking System

Control LockDelay StartDigital Leak Sensor

Convenience

Rating

ENERGY STAR®-rated: 265 kWh/yr

- Digital Touch Control
- Sanitize Cycle6 Wash Cycles
- 6 Options

- Half-Load Cycle
 Express Cycle: 60 Minutes
 Full Stainless Steel Interior

- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
 ENERGY STAR® rated

56 W


op 9

DW80R5061

SAMSUNG

Samsung StormWash™ 48 dBA Dishwasher

Installation Specifications



- Features
 6 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only
 6 Options: Half-Load Wash (Lower Rack), StormWash¹⁸, Hi-Temp Wash, Sanitize (Anti-bacterial NSF), Delay Start, Control Lock
- AutoRelease™ Door
 Hidden Heat Element
 Stainless Steel Interior Tub

Convenience

- Control Lock
- Digital Water Leakage Sensor3rd Rack
- One-Touch Adjustable Racking System
- Silverware Basket
- Upper Rack: Foldable Cup Shelves,
 2 Adjustable Tines
 Lower Rack: Removable Plate Support

Warranty
One (1) Year All Parts and Labor

and Interior Nylon Racks Five (5) Year Limited on Printed Circuit Board

Dimensions

Rear View

Product Dimensions & Weight (WxHxD) Dimensions (height is adjustable): $23^{7}/_{8}$ " $\times 33^{7}/_{8}$ " - 35" $\times 24^{3}/_{4}$ "

Weight: 95 lbs

Shipping Dimensions & Weight (WxHxD)

Dimensions: $26" \times 35" \times 29^{1}/_{2}"$

Weight: 106 lbs

"8\7EE

Model #

DW80R5061US

887276338729 **UPC Code**

Fingerprint Resistant Stainless Steel

DW80R5061UG 887276338712

Fingerprint Resistant Black Stainless Steel

Fingerprint Resistant DW80R5061UT 887276338736 Tuscan Stainless Steel

237/8"

0 243/4" 201/2"

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Nor ©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07860. Tel: 800-SAMSUNG. sa


191/LG

56W 2 of 9

N@70M7770DS

SAMSUNG

30" Microwave Combination Wall Oven



Signature Features

Steam Cook (Oven)

Delivers moisture at precise times for a crisp, browned outside and tender inside.

Speed Cook (Microwave)

Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)

with the Smart Divider. Cook two dishes at different temperatures simultaneously







Flex Duo™

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Features

- Digital-Analog Controls 1.9/5.1 cu. ft. Capacity Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven) LED Spotlights (Oven) Easy View Window

- 3 Heavy-Duty Racks including

- a Gliding Rack (Oven) Soft-Close Door (Oven)

- Ceramic Plate (Microwave) Rapid Preheat (Oven)

- Auto Latch Microwave Door
 6 Oven Modes including
 Steam Bake and Steam Roast
 Blue LED Illuminated Knobs
- **Broil Element** Smart Control Key (Oven)
- 6 Rack Positions (Oven) Drop-Down Door Design

- LCD Display

Convenience

- Hidden Heating Element (Oven) Sabbath Mode (Oven)

- Proofing (Oven) Delay Start (Oven)
- Warming Mode (Oven) Kitchen Timer
- Child Safety Lock
- Convection Conversion

56 W 3 of 9

NQ70M7770DS


30" Microwave Combination Wall Oven

Cabinet Dimensions


Combination Oven Installed in Cabinet

*Junction Box

**Allow a minimum of 22" for clearance
to adjacent corners, drawers, walls, etc.
when door is open.



Product Dimensions



SAMSUNG

Total Capacity: 1.9/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
 Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
 Hidden Bake Element
 Bake: 175°F-550°F
- Convection Bake: 175°F-550°F
- Convection Roast: 175°F-550°FBroil: Low-HighSteam Bake: 230°F-550°F

- Steam Roast: 230°F–550°F
- ProofingSabbath Mode

Warranty
One (1) Year All Parts and Labor
Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)Outside (Max) Combination Oven Dimensions: 29⁷/₈" x 43¹/₄" x 25¹¹/₁₆"

Combination Oven Cut-Out Dimensions: $281/_2$ " x $421/_4$ " x $231/_2$ "

Weight: 262.4 lbs.

Shipping Dimensions & Weight (WxHxD) Dimensions: 33⁵/₈" x 48³/₁₆" x 29⁵¹/₆₄"

Weight: 291.1 lbs.

Stainless Steel

Black Stainless Steel

Color

Model #
NQ70M7770DS
NQ70M7770DG

UPC Code 887276195186 887276195162

208V 40 Amps	240V 40 Amps	BREAKER SIZE	208V 7.2 kW	240V 9.5 kW	RATING	
nps	nps	m	>	~		

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

@2018 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung com. Samsung is a registered trademark of Samsung Electronics Co. Ltd.

29 X

4 of 9

NZ30K6330RS

30" Electric Cooktop

Features

- Wi-Fi Connectivity
 Flexible Cooktop:
 Two Dual Elements
 (9"/6" Rapid Boil™ and 8"/5")
- -Two Single Elements (7")
 Single Melt Element (6")
 9.5 kW Total Power


ADA Compliant

Convenience

- Hot Surface Indicator Light
- Easy-To-Clean Glass, Ceramic Cooktop
- Dishwasher-Safe Knobs



ADA ADA Compliant







Rapid Boil™

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Signature Features

RAPID BOIL™

Up to 3.3 kW power element offers intense heat and precise control to quickly boil water or maintain a low even simmer.

FLEXIBLE COOKTOP

Whether you're boiling water, melting chocolate or simmering sauce, there's an element for your needs.

LED ILLUMINATED BACKLIT KNOBS

Visually lets you know your cooktop is on, even at a distance.

56 W

5 0 1


SAMSUNG

30K6330RS

30" Electric Cooktop

Installing Your Gooktop

Can be installed over a single oven.



Total Power 9.5 kW

Power Source

240V / 60 Hz / 40A

- Electric Cooktop
 Left Front: 7", 1.5 kW
 Left Rear: 7", 1.5 kW
 Right Front: 8"/5", 2 kW
 Right Rear: 6", 1.2 kW (Melt)
 Center: 9"/6", 3.3 kW (Rapid Boil"*)

Warranty
One (1) Year All Parts and Labor

Five (5) Years Parts Warranty for Glass Cooktop and Radiant Heater

Product Dimensions & Weight (WxHxD) Outside (Max) Cooktop Dimensions: 30" x 5 ¹/₁₀" x 21 ¹/₄"

Cooktop Cut-Out Dimensions: $28\frac{1}{2}$ " x $5\frac{1}{10}$ " x $19\frac{4}{7}$ "

Weight: 35.7 lbs.

Shipping Dimensions & Weight (WxHxD)

Dimensions: $34^3/_{16}$ " x $8^1/_2$ " x $25^1/_{16}$ "


Weight: 48.5 lbs.

Color Model


UPC Code

Stainless Steel NZ30K6330RS Black Stainless Steel NZ30K6330RG 887276183312 887276183329

Cut-Out Dimensions of Countertop



Dimensions



34/7"

51/10"

SAMSUNG

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2017 Samsung Bectronics America, inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

56 M

7

RF23R6201SR

SAMSUNG

23 cu. ft. Counter-Depth, 3-Door French Door Refrigerator with CoolSelect Pantry™



Signature Features

Twin Cooling Plus®

Independent fridge and freezer controls keep food fresher longer.

CoolSelect Pantry™

• Full-width drawer with three temperature control settings to chill or defrost food to ideal temperatures

Ice Max

Large capacity, stores up to 2.7 lbs of ice

Counter Depth

Offers a premium, built-in look

Fingerprint Resistant Finish

A special finish to reduce smudges and minimize cleaning

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Tuscan Stainless Steel



White



CoolSelect Pantry™ with Temperature Control



Ice Max

Convenience

- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Wi-Fi and Bixby Enabled
- Adjustable Shelves for
- Tall Oversized Items
 Auto Pull-Out Upper Freezer Drawer
- Water Filter Indicator

Design

- Counter Depth
- Fingerprint Resistant Finish
- Premium External Filtered Water

- and Ice Dispenser with Light

 High Efficiency LED Lighting

 Accessibility (ADA Compliant)

 EZ-Open Handle™ on Freezer Door

 Tempered Glass Spill-Proof Shelves

 Gallon Door Bins

Performance

- Twin Cooling Plus®
 Ice Max Stores up to 2.7 lbs of Ice
- ENERGY STAR® Compliant
- Two Humidity-Controlled Crispers
 Power Freeze and Power Cool Options
 CoolTight Door

Door Alarm

Rating

ENERGY STAR® rated: 699 kWh/yr

S6 ×

7 of 9

RF23R6201SR

SAMSUNG


with CoolSelect Pantry™ 23 cu. ft. Counter-Depth, 3-Door French Door Refrigerator

Installation Specifications


- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation
- Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 22.6 cu. ft.

Refrigerator: 15.7 cu. ft.

- Premium External Filtered Water and Ice Dispenser
- Crushed or Cubed Ice
- Ice Max
- Deli (41°C), Fresh (38°F) and Chilled (32°F) Options Pantry Divider CoolSelect Pantry™ with Temperature Control –
- 2 Humidity-Controlled Crispers
- 5 Tempered Glass Spill-Proof Shelves:

- 1 Slide-Out 1 Foldable Half
- 6 Clear Door Bins
- Right Door: 3 Gallon Bins
- Left Door: 3 Regular BinsAdjustable Shelves for Tall Oversized ItemsHigh Efficiency Top LED Lighting

• EZ-Open Handle™

- 2 Drawer Dividers
- High Efficiency LED Lighting

Accessories

Water Filter: HAF-QIN

Warranty

Sealed Refrigeration System Only*
Ten (10) Years Parts and Five (5) Years
Labor on Digital Inverter Compressor
*Compressor, evaporator, condenser, drier and connecting tubing. Five (5) Years Parts and Labor on One (1) Year Parts and Labor on Refrigerator

Product Dimensions & Weight

Dimensions (WxHxD with hinges, handles and doors): $35^{3}/_{4}$ " x 70" x 31"

Dimensions (WxHxD without hinges and door):

Dimensions (WxHxD with hinge and door, no handle): $35^3/_4$ " x 70" x $28^1/_2$ " $35^{3}/_{4}$ " x $68^{7}/_{8}$ " x 24"

Shipping Dimensions & Weight (WxHxD) Dimensions: $381/_4$ " x 76" x $311/_4$ "

Weight: 279 lbs

Weight: 300 lbs

Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF23R6201SR	887276341286
Fingerprint Resistant Black Stainless Steel	RF23R6201SG	887276341279
Fingerprint Resistant Tuscan Stainless Steel	RF23R6201DT	887276341262
White	RF23R6201WW	887276341293

Actual color may vary. Design, specifications, and color availability are subject to change without © 2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-5AI



Model WCDE46R3S - Dual Zone ELITE Series Wine Chiller(Available through select retailers)

Features / Specs

	777	
	(D)	
	en.	
	ends.	
	analeg .	
	(D)	
	(D	
	-	
	60	
	married.	
	-	
	457	
	anning to	
	mad A	
	5.7	
	144	
	Contract to	
	0	
	diag	
	103	
1	97	

- ✓ Dual Zone Wine Chiller
- ✓ Up to 46 Wine Bottles
- * Upper Zone: Up to 16 Bottles

* Lower Zone: Up to 30 Bottles

- Designed for Dutte In or Proprior III
- Designed for Built-In or Freestanding Use
- Seamless Stainless Steel Non-Reversible Door Frame with Stainless Steel Handle and Kick-plate
- Tempered Double-Pane Glass Door
- ✓ Soft Touch Control and Blue LED Electronic Display (C°/F°)
- Door Activated and Push Button Interior LED Light Control
- Perimeter Lighting is Progressive with Color Choices of Blue, Amber or White
- ✓ Built-In Fan with Active Charcoal Filter to Maintain Ideal Wine Environment
- 100% Pull-Out Wooden Shelves on Roller Assembly with Stainless Steel Front Accents
- Door Ajar Alarm
- ADA Compliant

5

0 1 9