



**COAST
APPLIANCES**
Brands You Want, Expertise You Need

INVOICE

Unit #1-1748 Creditstone Road
Vaughan, ON L4K 5V8
PHONE: (905) 303-6909
FAX: (905) 856-5325
SERVICE TOLL FREE: (888) 745-0622

Invoice # S03436634	
Date	Page
Aug 09, 2021	Page 1 of 4
Ref #	PO #
ZANCOR THE COV	COLOR CHART
Date Printed	Time Printed
Aug 14, 2021	12:20 pm

Visit our website at WWW.COASTAPPLIANCES.COM

GST# 79494 2516

Bill To:	POZZEBON, ABRAMO LOT 28W BELLE AIRE SHORES INNISFIL, ONT L9L 9L9 (416) 460-8605
-----------------	--

Ship To:	Customer 120070 POZZEBON, ABRAMO LOT 28W BELLE AIRE SHORES INNISFIL, ONT L9L 9L9 (416) 460-8605
-----------------	---

Invoice Type	Ship Via	Payment Type	Salesperson	Schedule Date
Retail	7 Suns Delivery	COD	Wayne Wanamaker	Mar 18, 2022

FROM	QTY	BRAND	MODEL / ITEM #	DESCRIPTION
513	1 -1	FISHE	RS3084SRK1	This Invoice has been split, further details on ' S03436634-STD' ! 30 FRIDGE COLUMN, PANEL Product Discount Built-In Refrigerator requires custom wood panel(s) and handle(s). - Coast can supply handle(s) - Ask for details Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT
513	1 -1	FISHE	RS1884FLJK1	18 FREEZER COLUMN, PANEL Product Discount Built-In Freezer requires custom wood panel(s) and handle(s). - Coast can supply handle(s) - Ask for details Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT
513	2 -2	FISHE	AHD5RDSFB	CONTEMPORARY SQUARE FINE BLACK 1 PC HANDLE KIT 18 Promo Correction Discount
513	1 -1	FISHE	CPV3-366-N	36 PROFESSIONAL RANGETOP, NATURAL GAS Product Discount Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT
513	1 -1	FISHE	OB30SDPTDB1	30 SINGLE OVEN, BL Product Discount Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT



**COAST
APPLIANCES**
Brands You Want, Expertise You Need

INVOICE

Unit #1-1748 Creditstone Road
Vaughan, ON L4K 5V8
PHONE: (905) 303-6909
FAX: (905) 856-5325
SERVICE TOLL FREE: (888) 745-0622

Invoice # S03436634	
Date	Page
Aug 09, 2021	Page 2 of 4
Ref #	PO #
ZANCOR THE COV	COLOR CHART
Date Printed	Time Printed
Aug 14, 2021	12:20 pm

Visit our website at WWW.COASTAPPLIANCES.COM

GST# 79494 2516

Bill To:	Ship To:
POZZEBON, ABRAMO LOT 28W BELLE AIRE SHORES INNISFIL, ONT L9L 9L9 (416) 460-8605	Customer 120070 POZZEBON, ABRAMO LOT 28W BELLE AIRE SHORES INNISFIL, ONT L9L 9L9 (416) 460-8605

Invoice Type	Ship Via	Payment Type	Salesperson	Schedule Date
Retail	7 Suns Delivery	COD	Wayne Wanamaker	Mar 18, 2022

FROM	QTY	BRAND	MODEL / ITEM #	DESCRIPTION
513	1	FISHE	OM24NDBB1	24 CONVECTION SPEED OVEN, BLACK
	-1			Product Discount
513	1	FISHE	TK30NDBB1	30 IN TRIM KIT,BLK
	-1			Product Discount
513	1	FISHE	WB30SDEB1	30 MINIMAL WARMING DRAWER, BL GLASS
	-1			Product Discount
				Special Order - Non Returnable
				- This includes any delays due to stock availability
				- Customer must take delivery of product within 2 weeks of arriving at Coast
				- NON-REFUNDABLE DEPOSIT
				Contr Bldrs Allow Range Base
513	1	FISHE	DD24DTI9 N	24 DISHWASHER, 46DBA, PANEL
	-1			Product Discount
				Dishwasher requires custom wood panel(s) and handle(s)
				- Coast can supply handle(s)
				- Ask for details
				Special Order - Non Returnable
				- This includes any delays due to stock availability
				- Customer must take delivery of product within 2 weeks of arriving at Coast
				- NON-REFUNDABLE DEPOSIT
513	2	FISHE	AHD5-OBDD60SB	HANDLE KIT, 1 PC BLK
	-2			Product Discount
	1			Contr Bldrs Allow D/W Base
513	1	VENTA	BH234SLDSS-16	SPECIAL 16 DEPTH LINER INSERT
				All Ventilation Products are considered Special Order and Non-Returnable.
				- Make sure to check the product dimensions
				- Make sure to review Make-Up Air with your contractor
	1			Contr Bldrs Allow Installation
	1			Installation-COMplete PKG
	1			Freight



Invoice #		S03436634	
Date		Page	
Aug 09, 2021		Page 3 of 4	
Ref #		PO #	
ZANCOR THE COV		COLOR CHART	
Date Printed		Time Printed	
Aug 14, 2021		12:20 pm	

Unit #1-1748 Creditstone Road
Vaughan, ON L4K 5V8
PHONE: (905) 303-6909
FAX: (905) 856-5325
SERVICE TOLL FREE: (888) 745-0622

Visit our website at **WWW.COASTAPPLIANCES.COM**

GST# 79494 2516

Bill To:
GENERAL 2 - CHAIRMAN

POZZEBON, ABRAMO
LOT 28W BELLE AIRE SHORES
INNISFIL, ONT L9L 9L9
(416) 460-8605

Ship To: **Customer 120070**
POZZEBON, ABRAMO
LOT 28W BELLE AIRE SHORES
INNISFIL, ONT L9L 9L9
(416) 460-8605

Invoice Type	Ship Via	Payment Type	Salesperson	Schedule Date
Retail	7 Suns Delivery	COD	Wayne Wanamaker	Mar 18, 2022

FROM	QTY	BRAND	MODEL / ITEM #	DESCRIPTION
	6			

APPLIANCE PROTECTION PLAN ☐ YES ☐ NO REMOVAL OF OLD UNITS ☐ YES ☐ NO

- * All authorized returned products will be subject to a 30 % restocking charge.
- * Orders must be paid in full upon scheduling delivery.
- * Please inspect product condition immediately for physical defects shipping damage.
- * We offer no other implied warranty, return or exchange policy.
- * Appliance being hauled away must be disconnected and uninstalled prior to delivery
- * New appliances are warranted by the manufacturer only, unless an extended service plan is purchased.

SUB TOTAL	
HST	
TOTAL	
PAYMENT	
BALANCE	

NOW 17 LOCATIONS TO SERVE YOU





**COAST
APPLIANCES**
Brands You Want, Expertise You Need

RETAIL TERMS AND CONDITIONS

All appliances or services offered by Coast Wholesale Appliances Inc (Coast) are sold subject to our terms and conditions. A complete listing of our terms and conditions can be found at www.coastappliances.com/terms-and-conditions. These terms and conditions shall apply to the sale of the Products described in a Quotation, Invoice or other contract documentation. Except as expressly agreed in writing, no other terms and conditions, including any terms and conditions attached to, or discussed in person with Buyer shall apply.

Prior to delivery, Buyer must fulfill the following responsibilities:

- 1.) Doorways, passageways, and stairways must be measured to ensure that appliance(s) will fit and can easily enter the premises with a clear and unobstructed path to the final destination.
- 2.) Notify Coast if the delivery site has several staircases or constricted or returning staircases as more delivery people will be required to complete the job.
- 3.) Required cutout size (H x W x D) must be measured exactly by the customer and confirmed to fit according to appliance dimensions.
- 4.) Buyer is responsible for electrical, plumbing and unplugging any existing appliance(s) that require removal.
- 5.) A person of 18 years of age or older must be present when delivery takes place to accept delivery and sign that the appliance(s) have arrived in good order.
- 6.) Changes made to the delivery address, delivery date, or any foreseen circumstance that arise within 48 hours of the scheduled delivery date may incur additional charges.

Shipping Policies:

- 1.) All shipping costs will be paid for by the buyer in the amount agreed upon by Coast at the time of purchase.
- 2.) If an item is damaged during shipping or concealed damage is found at the time of shipping, Buyer must contact Coast immediately and must not open, use, or install the appliance.
- 3.) Anti-tip brackets are provided by manufacturer to prevent ranges and some fridges from dangerously tipping forward, Coast does not install these brackets and it is the Buyers duty to ensure that they are used and installed properly.
- 4.) A specified delivery time cannot be confirmed.
- 5.) Missed deliveries will incur additional delivery charges.

Special Order Product:

- 1.) Special Order product(s) require a 50% deposit.
- 2.) Special Order deposits are nonrefundable and nontransferable.
- 3.) Special Order product(s) are not eligible for return.

Payment & Price Increases:

- 1.) All payments are due before delivery. If a payment is not received or a payment method is declined, the Buyer forfeits the ownership of any items purchased. If no payment is received, no items will be shipped.
- 2.) Title to all goods remains in the name of Coast, until paid in full.
- 3.) A 2% Service Charge will be added to overdue accounts (28.82% PER ANNUM).
- 4.) Buyer agrees that the price stated on a Quotation or Invoice is subject to increase if appliances are not shipped within a 9-month period from the date of sale. This increase can be due to supplier increases or a change in the USD exchange rate.

Refund/Return Policy:

- 1.) Coast is not obligated to accept returns. No goods are to be returned without prior permission.
- 2.) The Buyer can return or exchange appliances within 7 days of delivery, under the following conditions:
 - a. New, unopened product can be returned without restocking fees.
 - b. A 30% restocking fee will be applied to any open product that has been authorized for return.
- 3.) Delivery and installation costs are non-refundable.
 - a. Additional delivery fees may apply for any returns & exchanges.
- 4.) The following items cannot be returned:
 - a. Special Order items
 - b. Used appliances
 - c. Floor model, Open Box or other "As Is" purchases
 - d. Previously installed product
- 5.) An item may be cancelled prior to delivery. **Deposits on Special Order product are nonrefundable and nontransferable.**

These terms do not apply to returns that are related to service or repair issues. Any request for a return due to service or repair will follow the manufacturer's warranty terms and conditions.

Warranty:

First Year Warranty is covered by the manufacturer. Full particulars of warranty are available in the Owner's Manual. Coast is not liable for misuse, or improper installation of appliances.

- 1.) Buyer understands that Coast is not the Manufacturer of the purchased appliance and the included warranty is provided by the Manufacturer, not Coast.
- 2.) Coast is under no obligation to accept the return of any merchandise due to manufacturing defects.
- 3.) Appliance Warranties in remote locations may be difficult to coordinate warranty coverage & service. Warranty coverage is the responsibility of the Manufacturer and not Coast.
Buyer may experience longer wait times for warranty repairs; travel charges may apply, and, in some cases, it may be necessary to bring the appliance(s) to an authorized repair depot.
- 4.) It is the Buyer's responsibility to review the terms and conditions of the manufacturer's warranty.

Price Match Guarantee:

Get the best price possible when you shop at Coast Appliances. Our Price Match Guarantee ensures that if you find the same item advertised at a lower price - up to 30 days after your delivery - we will match or beat the price. See the full terms at www.coastappliances.com/services/price-match-guarantee.

Privacy:

At Coast we know how important it is to protect your personal information. A copy of our Privacy Policy can be found at www.coastappliances.com/privacy.

These terms and conditions are subject to change

www.coastappliances.com/terms-and-conditions

Vent-A-Hood


WALL MOUNT LINER INSERT SPECIFICATIONS

BH234SLD-16


Halogen lights. This model is not available with heat lamps.

Dimensional Information

Width	34.375
Depth	16.0
Height	12.0
CFM @ 0.0" SP	600.0
Sones	6.5
Amps	3.9
# Lights	2.0




Connection Diagram



600 CFM B200 Dual Blower (Top View)

Recommended Mounting Height*



*Exceeding recommended mounting height may compromise performance.

Electrical/Mechanical Specifications For Blower Unit

Model	Volts	Amps*	Hz	RPM	CFM SP@0.0"	Equivalent CFM	CFM SP@0.1"	CFM SP@0.2"	CFM SP@0.3"	Minimum Round Duct Size	Sones'
B200 Dual	115.0	2.9	60.0	1550.0	600.0	900.0	531.0	480.0	430.0	8" (50 sq. in.)	6.5

* This model is equipped with halogen lighting: (2 lights: 30" - 41", 3 lights: 42" - 53", 4 lights: 54" - 66").

\$ Because the Magic Lung® blower uses centrifugal filtration rather than conventional baffle or mesh filters, the Magic Lung® blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements and can deliver equivalent CFM much more efficiently than other filtration systems. When comparing the Magic Lung® with other blower units made by other manufacturers, use the "Equivalent CFM".

Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE




1 of 16

28w

Integrated Column Refrigerator, 30"

Series 9 | Integrated
Panel Ready | Left hinge




28616

- Install it separately or pair with another Column for seamless integration - this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones: each with Fridge, Pantry or Chill
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

28616

DIMENSIONS

Height	84"
Width	29 3/4"
Depth	24"



FEATURES & BENEFITS

- Variable Temperature Zones**
Food is stored in two separate zones. You have the choice of three food modes: Fridge 32°F to 44°F, Pantry 52°F to 56°F and Chill 29°F to 32°F.
- Mix & match**
Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customize to match your own kitchen cabinetry.

Clever energy
Our Energy Star certified ActiveSmart™ Foodcare Fridges & Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing illumination
Bright LEDs light up the ceiling, shelves, bins and tray in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality
The premium design and quality finish includes a steel interior lining as well as soft-close, full extension metal shelf runners for easy access and robust glass shelving.

Easy install
Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerator and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit
These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories (sold separately)	
30" Stainless steel toe kick	25392
48" Stainless steel toe kick	25396
54" Stainless steel toe kick	25398
60" Stainless steel toe kick	25400
Contemporary round handle	24981


Contemporary square handle	24979
Joiner kit	24985
Professional round handle kit	24980
Professional square handle kit	24982
Stainless steel door panel	24972

Capacity	
Refrigerator	16.3 cu ft

Consumption	
Energy star rating	Yes
Energy usage	247kWh/year

Performance	
ActiveSmart™ Foodcare	•
ActiveSmart™ technology	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•
Humidity control system	•
Inverter controlled compressor	•
Sabbath mode	•
Variable food modes	Pantry; Fridge; Chill

Power Requirements	
Rated current	10A
Supply frequency	60Hz
Supply voltage	115V



Product dimensions	
Depth	24 "
Depth (less door)	24 "
Height	84 "
Width	29 3/4 "

Refrigerator features	
Adjustable door shelves	4
Adjustable glass cantilevered	•
Covered door shelves	1
Door alarm	•
Gallon door shelves	1
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at	•
Soft-close fruit and vegetable	•
Stackable bottle holders	4 x clip in 4 x flexible

Warranty	
Parts and labour	2 years
Sealed system parts only	5 years

SKU	26128
-----	-------


TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model

30816

Integrated Column Freezer, 18", Ice

Series 11 | Integrated

Panel Ready | Left hinge




4 of 16

- Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
 - Two separate Variable Temperature Zones: each with Freeze, Soft Freeze or Deep Freeze
 - Internal ice maker with boost for busy times
 - Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

28w

DIMENSIONS

Height	84"
Width	17 3/4"
Depth	24"



FEATURES & BENEFITS

Variable Temperature Zones

Food is stored in two separate zones. You have the choice of three food modes: Freeze -7°F to 7°F, Soft Freeze 14°F to 18°F and Deep Freeze is fixed at -13°F.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever energy

Our Energy Star certified ActiveSmart™ Foodcare Fridge Freezers adapt to daily use by cooling and defrosting only when needed. This means your fridge uses the energy it needs without compromising on food care.

Appealing illumination

Bright LEDs light up the ceiling, shelves, bins and tray in both fridge and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design quality

The premium design and quality finish includes a steel interior lining as well as full extension metal shelf runners for easy access and robust glass shelving.

Easy install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing fridge and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

Perfect fit

These models fit flush and have only 1/8" / 3mm gaps around them with no visible hinges or grilles. Our Integrated Column models can be seamlessly hidden behind your cabinetry or you can purchase our stainless steel door panel.

SPECIFICATIONS

Accessories

18" Stainless steel toe kick	AKRS1804
42" Stainless steel toe kick	AKRS4204
48" Stainless steel toe kick	AKRS4804
54" Stainless steel toe kick	AKRS5404
60" Stainless steel toe kick	AKRS6004
66" Stainless steel toe kick	AKRS6604

72" Stainless steel toe kick	AKRS7204	Freezer bins	4	
78" Stainless steel toe kick	AKRS7804	Glass shelves	3	
84" Stainless steel toe kick	AKRS8404	Ice Boost	•	SKU 26116
Contemporary round handle	AHS-RD84	LED bin lighting	•	
Contemporary square handle	AHD3-RD84	LED ceiling lighting	•	
Hinge change (from left hinge	848186	LED side lighting	•	
Hinge change (from right hinge	848185	SmartTouch interface at	•	
Joiner kit	AJ-RS84LR			
Professional round flush handle	AHC-RD84	Performance		
Professional round handle kit	AHC-RD84	ActiveSmart™ technology	•	
Professional square handle kit	AHV2-RD84	Adaptive defrost	•	
Square fine aluminium handle	AHDSRDSF	Dual evaporator	•	
Square fine black handle kit	AHDSRDSFB	Frost free	•	
Stainless steel door panel	RD1884L4D	Inverter controlled compressor	•	
		Sabbath mode	•	
		Variable temperature zones	2	
Capacity				
Volume	7.8cu ft			
Consumption		Power requirements		
Energy rating	Energy star	Rated current	10A	
Energy usage	415kWh/year	Supply frequency	60Hz	
		Supply voltage	115V	
Features		Product dimensions		
Adjustable glass cantilevered	•	Depth	24"	
		Height	84"	
		Width	17 3/4"	
Freezer Features		Warranty		
Automatic ice maker	•	Parts and labour	2 years	
Bottle chill	•	Sealed system parts only	5 years	
Door alarm	•			
Fast freeze	•			

5 06 16

28w

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Gas Rangetop, 36"

Series 9 | Professional
Stainless Steel | Natural gas



6 of 16

- Cook with the power and precision of a professional, with this large cooking space that includes six gas burners.
- Your burners can deliver anything from very high 23,500 BTU heat for seriously fast boiling, to the most gentle flame for simmering
 - Continuous surface grates designed for pots and pans to move safely across the cooktop
 - Designed to match Professional style appliances
 - Made from quality materials and real stainless steel

DIMENSIONS

Height	8 5/16 "
Width	35 7/8 "
Depth	28 "

FEATURES & BENEFITS

- Cooktop power**
Sealed Dual Flow Burners™ deliver rangetop power up to 23,500 BTU for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.
- Precise control**
From the highest to the lowest temperatures you get total control with halo-illuminated rangetop dials. A precise full surface simmer is delivered across all burners.
- Cooking flexibility**
The continuous surface grates are designed for pots and pans to move safely across the rangetop. The deep-platform style grates provide full coverage so heat goes directly onto the pot, for a faster boil.

- <<Missing Feature Title>>**
These rangetops are easy to clean with sealed burners and a continuous, porcelain basepan.
- Information at a glance**
LED halo control dials provide information at a glance and assist in alerting you if any burners are accidentally left on.

- Design quality**
This rangetop is built to last with craftsmanship in every detail, featuring real stainless steel, cast-iron trivets, and titanium coated dials.

SPECIFICATIONS

Burner ratings	
Max burner power	23,500 BTU
Power back centre	18,500 BTU
Power back left	18,500 BTU
Power back right	18,500 BTU
Power front centre	18,500 BTU
Power front left	23,500 BTU
Power front right	23,500 BTU
Total Power	121,000 BTU

- Controls**
- Metal illuminated dials
 - Star K Certification
 - Titanium coated, illuminated

- Gas requirements**
- Fitting and pipe ½ NPT, min. 5/8" flex line
- Supply Pressure (natural gas) 6" to 9" W.C

- Performance**
- Easy clean porcelain basepan
 - Sealed Dual Flow Burners™
 - Sealed cooking surface
 - Simmer on all burners
- 140°F

- Power requirements**
- Amperage 15A
- Supply frequency 60Hz
- Supply voltage 120V

282

Product dimensions

Depth	28"
Height	8 5/16"
Width	35 7/8"

Recommended back guards and ventilation

Combustible situation	BGCV2-3036H
Non combustible situation	BGCV2-3036 / BGCV2-1236
Pro hood	HC36-12 N / HCB36-6 N

Warranty

Parts and labour	2 Years
------------------	---------

SKU

82016

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

↓ User Guide

↓ Guide D'Utilisation

↓ Service & Warranty Booklet

↓ Installation Guide

↓ Guide D'Installation




A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1888.936.7872 W www.fisherpaykel.com

Companion Trim Kit, 30"


Series 9 | Contemporary
Black



Blends our Companion Built-In Coffee Maker (EB24DSXB1) or Combination Steam Oven (OS24NDB1) into your cabinetry seamlessly.

DIMENSIONS

Height 18 13/16"
Width 29 13/16"



SPECIFICATIONS

Product dimensions
Height 18 13/16"
Width 29 13/16"

SKU 81226

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions

Convection Speed Oven 24"

Series 9 | Minimal
Black



The perfect addition to the kitchen, this Convection Speed Oven provides a variety of fast cooking options including True Convection and Broil.

- 1.3 cu ft total capacity
- Intuitive display with nine oven functions
- Full width grill function
- Easy clean interior

DIMENSIONS

Height


Width

Depth

18 1/16 "

23 1/2 "

22 1/8 "



FEATURES & BENEFITS

Sized to suit

This compact 24" Convection Speed Oven can be placed almost anywhere. Companion products share the same dimensions and can be installed in multiple configurations to suit your kitchen design and preference.

Cooking flexibility

Choose from nine cooking modes including True Convection and Broil. With both microwave and convection oven technology in the same oven, you have more flexibility for your culinary creations.

Easy to use

The intuitive touch display shows you all the information you

need, allowing you to easily program in your desired cooking mode and duration.

Beauty of choice

With the choice of a stylish stainless steel or elegant black trim, our Companion products help you achieve a coherent kitchen aesthetic that suits your design style.

Easy cleaning

This Convection Speed Oven has formed side racks and a stainless steel interior that are easy to clean.

Safe and sound

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories

- Baking pan
- Glass turntable
- Optional 30" trim kit **Part 81939**
- Optional lower trim kit **Part 81662**
- Turntable wire stand
- Wire shelf

Capacity

- Shelf positions **3**
- Total capacity **1.3 cu ft**
- Usable capacity **1.2 cu ft**

Cleaning

- Easy clean stainless steel
- Easy to clean formed side

FISHER & PAYKEL

Handwritten signature in blue ink.

Handwritten number '9016' in blue ink.

Consumption	1.65kWh
Microwave energy	
Controls	
Audio feedback	•
Automatic cooking/minute	•
Celsius/Fahrenheit	•
Electronic capacitive touch	•
High resolution touch display	•
Interior light	25W halogen
Intuitive information display	•
Multi-language interface	•
Precise electronic temperature	•
Recipe and food based	•
Functions	
Broil	•
Convection Broil	•
Defrost by time	•
Defrost by weight	•
Microwave + broil	•
Microwave + ring	•
Microwave cooking	•
Number of functions	9
Ring + broil	•
True convection	•

Performance	1500W
Broil power	

Fan Element Power	1500W
Microwave power	900W
Microwave power levels	6
Power requirements	
Amperage	15A
Supply frequency	60Hz
Supply voltage	208V - 240V
Product dimensions	
Depth	22 1/8 "
Height	18 1/16 "
Width	23 1/2 "
Safety	
Control panel key lock	•
CoolTouch door	•
SKU	81926

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. A© Fisher & Paykel Appliances Ltd 2019.

Other product downloads available at fisherpaykel.com



A PEACE OF MIND SALE


24 Hours 7 Days a Week Customer Support

T 1300 650 590 W www.fisherpaykel.com

Integrated Double DishDrawer™ Dishwasher, Tall, Sanitize

Series 9 | Integrated

Panel Ready




Doing the dishes got easier. Load one drawer while the other washes - with the top drawer fitting your large dinner plates easily.

- Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitize and Extra Dry options
- Flexible racking can be folded down to fit bigger dishes

- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

DIMENSIONS

Height	34 - 36 ³ / ₈ "
Width	23 ⁹ / ₁₆ "
Depth	22 ¹ / ₂ "



FEATURES & BENEFITS

- Seamless integration**
Slide your DishDrawer™ Dishwasher into an existing kitchen space or integrate into kitchen cabinetry, for a seamless look whilst delivering superior dish care.
- Ease of use**
DishDrawer™ Dishwashers are as easy to open and close as

kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent wash

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True half load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitize and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitize option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock to pause

Instead of needing a remote control, these DishDrawer™ Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

Quiet performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories

Contemporary round handle kit	Part number 81674
Cutlery basket	2
Kickstrip	•

QUICK REFERENCE GUIDE > DD24DT19 N

Date: 26.11.2019 > 2

Knife clip and multipurpose	•
Optional handle	513545 D3 front mount fitting
Optional stainless steel door kit	81261 Doors DD24DT

Capacity and loading

Accommodates round plates	12.25" (top) - 11" (bottom)
Adjustable height, foldable	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	14

Consumption

Energy Star rating	•
Energy usage	263kWh/year

Controls

Child lock	•
Electronic fault/Diagnostic	•
End of cycle beeps	•
Energy saving delay start	•
Energy saving delay start	•
Internal wash selector	•
Knock to pause	•
Rinse aid indicator light	•

Features

Fan assisted drying	•
Flow through detergent	•
Quiet operation	•
SmartDrive™ technology	•

Performance	
Noise on gentle cycle top	44
Water usage	3.28 gal running both tubs

Power requirements

Amperage	9.6A
Electric circuit	3
Rated current	15A
Supply frequency	60Hz
Supply voltage	120V

Product dimensions

Depth	22 1/2"
Height	34 - 36 3/8"
Width	23 9/16"

Warranty

Parts and labor	Limited 2 Year Parts & Labor
-----------------	------------------------------

Wash programs

Delicate	•
Eco	•
Extra Dry	•
Fast	•
Heavy	•
Medium	•
Number of wash programs	15
Quick	•
Rinse	•

Sanitise	•
Sanitize	•
Wash modifiers	3

Water connection

Inlet water temperature	Max 140°F
Supplied hose to suit	3/8"
Water pressure	0.03 Mpa - 1 Mpa (4.3-145 psi)

SKU	81217
-----	-------

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019.

FISHER & PAYKEL

Warming Drawer, 30"

Series 9 | Minimal
Black



13 of 16

Keep plates warm until ready to serve; rapid proof or slow cook to perfection. Pair with an oven for matching Minimal design.

- A companion product, designed to match with other Minimal style Fisher & Paykel products
- Space to keep 16 standard-sized place settings evenly warm, with accessory rack for optimising space
- Easy to clean smooth-glass base
- Six versatile tailored programmes for warming, proofing, dehydrating and slow cooking

DIMENSIONS

28W

Height	10 ¹¹ / ₁₆ "
Width	29 ¹⁵ / ₁₆ "
Depth	22 ⁵ / ₁₆ "

FEATURES & BENEFITS

Complementary design

Choose from six tailored functions including Rapid Proof, Dehydrate and Slow Cook.

Multi-function flexibility

Choose from six tailored functions including Rapid Proof, Dehydrate and Slow Cook.

Easy to clean

<>

Easy to use

Handle-free, push-to-open with capacitive touch controls, our Warming Drawer comes with an accessory rack for optimising space.

Precise control

With fast and even heating, our warming drawer is great for keeping food warm and low temperature cooking, as well as resting after a traditional roast in the oven and proofing dough.

Safe and sound

With Automatic switch-off and Delayed start functionality, our warming drawers help keep dishes warm until it is time to serve the main meal.

SPECIFICATIONS

Accessories

Wire shelf

1

Capacity

Accessory rack maximum	42lb
Cappuccino cups	24
Espresso cups	54
Maximum allowable weight	55lb
Place settings	16
Usable depth	16
Usable height	9
Usable width	27

Cleaning

- Easy clean smooth-glass base

Controls

- Audio feedback
- Automatic timers
30', 45', 1h, 2h, 4h, 6h
- Delayed start
- Interior light
- Intuitive capacitive touch
- On/Off indicator
- Pre-set heating functions
- Push-to-open drawer
- Sabbath mode
- Soft close drawer
- Standby mode

LED

Functions

- Cups
- Dehydrate

Number of functions	6
Plates	•
Rapid proof	•
Slow cook	•
Warm	•

Warranty

Parts and labour

2 years

Performance

- Heated glass base and fan
- Low temperature cooking
- Temperature levels
- Temperature range

95°F-185°F

Power requirements

Amperage	10A
Maximum power	810W
Power cord length	70
Power outlet	3-prong grounding-type
Supply frequency	60Hz
Supply voltage	110V

Product dimensions

Adjustable front door panel to	•
Depth	22 ⁵ / ₁₆ "
Height	10 ¹¹ / ₁₆ "
Width	29 ¹⁵ / ₁₆ "

Safety

- Automatic turn off after 12
- Full extension telescopic

FISHER & PAYKEL

Other product downloads available at fisherpaykel.com

- ↓ User Guide
- ↓ Guide D'Utilisation
- ↓ Service & Warranty Booklet
- ↓ Installation Guide
- ↓ Guide D'Installation




A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 www.fisherpaykel.com

Oven, 30", 17 Function, Self-cleaning

Series 9 | Minimal
Black




With elegant minimal styling, advanced cook functions and touchscreen, this large built-in oven is a highlight of our collection.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- 4.1 cu ft total capacity, with 17 oven functions including Aero™ Pastry and Roast, Air Fry and Dehydrate
- Non-tip, full extension sliding shelves for safe removal of hot dishes
- Accessories include food probe, smokeless grill tray, and more

Handwritten signature

DIMENSIONS

Height	27 1/16"
Width	29 29/32"
Depth	23 29/32"



Multi-function flexibility

The cooking functions have each been tailored, tested, tweaked and perfected to ensure that no matter what you're cooking, you've got the right heat to match. A food probe precisely monitors cooking in real time, giving you complete control.

Exceptional performance

AeroTech circulates heat evenly for a consistent temperature throughout the cavity, helping you ensure perfect results even when cooking on multiple shelves.

Self-cleaning

Our self-clean technology breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth. The enamel coated side racks don't need to be removed when using this function.

Design freedom

Available in an elegant black or a stylish black with stainless steel, this oven is designed to fit seamlessly into your kitchen. Premium materials and detailing to support a cohesive, considered kitchen design.

SPECIFICATIONS

Accessories

Food probe	•
Full Extension Telescopic	3 sets
Full extension sliding shelves	3 sets
Grill rack	1
Roasting dish	1
Self cleaning side runners	1 set
Smokeless grill tray	1

Capacity

Shelf positions	8
-----------------	---

FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe.

Generous capacity

With its 4.1 cu ft total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

FISHER & PAYKEL

Total 4.1 cu ft
Usable capacity 3.6 cu ft

Cleaning

- Acid resistant graphite enamel
- Removable oven door
- Removable shelf runners
- Self-clean

Standard and light cycles

Controls

- Adjustable audio and display
- Automatic cooking/minute
- Automatic pre-set
- Automatic rapid pre-heat
- Celsius/Fahrenheit
- Connected Fisher and Paykel
- Dial with illuminated halo
- Electronic clock
- Electronic oven control
- Food probe
- Guided cooking by food type
- Interior light
- Intuitive touchscreen display
- Precise electronic temperature

16 of 16

- Bake
- Broil
- Classic bake
- Dehydrate
- Maxi Broil
- Number of functions 17
- Pastry Bake
- Pizza bake
- Rapid proof
- Roast
- Self-clean function
- Slow cook
- Vent bake
- Warm

Performance


- AeroTech™ technology
- Automatic rapid pre-heat
- Broil power 4400W
- Broil width 20"
- CoolTouch door
- Number of passes on broil 10

Power requirements

- Amperage 16.6 - 19.4A
- Supply voltage 208 - 240V

Functions

- Aero Broil
- AeroTech™ technology
- Aero™ Bake
- Air fry



- Width 29 29/32"
- Safety
- Advanced cooling system
- Balanced oven door
- Catalytic venting system
- Control panel key lock
- CoolTouch door
- Full extension sliding shelves
- Non-tip shelves

SKU 81862

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.