CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-11-02/5:36 PM / Page 1 of 3

Site: WASAGA

Lot:

Model: **Purchaser: GEORGE F. SPAGNUOLO COVE (60-03) ELEV.C**

Phone: Email: Purchaser: GIUSEPPINA M. SPAGNUOLO

SPAGSGEO@GMAIL.COM

SHORELINE POINT



	DESCRIPTION	DATE SELECTED
	BONUS PACKAGE: 3 PIECE STAINLESS STEEL APPLIANCES WITH WHITE TOP LOAD WASHER & DRYER	INCLUDED IN APS
	BONUS PACKAGE: STAINLESS STEEL HOOD FAN	INCLUDED IN APS
	STRUCTURALS	
1	DELETE CLOSET IN LAUNDRY ROOM AND INCREASE THE SIZE OF THE PANTRY INCLUDE SHELVES	29-Oct-21
2	FROSTED GLASS FOR FRONT DOORS	29-Oct-21
ω	INTERIOR DOORS - 8 FEET HIGH (X14)	29-Oct-21
4	EXTERIOR GLASS DOOR FROM MASTER BEDROOM **BLOCK OFF WITH RAILINGS	29-Oct-21
ر.	4 REAR EXTERIOR DOOR - 4 PANEL SLIDING DOOR SYSTEM (IN LIEU OF STANDAR SLIDERS) *APPROX 10 FEET WIDE (INCLUDES SCREENS) **8 FEET HIGH**	29-Oct-21
6	SMOOTH CEILINGS THROUGHOUT	29-Oct-21
7	TRAY CEILING IN GREAT ROOM	29-Oct-21
00	INSULATION - ADDITIONAL ON GARAGE EXTERIOR WALL	29-Oct-21
9	MAIN BATH - FRAMELESS GLASS SHOWER IN LIEU OF TUB **INCLUDES SHOWER POTLIGHT	29-Oct-21
10	INSTALL ROUGHINS FOR FUTURE SINK IN GARAGE - HOT & COLD HOSE BIB, DRAIN FOR SINK TO BE IN BASEMENT	29-Oct-21
11	**SLDING DOOR - ADD BOTTOM/FLOOR SECURITY LOCKING MECHANISM/LATCH (X2)	29-Oct-21
12	**MASTER BEDROOM EXTERIOR DOOR TO HAVE A MULTIPOINT LOCK **MATTE BLACK**	29-Oct-21
	COLOURS	
ш	ELECTRICAL - EXTERIOR POTLIGHTS (X8) AS PER SKETCH	29-Oct-21
2	ELECTRICAL - INTERIOR POTLIGHTS (4) IN DINING ROOM ON SEP SWITCH, STD LIGHT TO REMAIN	29-Oct-21
ω	ELECTRICAL - INTERIOR POTLIGHTS (4) IN MAIN HALL ON EXISTING SWITCH, DELETE STD LIGHT	29-Oct-21
4	ELECTRICAL - INTERIOR POTLIGHTS (7) IN KITCHEN ON SEP SWITCH	29-Oct-21
5	ELECTRICAL - ADD (1) CAPPED LIGHT ROUGHIN OVER ISLAND ALONG WITH THE STANDARD KITCHEN LIGHT	29-Oct-21
6	ELECTRICAL - INTERIOR POTLIGHTS (1) IN SERVERY, DELETE STD LIGHT	29-Oct-21
7	ELECTRICAL - INTERIOR POTLIGHTS (3) ABOVE STAIRS TO BASEMENT, DELETE STD LIGHT	29-Oct-21
œ	ELECTRICAL - INTERIOR POTLIGHTS (4) IN GREAT ROOM ON SEP SWITCH, STD LIGHT TO REMAIN	29-Oct-21
9	ELECTRICAL - INTERIOR POTLIGHTS (2) IN GREAT ROOM ON SEP SWITCH	29-Oct-21
10	ELECTRICAL - INTERIOR POTLIGHTS (2) IN SIDE HALL, DELETE STD LIGHT	29-Oct-21
11	ELECTRICAL - INTERIOR POTLIGHTS (4) IN MASTER BEDROOM ON SEP SWITCH, STD LIGHT TO REMAIN	29-Oct-21
12	ELECTRICAL - INTERIOR POTLIGHTS (2) ONE IN EACH MASTER BEDROOM WALK-IN CLOSET, DELETE STD LIGHT	29-Oct-21
13	ELECTRICAL - INTERIOR POTLIGHTS (1) IN HALL BETWEEN MASTER BEDROOM CLOSETS, DELETE STD LIGHT	29-Oct-21
14	ELECTRICAL - INTERIOR POTLIGHTS (1) IN MASTER BEDROOM ENTRANCE, DELETE STD LIGHT	29-0ct-21
15	ELECTRICAL - INTERIOR POTLIGHTS (1) IN MASTER ENSUITE, ON SAME SWITCH AS THE STANDARD LIGHT	29-Oct-21
16	VINYL FLOOR IN HALLS, DINING ROOM, GREAT ROOM (IN LIEU OF HARDWOOD)	29-Oct-21
17	VINYL FLOOR IN KITCHEN AND BREAKFAST IN LIEU OF TILES	29-Oct-21
18	STAIN STAIRS TO MATCH VINYL AS CLOSE AS POSSIBLE	29-Oct-21
19	CARPET - UPGRADE 1 WITH UPGRADE 1 UNDERPAD IN BEDROOMS	29-Oct-21
20	RAILINGS - GLASS WITH SQUARE OAK POST AND SQUARE OAK HANDRAIL AND BLACK GLASS CLIPS	29-Oct-21

* Jan 7/2022 - SEE DA AWING FOR DOOR SWINGS AT LAW JORY ROWN SEE KITCHEN MANING, ARKY/12

CONSTRUCTION SUMMARY OF EXTRAS

Printed 2021-11-02 / 5:36 PM / Page 2 of 3

Site: WASAGA

Lot: Model:

Purchaser: **GEORGE F. SPAGNUOLO** COVE (60-03) ELEV.C

Phone: Purchaser: GIUSEPPINA M. SPAGNUOLO 647-526-2935

SPAGSGEO@GMAIL.COM



ANCOR

10000		
29-Oct-21	FAUCETS - MOEN DOUX MATTE BLACK - 4 PICE ROMAN TUB FALICET WITH HANDHELD	60
29-0ct-21	9 FAUCETS - MOEN DOUX MATTE BLACK - SHOWER FAUCET WITH HANDHELD AND LARGE SHOWER HEAD	59
29-Oct-21	8 FAUCETS - MOEN DOUX MATTE BLACK - SINK FAUCETS (X2)	58
29-Oct-21	COUNTERTOP - UPGRADE 4 **INCLUDES RECTANGLE UNDERMOUNT SINKS	57
29-Oct-21	CABINETS - ADD BANK OF DRAWERS (1 SMALL, TWO BIG) BETWEEN SINKS	56
29-Oct-21	COMFORT HEIGHT VANITY	55
29-Oct-21	**CLARIFICATION - FROSTED GLASS PANEL TO BE FULL HEIGHT	54
29-Oct-21	CABINETS - UPGRADE 1 (INCLUDES SOFT CLOSE DOORS AND DRAWERS)	53
29-0ct-21	SHOWER JAMB - UPGRADE TO QTZ	52
29-0ct-21	TILES - UPGRADE SHOWER FLOOR	51
29-0ct-21	TILES - UPGRADE 2 - SHOWER WALL	50
29-0ct-21	TILES - UPGRADE 2 - FLOOR	49
	MASTER ENSUITE	48
29-Oct-21	KITCHEN - BACKSPLASH UPGRADE 4	47
29-0ct-21	KITCHEN - FAUCET - MOEN SLEEK MATTE BLACK	46
29-0ct-21	KITCHEN - SINK - BLANCO SUPER SINGLE CHARCOAL BLACK 402660	45
29-Oct-21	KITCHEN - HANDLES - POT DRAWERS TO BE COMPTEMPORARY 205 MATTE BLACK (333mm) / REMANING CABINETS/DRAWERS TO BE H800MB	44
29-0ct-21	KITCHEN - SOFT CLOSE IS INCLUDED IN THE KITCHEN	43
29-Oct-21	KITCHEN - SPICE RACK - (1) ONE BESIDE COOKTOP / THE OTHER SIDE IS A DOOR FOR TRAYS/COOKIE SHEETS	42
29-Oct-21	1 N/A	41
29-0ct-21	ELECTRICAL - LED TAPE LIGHTING TO THE UNDERSID EOF CABINETS **TAPE TO BE AS TIGHT TO THE VALANCE AS POSSIBLE	40
29-0ct-21	KITCHEN - HIDDEN LIGHT VALANCE (EXTEND DOORS DOWN)	39
29-0ct-21	KITCHEN - DOUBLE RISER FROM THE CABINET TO CEILING	38
29-0ct-21	KITCHEN - EXTEND CABINETS TO 44 INCHES HIGH	37
29-Oct-21	KITCHEN - 2 BIN GARBAGE PULLOUT IN ISLAND	36
29-Oct-21	KITCHEN - DESK WITH DRAWER	35
29-Oct-21	ELECTRICAL FOR WINE FRIDGE	34
29-Oct-21	KITCHEN - GLASS UPPERS WITH GLASS SHELVES IN SERVERY(3 CABINETS)	33
29-Oct-21	KITCHEN SERVERY - OPENING FOR WINE FRIDGE ***SEE SIZE ON SPEC - APPROX 15-1/16"***	32
29-Oct-21	KITCHEN - FRIDGE ENCLOSURE **SEE NEW LOCATION OF FRIDGE	31
29-Oct-21	KITCHEN - ADD POT DRAWERS **SEE NEW LOCATION FOR STANDARD BANK OF DRAWERS**	30
29-Oct-21	KITCHEN - TWO TONE **SEE KITCHEN LAYOUT FOR DETAILS	29
29-Oct-21	KITCHEN - CABINETS UPGRADE 2	28
29-0ct-21	8 INCH DUCT FOR HOOD FAN **TWO BLOWER FAN AS PER SPEC**	27
29-Oct-21	ELECTRICAL FOR WALL OVENS AND WARMING DRAWER	26
29-0ct-21	KITCHEN - BUILT IN DOUBLE WALL OVEN WITH WARMING DRAWER BELOW	25
29-Oct-21	GAS LINE TO COOKTOP *INCLUDES 15 AMP PLUG	24
29-0ct-21	COOKTOP CUT OUT	23
29-Oct-21	KITCHEN - 48 INCH COOKTOP WITH DRAWERS BELOW	22
	KITCHEN	21
DATE SELECTED	DESCRIPTION	
		Ì

That Drawing ARHIE

CONSTRUCTION SUMMARY OF EXTRAS Printed 2021-11-02 / 5:36 PM / Page 3 of 3

Site: WASAGA

Lot: Model: Purchaser: GEORGE F. SPAGNUOLO COVE (60-03) ELEV.C

Phone: Purchaser: GIUSEPPINA M. SPAGNUOLO

Email: 647-526-2935

SPAGSGEO@GMAIL.COM





ANCOR

	DESCRIPTION
61 MAIN BATH	
62 TILES - UPGRADE	E 2 - FLOOR
_	TILES - UPGRADE 5 - SHOWER WALL
64 SHOWER JAMB	SHOWER JAMB - UPGRADE TO QTZ
65 CABINETS - UPGRADE 2	SRADE 2
66 SHOWER FLOOR - UPGRADE	R - UPGRADE 1
_	COUNTERTOP - UPGRADE 1 **INCLUDES RECTANGLE UNDERMOUNT SINKS
68 FAUCETS - MOE	FAUCETS - MOEN DOUX MATTE BLACK - SINK FAUCETS (X1)
69 FAUCETS - MOE	FAUCETS - MOEN DOUX MATTE BLACK - SHOWER FAUCET WITH HANDHELD AND LARGE SHOWER HEAD
70 COMFORT HEIGHT VANITY	HT VANITY
71 LAUNDRY	
72 TILES - UPGRADE 2 - FLOOR	E 2 - FLOOR
73 CABINETS - UPF	CABINETS - UPPERS AND BASE SINK CABINET (STD LINE)
74 SINK - BLANCO	SINK - BLANCO STAINLESS TOPMOUNT
75 COUNTERTOP -	COUNTERTOP - LAMINATE ACROSS WASHER AND DRYER
76 FAUCETS - MOE	FAUCETS - MOEN SLEEK - MATTE BLACK 7864MB
77 POWDER ROOM	
78 SINK - UPGRAD	SINK - UPGRADE PEDESTAL TO CONTRACT VIERA
79 FAUCET - MOEI	FAUCET - MOEN DOUX - MATTE BLACK
80 N/A	
81 BATHROOM ACCESSORIES	CESSORIES
82 UPGRADE MASTER ENSUITE	TER ENSUITE TO MOEN DOUX - TOWEL BAR & PAPER HOLDER (MATTE BLACK)
83 TRIM	
84 CONTEMPORAL	CONTEMPORARY CASING & BASEBOARDS - UPGRADE (2) - 3 INCH X 6 INCH
85 INTERIOR DOO	INTERIOR DOORS - 5 PANEL SHAKER DOOR
86 INTERIOR DOO	INTERIOR DOOR HARDWARE - WEISER VEDANI MATTE BLACK WITH MATCHING HINGES
87 SHIPLAP ON 2 \	SHIPLAP ON 2 WALLS - EITHER SIDE OF FIREPLACE (7-1/4") **TO BE PAINTED WITH THE TRIM PAINT
SHIPLAP ON ON TRIM PAINT	SHIPLAP ON ONE STAIR WALL GOING DOWN TO BASEMENT (WALL AGAINST WASHROOM) (7-1/4") **TO BE PAINTED WITH THE TRIM PAINT
90 ELECTRICAL - IN	ELECTRICAL - INSTALL RECESSED PLUG APPROX 65 INCHES ABOVE FLOOR ABOVE FIREPLACE
91 FIREPLACE - 74 INCH ELECTR BOTTOM OF THE FIREPLACE	FIREPLACE - 74 INCH ELECTRIC (BLF7451) WITH WOOD ACCESSORY **INSTALL 15 INCHES FROM THE FINISHED FLOOR TO THE BOTTOM OF THE FIREPLACE
92 GROUT COLOU	GROUT COLOUR - DARK FOR ANY DARK TILES AND FROST FOR THE REMAINING
93 WINDOW COLO	WINDOW COLOURS ON THE INSIDE ARE WHITE - OUTSIDE IS AS PER YOUR EXTERIOR PACKAGE
97 ELECTRICAL - A	ELECTRICAL - ADD PLUG IN MASTER BEDROOM APPROX 66" ABOVE FINISHED FLOOR FOR FUTURE WALL MOUNTED TELEVISION
98 ELECTRICAL - A	ELECTRICAL - ADD 3 PLUGS IN THE BASEMENT
99 ELECTRICAL - A	ADD (1) POTHIGHT TO THE PAINTRY

JRCHASER VENDOR INITIALS APPROVAL	PURCI	**PAGE 1 OF 2**	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
200	12	SHORELINE 173	accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
3	de	WASAGA	Any upgrades in the colour chart must be
SIGNATURES			***FOR TRADE USE***
T(s) MOEN DOUX	nsuite - FAUCET(s)	RECTANGLE UNDERMOUNT Master Ensuite -	Master Ensuite - SINK(s)
4)	INI LINCOLN (4	EMERSTONE BORGHINI LINCOLN (4)	Master Ensuite - COUNTERTOP
	DG GKEY (1)	SIERRA MAPLE - FOG GREY (1)	Master Ensuite - CABINETS
	ADOW (1)	MARMOLINE SHADOW (1)	Master Ensuite - SHOWER JAMB
1)	DARK GREY (ONTARIO SERIES HEX DARK GREY (1)	Master Ensuite - SHOWER FLOOR
STACKED (2)	12 X 24 *VERTICAL STACKED	FLOW DARK GRAY MATTE 12 X 2	Master Ensuite - SHOWER WALL
	X 24 *STACKE	FLOW WHITE MATTE 12 X 24 *STACKED (2)	Master Ensuite - FLOORING
		N/A	Bedroom 5 - FLOORING
		N/A	Bedroom 4 - FLOORING
		N/A	Bedroom 3 - FLOORING
UPGRADE 1 UNDERPAD		CARPET - LANDSLIDE - COLOUR METEORITE 951 w/	Bedroom 2 - FLOORING
UPGRADE 1 UNDERPAD		CARPET - LANDSLIDE - COLOUR METEORITE 951 w/	Master Bedroom - FLOORING
SANDY RIDGE	VIIER - 4-7/8" S	TORLYS VINYL - EVERWOOD PREMIER - 4-7/8" SANDY RIDGE	Hall NEAR BEDROOMS - FLOORING
	N TAIL TO DO	2ND FLOOR	TOWNEL VOIL - LAOCE
RIACK	Y MATTERIA	LIBGRADE - MOEN DOLLY - MATTE	Powder Room - SINK
		N/A	Powder Room - COUNTERTOP
		N/A	Powder Room - CABINETS
(CKED (2)	VIS.	FLOW DARK GREY MATTE 12 X 24	Powder Room - FLOORING
THE REAL PROPERTY.		POWDER ROOM	The state of the s
		N/A	Stair Stain - SERVICE STAIRS (if applicable)
	CK	STAIN BLACK	Stair Stain - STRINGERS, HANDRAIL, POSTS
POSSIBLE		STAIN TO MATCH FLOORING AS CLOSE AS	Stair Stain - TREADS & RISERS
	ARE OAK	UPGRADE - SQUARE OAK	Railing Details - HANDRAIL
EVEAL	DAK POSTS w/RI	UPGRADE - SQUARE WOOD OAK POSTS w/REVEAL	Railing Details - POSTS
DETAILS	EE EXTRAS FOR I	UPGRADE - GLASS PANELS **SEE EXTRAS FOR DETAILS	Railing Details - PICKETS
	1000	STAIRS	
		N/A	Rasement Rec Room - FI OORING
		N/A	library / Den - FLOORING
ANDY RIDGE	AIIFR - 4-7/8" S	TORLYS VINYL - EVERWOOD PREMIER - 4-7/8" SANDY RIDGE	Dining / Living Room - ELOORING
4-7/8 SANDY RIDGE	MED 4-7/8" S	TOBLYS VINYL EVERWOOD PREMIER - 4-7/8 SANDY RIDGE	Family / Great Room - FLOORING
	EMENT	GREAT ROOM / DINING / LIVING / DEN / OFFICE / BASEMENT	
N SPRAY	/ITH PULL DOWI	MOEN SLEEK - MATTE BLACK WITH PULL DOWN SPRAY	Kitchen - FAUCET
- COAL BLACK		BLANCO SILGRANITE PRECIS U - SUPER SINGLE	Kitchen - SINK
	E WHITE (4)	DART SNOW MATTE WHITE (4)	Kitchen - BACKSPLASH
	ATA GOLD (3)	EMERSTONE CALCATTATA GOLD (3)	Island - COUNTERTOP
	ATA GOLD (3)	EMERSTONE CALCATTATA GOLD (Kitchen - COUNTERTOP
DWARE**	T DRAWER HAR	H800MB / **SEE EXTRAS FOR POT DRAWER HARDWARE**	Kitchen - HANDLES/KNOBS
OLOGN COMPINATION	LTO (5)	SIERRA MAPLE - NEW GREY (1) - SEE KITCHEN LATOOT FOR COLOON COMBINATION EURO ADAMELLO (2)	Servery - CABINETS
OF COMBINATION	OUT FOR COLOU	EURO ADAMELLO (2) **SEE KITCHEN LAYOUT FOR COLOUR COMBINATION	- CABIŅETS U
RIDGE in lieu of tile	4-7/8" SANDY	TORLYS VINYL - EVERWOOD PREMIER - 4-7/8" SANDY RIDGE in lieu of tile	เด
RIDGE in lieu of tile	1-7/8" SANDY	TORLYS VINYL - EVERWOOD PREMIER - 4-7/8" SANDY RIDGE in lieu of tile	Kitchen - FLOORING
		KITCHEN	THE PARTY OF THE P
SANDY RIDGE	EMIER 4-7/8"	TORLYS VINYL - EVERWOOD PREMIER = 4-7	Basement Foyer - FLOORING
	Co. P. Co. Co.	N/A	Side Hall - FLOORING
0(2)	2 X 24 STACKED	FLOW DARK GREY MATTE 12 X 24 *STACKED (2)	Midroom - FLOORING
PKED (2)	THANK TO * STACKE	ENIRANCES ENIRANCES ENIRANCES ENIRANCES	ALI TOORING


SEERANDER DEET EXAMETE DAY SAY "STAY MARINO SERIES HEX MAITE BLA MONTARIO SERIES HEX MONTARIO MONTARIO SERIES HE	- I 5 5	SIMON	DÉCOR CONSULTANT		HOMES
His FLOCONICE HIS TORONICE HIS	> 5	The state of the s			
His - FLODSINGE WALL HIS - SHOWER HADDE HIS - SHOW	D	Rolling	PURCHASER SIGNATURE	ur charts <u>PRIOR to</u>	ation.
Th. FLOCANING Th. FLOCANING Th. FLOCANING Th. SHOWER HOOR TH. SHOWER HOR TH. SHOWER HOR TH. SHOWER TH. SHOW	D	S. Somme	PURCHASER SIGNATURE	n the builder of any	Any upgrades in the colour chart must be acco It is the responsibility of <u>all Trades</u> to inforn
N. FLOCANING N. FLOCANICAS N. FL	173	ฮ			**FOR TRA
## F. FLOORING ## B.	173				CONTACT:
th FLOCKING th	173	SPAGNUO	GIUSEPPI		PURCHASER(S):
th FLOORING th FLOORING th FLOORING th SHOWER HALL th		E CBACALIOIO	WASAGA		SITE / LOT:
th FLOONING th FLOONING th FLOONING th SHOWER FLOOR th SHOWER FLOOR th SHOWER FLOOR th COUNTERTOD th			the Vendors's selection must be accep	ed or installed. In this event	construction progress some items may have been pre-select
Th. FLOORING Th. SHOWER HOOR Th. HANDLES/KNOBS Th. COUNTERTOP Th. SHOWER HOOR TH. SHOWER HORE	Line		ng. dentical due to dve lot variances in mar	r and selections before signir	Surchaser has checked and acknowledged accuracy of colou
TH. FLOORING TH FLOORING TH SHOWER FLOOR TH.	N. S.	The state of the s	plus costs	\$5000 administration fee	Any changes to the colour chart after signing are subject to a
H. FLOORING thFLOORING thFLOORING thFLOORING thSHOWER FLOOR thSHOWER FLOOR thSHOWER FLOOR thCOUNTERTOP thCOUNTERTOP thCOUNTERTOP thSHOWER JAMB suth-FLOORING suth-FLOOR	INITIALS		R	DISCLAIME	2000
Th. FLOORING Th. FLOORING Th. SHOWER MALL TH. SHOWER MALL TH. SHOWER MALL TH. SHOWER MARE TH. SHOWER MALL TH.	YES	ELECTRICAL for Bar Fridge	< l	(OX	WATERLINE to Eridge
th - FLOORING th - SHOWER HADE sath- SHOWER N/A sat	YES	ELECTRICAL for Cooktop	Z		GAS LINE & ELECTRICAL TO DRYER
The FLOORING	N/A	ECTRICAL for Built-in Micro			GAS LINE & ELECTRICAL TO STOVE
th. FLOORING th. FLOOR WHITE MATE IZ X 24 *STACKED (2) th. SHOWER HALL th. SHOWER HALL th. SHOWER HADR th. CABRIET SHOWER HADR th. CABRIET SHOWER HADR th. FLOORING 3ath-FLOORING 3ath-FLOORING 3ath-FLOORING 3ath-FLOORING 3ath-SINWER JAMB th. SHOWER HADR 3ath-SINWER JAMB 3ath-CAUNTERTOP 3ath-FLOORING 3ath-FLOOR	VES	ECTRICAL for Built-in Oven		APPLIAI	GAS LINE TO BRO
Th. FLOORING Th. FLOORING Th. FLOORING Th. FLOORING Th. SHOWER HADE Th. SHOWER HADE Th. SHOWER HADE Th. CADINIETS Th. CADINIETS Th. COUNTERTOP Th. FLOORING Th. F	UPGRADE	BATH ACCESSORIES			Mirrors
# TH. FLOCINING # TH. FLOW WHITE 12 X 24 "STACKED (2) th. FLOW CHOIN WHITE ED AND SERVICE PROPER VALUE AND SERVICE PROPERS VALUE AND SERVICE PROP	LOG KIT	□			ocation / Insert / Mantle
# 1. FLOORING # 1. FLOW WHITE MATE 12 X 24 "STACKED (2) th - TUD / SHOWER FLOOR # COUNTERT 12 X 24 "VERTICAL STACKED (2) th - SHOWER FLOOR # COUNTERTOP # POPEN AND SEMESHEEM MATTE BLACK (1) # NARMOUNE SEMESHEEM MATTE BLACK WITH MATCHING HINGES TOOL WHITE BLACK WITH MATCHING HINGES TOOL WHITE BLACK WITH MATCHING HINGES WEISER VEDANI MATTE BLACK WITH MATCHING HINGES TOOL WHITE BLACK WITH MATC			,	The state of the state of	THE RESERVE TO SECTION ASSESSMENT
thFLOORING thFLOWER HAUL thFLOWER HAUL thSHOWER HAUL thSHOWER HAUR thSHOWER HAUR thSHOWER HAUR thSHOWER JAMB thCARINETS thCARINET thCARIN		COOL WHITE			PAINT - Throughout
th. FLOORING th. FLOORING th. FLOORING th. FLOOWER HAUDE th. SHOWER HAUDE th. SHOWER HAUDE th. SHOWER HAUDE th. SHOWER HAUDE th. HANDLES/KNOBS th. HANDLES/KNOBS th. HANDLES/KNOBS th. HOOVER HAUDE th. SINK(s) th. SINK(s) th. SHOWER WALL th. SINK(s) th. SINK(s	INGES	MAT	WEISER VEDANI MATTI		Interior Door Hardware
# FLOW WAITE 12 × 24 *STACKED (2) # FLOW FRITE MATTE 12 × 24 *STACKED (2) # FLOWER HOOR # FLOWER HOR HOOR # FLOWER HOOR # FLOWER HOOR # FLOWER HOOR # FLOWER HOR HOOR # FLOWER HO	OARO		CONTENTONANT (2) 3 P		nterior Doors
th - FLOORING th - FLOW SHITTE MATTE 12 X24 *STACKED (2) th - SHOWER HOOR TH - SINK(S) TH			TRIM / PAINT		
th - FLOORING th - TUDK / SHOWER WALL th - SHOWER FLOOR TH - SHOWER HADE TH - SHOWER TH - SHOWE					- BACKSPLAS
th - FLOORING th - TUDE / SHOWER WALL th - SHOWER FLOOR th - SINK(s) th - SHOWER FLOOR th - SINK(s) th - SHOWER FLOOR sath - FLOORING sath - FLOORING sath - FLOORING sath - SHOWER WALL sath - SHOWER FLOOR sath - SHOWER WALL sath - SHOWER FLOOR sath - SHOWER WALL sath - SHOWER FLOOR sath - SHOWER FLOOR sath - SHOWER WALL sath - SHOWER WALL sath - SHOWER WALL sath - SHOWER FLOOR sath - SHOWER WALL sath - SHOWER FLOOR sath - SHOWER WALL sath	MOEN BLACK	Laundry - FAUCET		LAN	
th - FLOORING th - TID S SHOWER WALL th - SHOWER FLOOR th - SINKIS) th - SINKIS) Sath - FLOORING Sath - FLOORING Sath - FLOORING Sath - FLOORING Sath - SHOWER WALL Sath - SHOWER WALL Sath - SHOWER WALL Sath - SHOWER WALL Sath - SHOWER FLOOR Sath - SHOWER WALL Sath - SHOWER FLOOR Sath - SHOWER WALL Sath - SHOWER FLOOR Sath - SHOWER JAMB Sath - CABINETS Sath - SHOWER FLOOR Sath - SHOWER JAMB SATH - SH		- SINK		SIE SIE	
th - FLOORING th - TIUB / SHOWER WALL th - SHOWER HAND th - SHOWER HAND th - SHOWER HAND th - SHOWER JAMB th - COUNTERTOP th - SINK(s) abth - FLOORING abth - FLOORING abth - FLOORING bath -		DANDIES /KNORS		ELOW DAI	Ample: El OOBING
# FLOORING # HOW WHITE MATTE 12 x 24 *STACKED (2) # th - TIUB / SHOWER WALL # ROMA GRAFFITE 12 x 24 *VERTICAL STACKED (2) # th - SHOWER HLOOR # ONTARIO SERIES HEX MATTE BLACK (1) # th - SHOWER JAMIB # th - COUNTERTOP # RECTANGLE UNDERMOUNT # WARMOUNT # WARMOUNT # WARMOUNE BLACK (1) # th - SINK(s) # WARMOUNT # WARMOUNE SHOW # WARMOUNT # WARMOUNE SHOW # WARMOUNE BLACK (1) # WARMOUNE BLA		Ensuite Bath - FAUCET(s)			Ensuite Bath – SINK(s)
th - FLOORING th - TUB / SHOWER WALL th - SHOWER FLOOR th - SHOWER FLOOR th - SHOWER FLOOR th - CABINETS th - CABINETS th - CABINETS th - SHOWER WALL th - CABINETS th - SHOWER WALL th - COUNTERTOP th - SHOWER WALL sath - FLOORING short - FLOORING N/A N/A N/A N/A N/A N/A N/A N		N/A			Ensuite Bath - COUNTERTOP
th - FLOORING th - TUB / SHOWER WALL th - SHOWER FLOOR th - SHOWER FLOOR th - SHOWER FLOOR th - CABINETS th - CABINETS th - CABINETS th - SHOWER WALL th - CABINETS th - SHOWER WALL th - SHOWER WALL th - COUNTERTOP th - SHOWER WALL th - SINK(s) Th - SINK(s) Bath - FLOORING Bath - FLOORING Bath - FLOORING Bath - SINK(s) Bath - FLOORING Bath - SHOWER FLOOR Bath - SHOWER JAMB		N/A			Ensuite Bath - HANDLES/KNOBS
th - FLOORING th - TUB / SHOWER WALL th - SHOWER FLOOR th - SHOWER FLOOR th - SHOWER FLOOR th - CABINETS th - CABINETS th - FLOORING bath - FL		N/A			Ensuite Bath - CABINETS
th - FLOORING th - TUB / SHOWER WALL th - SHOWER FLOOR th - SHOWER JAMB th - CABINETS th - SINK(s) Sath - FLOORING Sath - FLOORING Sath - SHOWER FLOOR Sath - SHOWER FLOOR Sath - SHOWER FLOOR Sath - SINK(s) Sath - SHOWER FLOOR Sath - FLOORING SATH - SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHOWER FLOOR SATH - SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHAW SHOWER WALL SHOWER FLOOR SHAW SHOWER WALL SHAW SHOWER WALL SHOWER FLOOR SHAW SHOWER WALL SHA		N/A			Ensuite Bath - SHOWER JAMB
th - FLOORING th - TUB / SHOWER WALL th - SHOWER FLOOR th - SHOWER JAMB th - CABINETS th - COUNTERTOP th - SINK(s) abth - FLOORING		N/A			Bath -
ROW WHITE MATTE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MARMOLINE SNOW MARMOLINE SNOW H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A N/A N/A N/A N/A N/A N		N/A			Bath -
ROMA GRAFFITE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A N/A N/A N/A N/A N/A N			_		hared Bath- SINK(s)
RECTANGLE UNDERMOUNT RECTANGLE UNDERMOUNT RECTANGLE UNDERMOUNT RECTANGLE UNDERMOUNT RECTANGLE UNDERMOUNT N/A N/A N/A N/A N/A N/A N/A N					hared Bath- COUNTERTOP
FLOW WHITE MATTE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MARMOLINE SNOW MOSA IK WF MDF V M JILLA MILLSHAK H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A N/A N/A N/A		N/A			Shared Bath- HANDLES/KNOBS
FLOW WHITE MATTE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MOSA IK WF MOF- VANILLA MILKSHAK H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A N/A N/A		N/A			Shared Bath- CABINETS
FLOW WHITE MATTE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MARMOLINE SNOW MOSA IK WF MOF- VAN ILLA MILLSHAK H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A N/A		N/A			Shared Bath- SHOWER JAMB
ROMA GRAFFITE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MARMOLINE SNOW MOSA IK WF HDF- VAN ILLA MILLSHAK H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT N/A N/A		N/A			hared Bath- SHOWER FLOOR
ROMA GRAFFITE 12 X 24 *STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MOSA IK WF HOF- VAN ILLA MILLSHAK H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE UNDERMOUNT Main Bath - FAUCET(s)		N/A			Shared Bath- FLOORING Shared Bath- TUR / SHOWER WALL
RECTANGLE LINDERMOLINT Main Bath - EALICET(s) FLOW WHITE MATTE 12 X 24 *VERTICAL STACKED (2) ROMA GRAFFITE 12 X 24 *VERTICAL STACKED (2) ONTARIO SERIES HEX MATTE BLACK (1) MARMOLINE SNOW MARMOLINE SNOW H800MB EMERSTONE BLACK GALAXY (1) RECTANGLE LINDERMOLINT Main Bath - EALICET(s)			CINDELININGOIN	in Colonia Con	naii bati - Siivi(3)
ROMA GRAFITE 12 X 24 *VERTICAL ST ONTARIO SERIES HEX MATTE BLAG MARMOLINE SNOW MARMOLINE SNOW MOSAIK WF HDF- VINJILLA I H800MB	MOEN DOLLX		٦,	BECTANGLE	Vain Bath - COUNTERTOP
ROMA GRAFFITE 12 X 24 *VERTICAL ST ONTARIO SERIES HEX MATTE BLAG MARMOLINE SNOW MOSAIK WF MDF- VANIUA	k	оомв			Main Bath - HANDLES/KNOBS
ROMA GRAFFITE 12 X 24 *VERTICAL ST ONTARIO SERIES HEX MATTE BLAG MARMOI INE SNOW	4KE (2)	- VANILLA	MOSAIK WF		Aain Bath - CABINETS
ROMA GRAFFITE 12 X 24 *VERTICAL ST			ON ARIO SERI		Main Bath - SHOWER JAMB
FLOW WHITE MATTE 12 X 24 *STAC	2)		ROMA GRAFFITE 12		Vain Bath - IUB / SHOWER WALL
			FLOW WHITE MA		Main Bath - FLOORING






Elevation A
Basement

S. J. B




Elevation CGround Floor






Elevation C Basement



S. S.



LEFT SIDE 173

VENT FOR STOVE PIGHT SIDE 173



DRAFTED BY: KATLYN COMMENT

CLIENT NAME: ZANCOR HOMES SHIP TO: SHORELINE POINT LOT 173 (60-03)

PH: CELL:

P/0#

INSTALL DATE:

1 of 2

COLOUR BLOCKING

BPP450 8SPICEZOOL

BPP1250

BSPICEZOOL ~

UED650-1100

UED750-1100

CLEAR GLASS DOORS

400 NCF

UED400-1100F

SPICE P/O.

9T-00%-HS88 C

B1000-300D

81000-300D

B700

UED700-1100

UED700-1100

DWO800-2520-64

2210

DSK1000

90

B450BN

DW615

0029 × HS88 1H9R

930-650-640D

UED650-1100





DRAFTED BY: COMMENT


KATLYN


CLIENT NAME: ZANCOR HOMES SHIP TO: SHORELINE POINT LOT 173 (60-03)


PH:

INSTALL DATE:

1 of 2








So. A.

SAMSUNG

and Dual Ice Maker Refrigerator featuring Family Hub™ with Beverage Center 22.5 cu. ft. Smart Counter Depth 4-Door|Flex™



6 Simple Truths

What's for dinner?

Food recognition lets you know what's inside your fridge, quickly plan weekly meals, search for recipes, shop for missing ingredients and preheat your oven, all from the Family Hub^m.

I love entertaining friends and family.

a premium speaker. Stream your favorite music apps on the Family Hub" through

I don't want to miss my favorite show.

Mirror shows, movies, or live sports from your Samsung TV or smartphone on the Family Hub".

I love getting more done.


Get a notification on the Family Hub™ when the laundry is done

I want to manage my life with ease.

See who's at the front door, monitor multiple rooms and adjust the thermostat, all from the Family Hub".

It's the little moments that matter.

Upload pictures or videos remotely, leave handwritten notes and set calendar reminders, all on your Family Hub's



Available Colors

Fingerprint Resistant Stainless Steel (shown)

Fingerprint Resistant Black Stainless Steel

Beverage Center



Dual Ice Maker with Ice Bites

Design

- Modern Design
- Built-in Look

- Beverage Center

Technology

- Family Hub**
 Dual Ice Maker with Ice Bites and Cubed Ice
- UV Deodorizing Filter

FlexZone[™]Flex CrisperTriple Cooling

Performance

Rating




ENERGY STAR® rated: 631 kWh/yr





PCG486WD 48-INCH GAS RANGETOP WITH GRIDDLE PROFESSIONAL SERIES, PORCELAIN COOKTOP SURFACE

Thermador.





- #- Patented Pedestal Star® Burner with QuickClean Base® designed for easy surface cleaning and superior heat spread for any size pan
- ★- Precision simmering capabilities as low as 100°F (375 BTU) with 2 ExtraLow® Simmer burners
- LED Downlighting hidden discreetly above the control panel provides functional and stylish illumination
 Superior griddle results 6 pass, 1,630 Watt thermostatically controlled griddle
 Non-stick, rust-proof cast-aluminum griddle, removable for easy cleanup

Metal Knobs
Yes
Cast Iron
6 + Griddle
18,000 and XLO (NG)
15,000 and XLO (NG)
15,000 (NG)
18,000 (NG)
1,630 W
NA
15,000 (NG)
18,000 (NG)
20 A
120 V
60 Hz
120V-3 Prong NEMA 5-20
Ŝ,
Gas
Natural Gas 6* Water Column (14.9 mb) Min. (USA)
LP 11" Water Column (27.4 mb) Min. (USA)
Yes
8 1/6" x 47 15/16" x 25 13/16"
7 11/16" x 46 1/4" x 22 13/16"
6" Min. to Combustible Surface
182 lbs
· · · · · · · · · · · · · · · · · · ·
2 Year


* THERMADOR® EXCLUSIVE

PCG486WD 48-INCH GAS RA PROFESSIONAL SERIES, P

RANGETOP WITH GRIDDLE

48-INCH RANGETOP CUTOUT DIMENSIONS

* Minimum recommended hood width equals that of the range or cooktop.




** 36" minimum clearance from cooking surface to combustible surfaces.
 *** 5" minimum clearance from cooking surface to combustible side wall.
 Note: Most hoods contain combustible components that must be considered when planning the installation.

measurements in inches (mm)

Thermador

PODMCW31W 30-INCH TRIPLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN PROFESSIONAL SERIES

Thermador





FEATURES & BENEFITS

- First triple combination oven with speed oven in the market
 Designed for flexibility standard or flush installation into kitchen cabinets
- Specially crafted gray glass on stainless steel for a luxurious look and finish
- Speed oven with microwave capability can broil and convection bake Large commercial style rotisserie with 12 pound capacity

ACCESSORIES (INCLUDED)

Upper Cavity: Metal Turntable,Rack, Ceramic Tray: Lower Cavity: 3 Telescopic Racks, Multi-point Meat Probe, Max Broil Pan, Rotisserie

Limited Warrant	WARRANTY
y Parts and I	
and L	
Labor	C. C.
2 Year	
	E SE

Net Weight

346 lbs

THERMADOR® EXCLUSIVE

GENERAL PROPERTIES

Heating Modes - Upper Cavity

36 CookSmart* Auto Programs (including True Convection, Speed Convection, Broil, Convection Broil, Keep Warm) and Heating Programs and Microwave Programs

Heating Modes – Lower Cavity

(16) Bake, Broil, Max Broil, Roast, Convection Bake, Convection Broil, Max Convection Broil, Convection Roast, Proof, Warm, Pizza, True Convection, Dehydrate, Speed Convection, Slow Roast, Rotisserie

Sabbath Warming Drawer Cleaning Type - Lower Cavity	Yes Easy Clean and Self Clear
Cavity	Easy Clean and Self Cle
Illumination Type Upper Cavity LED Lower Cavity Halogen	LED Halogen
Interior Lights Upper Cavity Lower Cavity	2 -1
Home Connect (Wi-Fi Enabled)	Yes, Lower Oven and Warming Drawer Only


1,000 W 600 W / 1,750 W 2,400 / 1,000/3,800 W 1,700 W 7,000 W
1,000 W 600 W / 1,750 W 2,400 / 1,000/3,800 W 1,700 W 2,000 W 450 W
600 W / 1,750 W 2,400 / 1,000/3,800 W 1,700 W 2,000 W 450 W
1,700 W 2,000 W 450 W
450 W
STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.
10,200 W
50 A
240 / 208 V; 60 Hz
Fixed Connection, No Plus
60* 4-Wire
Electric
61 3/16" x 29 3/4" x 24 1/2"
3/e to 2" -9/16" -0"
60 3/4" x 28 1/2" x 23 1/2"
61 5/16" x 30" x 24 1/2"
1.6 cu. ft.
4.5 cu, ft,
2.5 cu. ft.
17 3/4" × 24" × 17 7/8"
13 1/2" × 21 5/8" × 16 1/4"

Sommos

A. M. No

PODMCW31W 30-INCH TRIPLE COMBINATION BUILT-IN OVEN WITH SPEED OVEN PROFESSIONAL SERIES

Thermador.*



These warrant es give you specific legal rights and you may have other rights thet vary from state to state. Full details, refer to your Use & Care manual, or ast your dealer. warranty and

Speci (actions are for planning purposes only flefer to installation instructions and consult your countertop supplies prior to making counter opening. Consult with a heating and veril lation engineer for your specific worll lation requirements. For the most detailed information refer to installation instructions accompanying product or write to Thormador indicating the model number. Specifications are correct at time of printing. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.

1 850 735 4328 | USA THERMADOR COM. | CANADA THERMADOR CA. | 92018 85-1 HOME APPLIANCES CORPORATION. ALL RIGHTS RESERVED.

3

Page 2 of 2

DWHD770WFP SAPPHIRE® 7-PROGRAM DISHWASHER PROFESSIONAL SERIES HANDLE





Also Available In:

DWHD770WFM -- Flat Stainless Steel Panel with

Masterpiece® Series Handle

DWHD770WPR -- Custom Panel

FEATURES & BENEFITS

- * Star Dry ** No one dries better. Star Dry with Zeolite: the ultra-powerful program that dries dishes better so place settings, glassware, and even sturdy plastics and containers with hard-to-reach crevices are ready for use immediately after each cycle
- Push to Open dishwasher opens with either a push or pull,
 so loading is easier, even when your hands are full

- ★ Sapphire Glow® light illuminates with the sparkling blue light when the dishwasher is open
 Adjustable Chef's Tool Drawer® delivers added loading capacity as well as flexibility to accommodate larger or smaller items, wider ends and utensil handles
 Flexible folding tines fold down to accommodate larger pots, pans, and dishes and add flexibility to hold items twice as wide as previous models and significantly wider than
- Exceptionally Quiet --- 42 dBA for a peaceful kitchen
- Thermador Connected Experience by Home Connect brings exclusive dish features that keep you connected. Always.

ACCESSORIES (OPTIONAL)	
Dishwasher Supply and Drainage Hose Extension 76 3/4"	\$GZ1010UC
Dishwasher Accessory Kit	SMZ5000
Fine Silverware Carafe	SMZ5002UC
Junction Box	SMZPCJB1UC
A Design of the Control of the Contr	









109 Jbs	Net Weight (lbs)
Yes	Adjustable Feet
33 7/8* Min. × 23 5/8" Min. × 24"	Required Cutout Size (HxWxD) (in)
× 23 9	Overall Appliance Dimensions (HxWxD) (in)
	DIMENSIONS & WEIGHT
79*	Length Outlet Hose (in)
N/A	Length Inlet Hose (in)
140° F	Max. Temperature for Water Intake
- Open from the chammer control of the first from the chammer control of the chammer contro	Minimum Water Pressure (lb/sin)
Right - 56"	Pawer Cord Install Length from Corner of Unit when Facing the Door (in)**
67*	Power Cord Length (in)
60 Hz	Frequency (Hz)
120 V	Volts (V)
12 22 24	Current (A)
1,440 W	Watts (W)
	TECHNICAL DETAILS
16	Number Of Place Settings
	CAPACITY
623.5 g	Total Annual Water Consumption (g)
269 kWh	Total Annual Energy Consumption (kWh)
Yes	ENERGY STAR® Certified
Tier 1	Energy Efficiency Class
3.5 g	Water Usage Per Cycle (g)
	EFFICIENCY
Yes	Home Connect (Wi-Fi Enabled)
No	Childlock
Yes	Five-Level Wash
Yes	Water Softener
24/7 AquaStop®	Leak Protection System
Yes	Concealed Water Heating Element
Premium Touch Control	Control Type
Stainless Steel	Tub Material
Rackmatic 3-Stage	Rack Adjustability
Adjustable Chef's Tool Drawer®	Third Rack
42	dBA
Yes	NSF®-Certified* Sanitize Option
7	Number Of Options
7	Number Of Wash Cycles
	GENERAL PROPERTIES

THERMADOR® EXCLUSIVE

^{*}Certilication to NSF/ANSI Standard 184 for residential dishwashers


*September 2020 running production change to remove adhesive routing clips for power
cond. These clips and the edge protector are now included in the dishwasher accessory kit
#SMZEPCCIUC.

DWHD770WFP SAPPHIRE® 7-PROGRAM DISHWASHER PROFESSIONAL SERIES HANDLE

Thermador.**

WARRANTY	
Limited Warranty, Entire Appliance, Parts and Labor	2 Year
or or Printed Circuit Board; Parts Only	3rd to 5th Year
Limited Warranty for Racks (Does Not Include Rack Components); Parts Only	3rd to 5th Year
Limited Warranty for Rust-through On Inner Tub Liner; Parts Only	Lifetime

DISHWASHER & CUTOUT DIMENSIONS



These warranties give you spec fit legal rights and you may have other rights that vary fre details, refer to your Use & Care manual, or ask your deales.

inty and limited warranty from date at installation. For complete warranty

Specii cations are for planning purposes only. Refer to installation instructions and consult your countertop supplier prior to making counter opening. Consult with a heating and ventilation stry steer for your specific vent-ation requirements. For the most detailed information, refer to installation instructions accompanying product or write to Thermador indicating the model number. Specifications are correct at time of punting. Thermador reserves the right to change product specifications or design without notice. Some models are certified for use in Canada. Thermador is not responsible for products that are transported from the U.S. for use in Canada.


9/21/21, 6:22 AM


PRINT | CLOSE |

MODEL NUMBER: PWVH30-248 Mesself Especial

SPECIFICATIONS WALL MOUNTED

Special Notes: LED lights. WBAR warming light bar is available on selected models.





(Front View)

ELECTRICAL/MECHANICAL SPECIFICATIONS FOR BLOWER UNIT

Dual	B200	Acce		
-	115		Volts	
‡		Amps+		
2	2	봈		
00	1550	RPM		
000	600	SP@0.0"	CFM	
900	900	CFM\$	Equív.	
0	7 7 7	CFM SP@0.1"		
9	CFM SP@0.2"		CFM	
100	430		CFM	
in.)	Min. Round Duct Size 8" (50 sq.		Min. Round	
Č	6.5		Sones#	

42" - 48"). + Add 2.5 amps for each warming light. This model is equipped with LED lighting: (2 lights: 30" - 41", 3 lights:

the Magic Lung® blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements Magic Lung® with other blower units made by other manufacturers, use the "Equivalent CFM". and can deliver equivalent CFM much more efficiently than other filtration systems. When comparing the \$ Because the Magic Lung® blower uses centrifugal filtration rather than conventional baffle or mesh filters,


Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station.

2. 8. 8




Installation Instructions

PREPARING THE ENCLOSURE (continued)



Important: The listed depth requirement for the installation is assuming that the electrical outlet is located in the adjacent cabinetry or is flush mounted in the rear wall, not surface mounted in the enclosure.





-

Ņ

- Tempered Glass Door: Low-E glass, used to reflect and absorb heat.
 Electronic Display and Controls: For viewing and regulating the temperature of the beverage
- ယ centre.

 Magnetic Door Gaskets: Tight fitting seals retain all the cooling power and humidity levels.

 Glass Shelves

 Vertical Tower Bar Handle

 Front Mounted Exhaust: Allows for integrated (built-in) applications.
- 4,0,0
- œ .7
- Leveling Legs Interior Light (not shown): Cool White LED lighting illuminates the interior without the heat of an incandescent bulb.


LOCATION REQUIREMENTS


Proper installation is your responsibility.

- You will need:
- A water heater set to 120°F (49°C).
 A grounded electrical outlet located within 6 ft (1.8 m) of power cord on back of washer.
- Hol and cold water faucets located within 4 ft (1,2 m) of hot and cold water fill valves on washer, and water pressure of 20–100 psr (137.9-689,6 kPa).
- A level floor with maximum stope of 1" (25 mm) under entire washer, installing on carpet or surfaces with foam backing is not recommended.
- Floor must support washer's total weight (with water and load) of 315 lbs {143 kgs}.

IMPORTANT: Do not install, store, or operate washer where it will be exposed to weather or in temperatures below 32°F (0°C). Water remaining in washer after use may cause damage in low lemperatures. See "Washer Care" in your Use and Care Guide for winterizing information.


Whiripool Madels*





For additional details (or information) specific to your model refer to the 'Dimensions' listed for your model at www.whirlpool.com.

Maylag Models




All dimensions show minimum spacing allowed. For each arrangement, consider allowing more space for ease of installation and servicing, and spacing for companion appliances and clearances for walls idoors, and floor moldings.

Space must be large enough to allow door to fully open.

Add spacing of 1 (25 mm) on all sides of washer to reduce noise transfer. If a closet door or louvered door is installed, top and bottom air openings in door are required.

Recessed area or closet installation (stacked washer and dryer):



3

Additional parts may be required, depending on your installation. Check local codes. Check existing electrical supply and venting. Read "Electrical Requirements" and "Venting Requirements" before purchasing parts.

If using a power supply cord:
Use a UL Listed power supply cord kit marked for use with clothes dryers. The kit should contain:

- A UL Listed 30 amp power supply cord, rated 120:240 volt minimum. The cord should be type SRD or SRDT and be at least 4 ft. (1.22 m) long. The wires that connect to the dryer must end in ring terminals or spade terminals with upturned ends.
- A UL Listed strain relief.

Optional Equipment (not supplied with dryer): Refer to your Use and Care Guide for information about accessories available for your dryer.

-OCATION REQUIREMENTS

Check code requirements. Some codes limit, or do not permit, installing dryer in garages, closets, mobile homes, or steaping quarters. Contact your local building inspector.



Keep flammable materials and vapors, such as gasoline, away from dryer.

Explosion Hazard

Place dryer at least 18 inches (450 mm) above the tipor for a garage installation,


Failure to do so can result in death, explosion, or fire.

You will need:

- A location allowing for proper exhaust installation. See "Venting Requirements."
- A separate 15 or 20 amp c circuit for an electric dryer. circuit for a gas dryer or 30 amp
- If using power supply cord, a grounded electrical outlet located within 2 ft. (610 mm) of either side of dryer. See "Electrical Requirements."
- Floor must support dryer weight of 200 lbs. (90.7 kg). Also consider weight of companion appliance. Cold water faucets located within 4 ft. (1.2 m) of the water fill valves, and water pressure of 20–120 psi (138–827 kPa). You may use your washer's water supply by purchasing the necessary parts noted in "Parts needed."
- Level floor with maximum stope of 1* (25 mm) under entire dryst, if stope is greater than 1* (25 mm), install Extended Dryer Fset Kit, Part Number 2798 to. If not level, clothes may not tumble properly and automatic sensor cycles may not operate correctly.
- For garage installation, place dryer at least 18" (460 mm) above floor, if using a pedestal, you will need 18" (460 mm) to bottom of dryer.
- The dryer must not be installed or stored in an area where it will be exposed to water and/or weather.


IMPORTANT: Do not operate, install, or store dryer where it will be exposed to water, weather, or at temperatures below 40°F (4°C). Lower temperatures may cause dryer not to shut off at end of automatic sensor cycles, resulting in longer drying times.

DRYER DIMENSIONS Front view:




Side view:

Whirlpool Models



Maytag Models





QUATRUS R15 LAUNDRY

brushed finish Colour 401802 SKU

Design and planning tips

Min cabinet size: 27 in (685 mm) Bowl Depth: 12 in (305.0 mm)

Specifications:
Sink template, Mounting clips, Installation instructions, 3
½" (90 mm) stainless steel strainers

size may be required. Consult the cabinet manufacturer. Codes/Standards: ASME A112.19.3-2017/ CSA B45.4-17 Sink can be installed as a topmount or undermount.

Depending on cabinet construction, a different cabinet



Optional Accessories

Laundry Rack
CapFlow Strainer Cover 401952 517666

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/ Need support? Learn more by watching our sink & faucet How-to videos:

100 Corporation Drive BLANCO Canada Inc Tel: 905-494-2400 Toll free: 1-877-425-2626 Fax: 905-494-2425 Toll free: 1-877-825-2626

Brampton ON L6S 6B5

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

Lampy Topmond



Sink Specifications

Colour	SKI
Café	400889
Anthracite	400890
Truffle	401143
Cinder	401397
Metallic Grey	401683
White	401820
Concrete Grey	402266
Coal Black	402660

Design and planning tips

- Min cabinet size: 36 in (915 mm) Bowl Depth: 9 1/2 in (240.0 mm)

Specifications:

Warranty Mounting clips, Sink template, Installation instructions, 3½" (90 mm) stainless steel strainer(s), Limited Lifetime

on a pallet. To protect from damage, this model should be shipped

Depending on cabinet construction, a different cabinet size may be required. Consult the cabinet manufacturer. Codes/Standards: CSA B45.8-18/ IAPMO Z403-2018

DAIN BUNCK

SILGRANIT PRECIS U SUPER SINGLE





KITCHEN

Optional Accessories

Mechanical Pop-up Strainer 406244	Sink Grid	Floating Grid	Cleaner	Blancoclean Silgranit	CapFlow Strainer Cover
406244	406446	406535		406200	517666

Warranty

Limited lifetime warranty on all sinks and faucets. One-year warranty on all accessories and soap dispensers

Code/Standards Compliance

BLANCO sinks and faucets are third-party tested and certified to CSA, cUPC, ANSI/ASME, IAPMO and NSF standards and listed by applicable certification bodies. For more information on individual product listings, contact our office or listing organization.



https://www.blanco.com/ca-en/support/how-to-videos/how-to-videos-for-sinks/ Need support? Learn more by watching our sink & faucet How-to videos:




Tel & Fax
Tel: 905-494-2400 Toll free: 1-877-425-2626
Fax: 905-494-2425 Toll free: 1-877-825-2626

While BLANCO strives to provide accurate information, all images and dimensions in this document are intended for reference only and are subject to change at any time without notice. This document is not intended for use as an installation guide. For technical installation details, refer to installation instructions provided with the product. BLANCO assumes no responsibility for the use of superseded or voided specifications.

X I

Traditional | **Transitiona**l | Modern

Featuring a clean and cylindrical modern style with soft, flowing lines, Sleek elevates modern to a new level and defines the shape and function of things to come.



MotionSense™ Hands-Free Single Handle Pullout Kitchen Faucet ** Handle Pullout Kitchen Faucet

Model 7864EW*

in ORB

Chrome

0ther

Black Stainless



Model 7864

Model 7870

ble in ORB or BLS

with Side Spray

Single Handle Kitchen Faucet

Chrome

Other Black Stainless

> Other Chrome

12.1





Single Handle Pulldown Pre-Rinse Kitchen Faucet

Model

5925

Chrome

Other



Other

Black Stainless





SRS



0RB BLS



Faucet with Spap Dispenser± Single Handle Pulldown Kitchen

Not avai Model 787 ble in ORB or BLS



Single Handle Pulldown Bar/Prep Faucet±

Model 7664

Other Chrome



Black Stainless


FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s):
Spot ResistTM Stainless (SRS), Oil Rubbed Bronze (ORB), Matte Black (BL) &
Black Stainless (BLS). 7864 also available in Oil Rubbed Bronze (ORB).
** To order Chrome use model number only except for model 7864EWC
*** Deckplate included

- ± Single hole installation only

W. P.

"Soft" in French. Beautiful in any language Traditional | Transitional | Modern






FINISH OPTIONS:
To order, combine the model number with one of these finish letter(s):
LifeShine® Brushed Nickel (BN) Matte Black (BL).
To order Chrome (C) model, use model number only.



Traditional | Transitional | Modern

"Soft" in French. Beautiful in any language



Tub Faucet Three, Hole Roman

Chrome Model TS983






Other Chrome

Chrome **Other**

Tub Drain Half Kits Available **

Model TS984 / 9796




Single Handle Free Standing Tub Filler Faucet

Chrome Other Wodel S3105 / TS50100




FINISH OPTIONS:



Traditional | Transitional | Modern

"Soft" in French. Beautiful in any language



and Slide Bar with Hand Shower Posi-Temp® Tub/Shower Faucet with 3 Function Transfer Valve/Trim

Model TS2203EP / 62320 / UTS9204 / U361CI / 3887EP / A725 Chrome

Posi-Temp® Shower Only with 3 Function Transfer Valve/Trim and Slide Bar with Hand Shower *

Model TS2202EP / 62320 / UTS9204 / U361CI / 3887EP / A725


Other Chrome

BZ 8

FINISH OPTIONS:

To order, combine the model number with one of these finish letter(s): LifeShine® Brushed Nickel (BN) Matte Black (BL).
To order Chrome (C) model, use model number only. Please see the 2020 Shower Design Guide for installation

SHOWER HEADS



3558EP/A725

to replace existing shower head



Magnetix 3662EP/S122

Generic S122 / S176 8" Arm and 7" Rainhead (**Align/Doux**)

FINISH OPTIONS:

S

BΖ

To order, combine the model number with one of these finish letter(s): Chrome (CH), LifeShine® Brushed Nickel (BN) Matte Black (BL)

7

COLLETTE 211/2" RECTANGULAR UNDERMOUNT SINK

☐ 4220CIY **Undermount Sink**

Product Specs:

- Vitreous china
- · Front overflow hole
- · Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 545mm(21½") x 355mm(14") x 190mm(7½") (ID): 485mm(19") x 295mm(11%") x 140mm($5\frac{1}{2}$ ")

Compliance Certifications:

Meets or exceeds the following: • IAPMO cUPC

- ASME A112.19.2 / CSA B45.1-2013

Shipping:

Cube 1.64


GW 25 lbs



Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assfor use of superseded or voided pages.

Bone and Biscuit available through Direct import (CIF) only



contrac

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: January 2016

Masters Main

% Dimplex®

Prism Series

74" Linear Electric Fireplace

BLF7451



effect. Plug-in or hard-wire, hung on the wall or built-in; diamond-like acrylic ice ember bed in a show-stopping a full spectrum of colors, the Prism effect illuminates the with the all new Prism Series. Sparkling with intensity in the Prism Series is beautifully versatile. The best-selling electric linear fireplace just got better



J. J.


W.F.

™Dimplex



Prism Series

4 Linear Electric Fireplace





Driftwood and River Rock Ac - 74" LF74DWS-KIT



240 Volts | 2,430 Watts | 8,290 BTU

Model #	Description	Lbs / Kg UPC	UPC	W _{ty,¹}	Carton Dimensions (Wx	HxD)	Cube
State Section	The State of the last		1		Inches	cm	162 191
BLF7451	Wall-mount fireplace	136 / 61.7	781052 098794	2 yr.	136 / 61.7 781052 098794 2 yr. 77-1/2 x 22-1/2 x 14-7/8 196.9 x 57.2 x 37.5 14.9 0.4	196.9 x 57.2 x 37.5	14.9 0.4
LF74DWS-KIT	74° Driftwood and River Rock Accessory Kit 9.8 / 4.44 781052 102859	9.8 / 4.44	781052 102859		34-1/4 x 7-1/8 x 8-1/8 87.2 x 18.03 x 20.6	87.2 × 18.03 × 20.6	
BLF7451-PLUG-KIT Plug Kit	Plug Kit	1.2/.54	1.27.54 781052 112469		5-7/8 x 3 x 11-1/8	17.8 × 7.6 × 10.2	

Specifications, finishes and dimensions are subject to change. Limited warranty. @2020 Gton Dimplex Americas

Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com

BLF7451

Features

- A blend of technology, artistry and craftsmanship that sets the standard for realism.
- 0 Acrylic Ice Media Bed
 Light plays through different size pieces and sparkle in a spectrum of colors.
- Wedia Accent Colors
 Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.
- ሐ × Flexible Installation
 Choose fully-recessed or surface mounted installation (optional plug kit available). Wired, Seamless Design
 Designed for built-in installations wired directly to a dedicated circuit for a clean, custom appearance.
- Hanging Glass Design
 Detachable glass trim easily finishes rough openings and provides access to media.
- Remote Thermostat Control
 Temperature control at your fingertips
 for convenient comfort.
- **Multi-function Remote**Control the flame, heat and thermostat from the comfort of your chair.
- 10
- LED Lighting
 Flame and lights use brilliant,
 low-energy LED's that require zero
 maintenance.
- All-season Flames
 Enjoy the unique charm of a fireplace
 365 days a year using the flames
 without the heat.
- Cool-touch Glass
 Glass remains cool making it safe for any location and any user.
- Low Carbon Footprint
 The most sustainable fireplace option;
 no emissions and 100% efficient.

SE-022-R03-041520








Prism Series

74" Linear Electric Fireplace

BLF7451

Product Dimensions:



7-1/8" (17.9 cm)

18-3/8" (46.7 cm)


72-3/4" (184.4 cm)


SIDE

TOP

INSTAU 70 BOTTO

Installation Options and Framing Dimensions HU M





Glen Dimplex Americas | 1-800-668-6663 | www.dimplex.com

3

W




SHORELINE POINT




Stone Countertop Edge Profiles
Where applicable as per site specifications





OPTION (1) EDGE FOR KITCHEN & VANITIES \$250



DATE

SITE

101

Homeowner(s) Initial

WASAGA SHORELINE

D T H E Z SHORELINE POINT

G





APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per Manufacturers specifications after closing.

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. *Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

36" x 74"

V V Hood Fan & Vent Hood Fan Opening 30" 30 6" with Under Cabinet Hood

> Openings **Initial Accepts Standard



OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Dishwasher Opening

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. information sheets are required and it is the responsibility of the homeowner to provide this to Zancon/

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

Specs that require changes/modifications after this date will not be accepted

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

FRIDGE UPGRADE	Built-in
	Integrated / Flush Inset Waterline
RANGE UPGRADE	
required, which need a larger vent	48" ** Hood Fan opening must be the same size or larger (8" or 10" vent required)
	Gas Range **gas line and electrical required & sold separately
	Induction **electrical required & sold separately
	Cooktop (Apron Front) **Countertop Cut-out required & sold separately
HOOD FAN & VENT	Cooktop (Drop-in) **countertop Cut-out required & sold separately
UPGRADE	8 Inch **Required for 600 CFM
	10 Inch
	Chimney Hood Fan **Vent must be centred
WALL OVEN/MICRO	Insert / Liner
UPGRADE	Single Wall Oven **electrical required & sold separately
**Electrical required	Double Wall Oven **electrical required & sold separately
	Steam Oven **electrical required & sold separately
	Warming Drawer **electrical required & sold separately
	Over Then Range Microwave (OTR)
	Built-In Microwave **Trim Kit required **electrical required & sold separately

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser

WASAGA SHORLINE

SITE

6

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948



SHORELINE POINT



INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

contractual obligations under the Agreement of Purchase and Sale. Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its'

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. **UPGRADES/EXTRAS:** All upgrades and additional selections indicated on the colour chart must be accompanied by an

materials and shall not hold the Vendor liable for provision of same. acknowledges colour and product variations as well as natural imperfections may exist with the selection of natural stone should never be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require expected, including various lighting may affect the overall finished look. Stone tops are sealed at time of installation and quartz, no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, mmediate attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser

approximately 5'x 8'. applicable). It will also be where the length of the counter top exceeds the length of a stone slab. Slabs are usually STONE COUNTERTOP JOINTS: Purchaser is aware that one joint will be at each corner and on either side of slide-in-range (if

finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the materials installed in the home

substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product MAY be shade differences between the two products unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in

Builder liable for provision of same. acknowledges that the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the building specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all **CABINETRY**: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to The purchaser

upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an

flooring once installed in the home. The purchaser acknowledges these may become apparent over time and despite the is a pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwood responsible nor held liable for minor variances of fluctuation in hardwood flooring materials Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be are significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring look of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall

HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled

similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilient

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS** I/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the

WASAGA SHORELINE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948 5

MASTER - ALL MASTER SIGN OFF FORMS 2020







(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

Purchase Sale. locations of the rough-ins for Cable, CAT5, Telephone as included in our Agreement of I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to select locations of the standard rough-ins review other optional products for purchase

Trade: Smart-Tech Home Automation

(905) 761-6469

Phone:

Email:

Rep:

Location:

kkis@smarttech.ca Ample

200 Millway Avenue, Unit 8

Concord, Ont L4K 5K8

ACKNOWLDEGEMENT:

Smart-Tech, locations of the standard rough-ins will be installed as per Vendors discretion. I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Homeowner(s) Initial

DATE

WASAGA SHORELINE

5

SITE

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948