


NQ70M7770DS

SAMSUNG

30" Microwave Combination Wall Oven





Signature Features

Steam Cook (Oven)

 Delivers moisture at precise times for a crisp, browned outside and tender inside

Speed Cook (Microwave)

Cook food faster and more evenly by using power convection.

Flex Duo™ (Oven)



Steam Cook



Flex Duo"

Available Colors



Stainless Steel (shown)





Black Stainless Steel

Features

- Digital-Analog Controls 1.9/5.1 cu. ft. Capacity Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)

- Easy View Window 3 Heavy-Duty Racks including a Gliding Rack (Oven)

- Soft-Close Door (Oven)
 Ceramic Plate (Microwave)
 Rapid Preheat (Over)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design LCD Display

Convenience

- Hidden Heating Element (Oven)
 Sabbath Mode (Oven)
 Delay Start (Oven)
- Warming Mode (Oven) Proofing (Oven)

- Kitchen Timer
- Child Safety Lock
 Convection Conversion



NQ70M7770DS


30" Microwave Combination Wall Oven

Cabinet Dimensions


Combination Oven Installed in Cabinet

- * Junction Box

Allow a minimum of 22" for clearance to adjacent corners, drawers, walls, etc. when door is open.



Product Dimensions



SAMSUNG

Total Capacity: 1.9/5.1 cu. ft.

- Microwave: 1.9 cu. ft.
 Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.
 Hidden Bake Element
 Bake: 175°F-550°F
- Convection Bake: 175°F-550°F
- Convection Roast: 175°F-550°F
- Broil: Low-HighSteam Bake: 230°F-550°F
- Steam Roast: 230°F-550°F
- ProofingSabbath Mode

Warranty
One (1) Year All Parts and Labor
Ten (10) Years Parts Warranty for Magnetron

Product Dimensions & Weight (WxHxD)Outside (Max) Combination Oven Dimensions: 29⁷/₈" x 43¹/₄" x 25¹¹/₁₆"

Combination Oven Cut-Out Dimensions: 281/2" x 421/4" x 231/2"

Weight: 119 lbs.

Shipping Dimensions & Weight (WxHxD) Dimensions: 335/8" x 48³/16" x 29⁵¹/64"

Weight: 132.5 lbs

Color

Stainless Steel Black Stainless Steel

Model # NQ70M7770DS NQ70M7770DG


UPC Code 887276195186 887276195162

208V	240V	BREAKER SIZE	208V	240V	RATING
40 Amps	40 Amps	ER SIZE	7.2 kW	9.5 kW	

NA36N7755TS

36" Gas Cooktop

SAMSUNG



Signature Features

22K True Dual-Power Burner

Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

and Bluetooth® Technology Analog Controls with Digital Wi-Fi

 The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance. Cast Iron Griddle

Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

Available Colors



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

Features

- Bluetooth® Connected to Hood
 Blue LED Lights
 Wi-Fi Connectivity
- Powerful Cooktop
- Right Front: 13K BTULeft Front: 9.5K BTU

- Right Rear: 5K BTULeft Rear: 9.5K BTU
- Center: True Dual, 22K BTU (Brass)

Convenience

- Wok GrateLP Conversion Kit

Cast Iron 3-Piece GratesSealed BurnersBurner On/Off MonitoringADA Compliant



ADA ADA Compliant




SAMSUNG


NA36N7755TS


36" Gas Cooktop

Installation Requirements

Countertop cut-out and minimum clearance dimensions:







Total Power (BTU) 59K

Power Source 120V / 60 Hz / 1A

Right Front: • Right Front: 13K

Left Front: 9.5K

Right Rear: 5K SimmerLeft Rear: 9.5K

Center: 22K (True Dual)

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD)Outside (Max) Cooktop Dimensions:
36" x 5⁴¹/₇₂" x 22¹/₃"

 $33^{7}/_{8}$ " x $3^{1}/_{8}$ " x $19^{1}/_{8}$ " Cooktop Cut-Out Dimensions:

Black Stainless Steel) Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant

Shipping Dimensions & Weight (WxHxD) Dimensions: $40\%_{16}$ " x $105\%_8$ " x $255\%_8$ " Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant Black Stainless Steel)


Color Stainless Steel

NA36N7755TS Model #

887276281766 **UPC** Code


Fingerprint Resistant Black Stainless Steel NA36N7755TG 887276281759

Installing Over a Single Oven



- * This cooktop can be installed above any Samsung single built-in oven. Refer to installation manual of oven.
- ** Gas and electrical connections for gas cooktop must be located in an adjacent accessible location to the right.


Cooktop Dimensions



DW80R9950

SAMSUNG

Samsung Linear Wash 39 dBA Dishwasher



Signature Features

Linear Wash System

AquaBlast^m jets provide corner to corner coverage for superior cleaning.

Whisper Quiet Cleaning

Less noise and less disturbance with virtually silent wash cycles at 39 dBA.

AutoRelease™ Door

At the end of a cycle, the door automatically opens to circulate air and improve drying performance.



Linear Wash System



AutoRelease™ Door

Available Colors



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel Fingerprint Resistant Tuscan Stainless Steel

Features

- Flexible 3rd RackFingerprint Resistant Stainless Finish
- Zone Booster

Touch Control

- Quiet Operation: 39 dBAWi-Fi Connectivity
- 8 Options 7 Wash Cycles
- Half-Load Cycle

- Express Cycle: 60 MinutesOne-Touch Adjustable Racking System
- Full Stainless Steel Interior15 Place Settings
- 3 Spray Wash Arms

(Upper, Middle, Lower)

Convenience

- LED Time DisplayControl Lock
- Delay Start
- Digital Leak Sensor

Rating

ENERGY STAR®-rated: 239 kWh/yr




DW80R9950

Samsung Linear Wash 39 dBA Dishwasher

SAMSUNG

Installation Specifications



- Features

 7 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only, Self Clean

 8 Options: Half-Load Wash (Lower Rack), Zone Booster™ (Left), Speed Booster, Hi-Temp Wash, Sanitize (Anti-bacterial NSF), Delay Start, Control Lock, Smart Control (Wi-Fi App)
- AutoRelease™ Door
 Hidden Heat Element
 Stainless Steel Interior Tub

Convenience

- Control Lock
 Digital Water Leakage Sensor
- Flexible Third Rack
- One-Touch Adjustable Racking System
- Silverware Basket
 Upper Rack: Foldable Cup Shelves,
 2 Adjustable Tines
- Lower Rack: Fold-Down Tines

Warranty

One (1) Year All Parts and Labor


and Interior Nylon Racks Five (5) Year Limited on Printed Circuit Board

Product Dimensions & Weight (WxHxD)
Dimensions (height is adjustable):
23⁷/₈" x 33⁷/₈" – 35" x 25"

Weight: 95 lbs

Rear View

Dimensions



Shipping Dimensions & Weight (WxHxD) Dimensions: 26" x 34³/₄" x 29³/₄"

Weight: 101 lbs

Model # **UPC** Code

Color

Fingerprint Resistant Stainless Steel DW80R9950US 887276296647

DW80R9950UG 887276296623

Fingerprint Resistant Black Stainless Steel

Fingerprint Resistant DW80R9950UT 887276320137 Tuscan Stainless Steel

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung com. Samsung is a registered trademark of Samsu

25

20 1/2"

NK36K7000WS

1 JUFB

36" Range Hood

Features

- Wi-Fi Monitoring
- ADA Compliant3 Fan Speeds including BoosterWall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting74 dBA Noise Level

Convenience LED Lighting







Baffle Filter

Available Colors



Stainless Steel (shown)



Black Stainless Steel

Signature Features

BLUETOOTH CONNECTED HOOD

Automatically sync the fans and the lights with the cooktop through Bluetooth.¹
 Only on select Samsung cooktops.

 \bullet Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

BAFFLE FILTER

POWERFUL 600 CFM VENTILATION


Circulates air to remove odors quickly.

NK36K7000WS


36" Range Hood


Venting Methods





Wall Venting





Total Power

220W

Power Source 120V / 60 Hz / 15A

- Range Hood

 36" Stainless Steel Chimney Hood

 Vent Fan: 600 CFM

 Front-Centered, Touch Control

 4 Fan Speeds: 3 Step. 1 Booster

 74 dBA Noise Level

 Hood Connectivity Control

 Bluetooth On/Off Control

 Mobile Monitoring: Fan Speed,
 Lighting On/Off, Power Control

 Removable Baffle Filter

 LED Lighting

Warranty

One (1) Year All Parts and Labor

Product Dimensions & Weight (WxHxD) Outside (Max) Hood Dimensions: 36" x 25 25/64" x 19 11/16"

Weight: 48.5 lbs.

Shipping Dimensions & Weight (WxHxD) Dimensions: 40³/₁₆" x 26¹/₂" x 18¹/₁₆"

Weight: 60.4 lbs.

Color

Stainless Steel Black Stainless Steel Model # UPC Code NK36K7000WS 887276182988 NK36K7000WG 887276182971

Dimensions and Clearance

