


RF28R6201SR

1st 135
May 26/22
Dg 1st Q
SAMSUNG

28 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™



Signature Features

- Twin Cooling Plus®**
- Independent fridge and freezer controls keep food fresher longer.

CoolSelect Pantry™

- Full-width drawer with three temperature control settings to chill or defrost food to ideal temperatures.

Ice Max

- Large capacity, stores up to 4.2 lbs of ice.





Fingerprint Resistant Finish

- A special finish to reduce smudges and minimize cleaning.

Wi-Fi and Bixby Enabled

- Use your smartphone to control the temperature and monitor your refrigerator remotely.

Available Colors

-  Fingerprint Resistant Stainless Steel (shown)
-  Fingerprint Resistant Black Stainless Steel
-  Fingerprint Resistant Tuscan Stainless Steel
-  White



CoolSelect Pantry™ with Temperature Control



Ice Max

Convenience

- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Wi-Fi and Bixby Enabled
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Water Filter Indicator

Design

- Fingerprint Resistant Finish
- Premium External Filtered Water and Ice Dispenser with Light
- High Efficiency LED Lighting
- Accessibility (ADA Compliant)
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins

Performance

- Twin Cooling Plus®
- Ice Max - Stores up to 4.2 lbs of ice
- ENERGY STAR® Compliant
- Two Humidity-Controlled Crispers
- Power Freeze and Power Cool Options
- CoolTight Door
- Door Alarm

Rating

 ENERGY STAR® rated:
725 kWh/yr

Lot 135
May 26/22
2 of 8


RF28R6201SR

SAMSUNG


28 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™

Installation Specifications

1. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
 2. Refer to illustration below to determine dimensions.
 3. Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
 4. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.
- For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.
- Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung.com.



Dimensions



Total Capacity: 28 cu. ft.		
Refrigerator: 19.1 cu. ft.		
• Premium External Filtered Water and Ice Dispenser		
– Crushed or Cubed Ice		
• Ice Max		
• CoolSelect Pantry™ with Temperature Control – Deli (41°F), Fresh (38°F) and Chilled (32°F) Options		
• Pantry Divider		
• 2 Humidity-Controlled Crispers		
• 5 Tempered Glass Spill-Proof Shelves:		
– 1 Slide-In		
– 1 Foldable Half		
– 3 Fixed		
• 6 Clear Door Bins		
– Right Door: 3 Gallon Bins		
– Left Door: 3 Regular Bins		
• Adjustable Shelves for Tall Oversized Items		
• High Efficiency Top LED Lighting		
Freezer: 8.9 cu. ft.		
• EZ-Open Handle™		
• 2 Drawer Dividers		
• High Efficiency LED Lighting		
Accessories		
Water Filter: HAF-QIN		
Warranty		
One (1) Year Parts and Labor on Refrigerator		
Five (5) Years Parts and Labor on Sealed Refrigeration System Only*		
Ten (10) Years Parts and Five (5) Years Labor on Digital Inverter Compressor		
*Compressor, evaporator, condenser, drier and connecting tubing.		
Product Dimensions & Weight		
Dimensions (WxHxD with hinges, handles and doors): 35 3/4" x 70" x 36"		
Dimensions (WxHxD without hinges and door): 35 3/4" x 68 7/8" x 28 7/8"		
Dimensions (WxHxD with hinge and door, no handle): 35 3/4" x 70" x 35 1/2"		
Weight: 311 lbs		
Shipping Dimensions & Weight (WxHxD)		
Dimensions: 38 5/8" x 76 5/8" x 36 1/8"		
Weight: 320 lbs		
Color	Model #	UPC Code
Fingerprint Resistant Stainless Steel	RF28R6201SR	887276341330
Fingerprint Resistant Black Stainless Steel	RF28R6201SG	887276341323
Fingerprint Resistant Tuscan Stainless Steel	RF28R6201DT	887276341316
White	RF28R6202WW	887276341347

Actual color may vary. Design specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.


let BS
May 26/27
Pg 3 of 8

NX60T871SS

SAMSUNG

Samsung Front Control Slide-in Gas Range with Smart Dial & Air Fry

6.0 cu. ft. Capacity



Signature Features

Smart Dial

- The new Smart Dial simplifies oven settings in a single dial and intuitively learns based on your cooking preferences.

Air Fry




- Cooking just got healthier* with new Air Fry mode. Using little to no oil, you can quickly prepare your favorite fried foods right in your oven. Air Fry tray included.

*As compared to deep frying.

Convection

- Powerful convection saves you time by cooking food fast and more evenly. Perfect for baking and roasting.

Available Colors

-  Fingerprint Resistant Stainless Steel (shown)
-  Fingerprint Resistant Black Stainless Steel
-  Fingerprint Resistant Tuscan Stainless Steel



Smart Dial



Air Fry

Features

- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- Fingerprint Resistant Finish
- Reversible Cast-Iron Griddle
- Large Oven Capacity – 6.0 cu. ft.
- Ready2Fit™ Guarantee
- Temperature Probe
- Wok Ring

Convenience

- Flexible Cooktop:
 - Five Burner Cooktop
 - Right Front: 22K BTU Dual Ring Brass Power Burner
 - Left Front: 16K BTU
 - Right Rear: 5K BTU
 - Left Rear: 9.5K BTU
 - Center (Oval): 10K BTU
- Wi-Fi Connectivity
- Voice-Enabled
- Convection Auto Conversion
- Self Clean
- Child Safety Lock
- Delay Start
- Auto Oven Light
- Kitchen Timer
- Sabbath Mode




1 of 135
May 26/22
pg 4 of 8

NX60T871SS

SAMSUNG


Samsung Front Control Slide-in Gas Range with Smart Dial & Air Fry

Installing Your Range



A: Cabinet opening 30"

IMPORTANT: If your cabinets are over 37" high, you must install this range on a hard, heat-resistant support that raises the surface of the range so that it is about even with the countertop.




*Side clearance above cooking surface to any objects, i.e., wall.

IMPORTANT: Consult with Installation Manual for detailed instructions before installing.

All ranges must be installed with the Anti-Tip device that is included.

Recommended Locations for Gas Piping and Electrical Outlets



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.

©2020 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com, Samsung is a registered trademark of Samsung Electronics Co., Ltd.

Power Source 120V/60Hz/20A		
Total Power (BTU) 62,500 BTU		
Black Enamel 5-Burner Cooktop		
• Right Front: 22K BTU Dual Ring, Brass		
• Left Front: 16K BTU		
• Right Rear: 5K BTU		
• Left Rear: 9.5K BTU		
• Center (Oval): 10K BTU		
Oven		
• Capacity: 6.0 cu. ft.		
• Convection Element/Heater		
• Convection Bake		
• Convection Roast		
• Bake		
• Variable Broil: Low/High		
• Air Fry		
• Bread Proof		
• Dehydrate		
Warranty One (1) Year Parts and Labor		
Product Dimensions & Weight (WxHxD)		
Actual Oven Dimensions: 24 ¹³ / ₁₆ " x 21 ⁵ / ₈ " x 19 ⁵ / ₈ "		
Outside Dimensions: 29 ¹⁵ / ₁₆ " x 36 ¹ / ₄ "-37" (Adjustable) x 28 ¹¹ / ₁₆ "		
Weight: 220 lbs		
Shipping Dimensions & Weight (WxHxD)		
Dimensions: 33 ¹ / ₁₆ " x 41 ³ / ₄ " x 30 ⁵ / ₁₆ "		
Weight: 246 lbs		
Color	Model #	UPC Code
Fingerprint Resistant		
Stainless Steel	NX60T871SS	887276409139
Fingerprint Resistant		
Black Stainless Steel	NX60T871SG	887276409122
Fingerprint Resistant		
Tuscan Stainless Steel	NX60T871ST	887276409269



104 135
149 26/22
199 5ct 8

DW80R5061

SAMSUNG

Samsung StormWash™ 48 dBA Dishwasher



Signature Features

StormWash™

- Powerful rotating spray jets that clean at every angle for tough to reach spots.

Quiet Cleaning

- Silent washes for a quieter kitchen at 48 dBA sound level.

AutoRelease™ Door

- At the end of the cycle, the door automatically opens to circulate air and improve drying performance.

Available Colors



Fingerprint Resistant
Stainless Steel (shown)




Fingerprint Resistant
Black Stainless Steel



Fingerprint Resistant
Tuscan Stainless Steel



StormWash™



AutoRelease™ Door

Features

- 3rd Rack
- Fingerprint Resistant Stainless Finish
- One-Touch Adjustable Racking System
- Digital Touch Control
- Sanitize Cycle
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- ENERGY STAR® rated

Convenience

- Control Lock
- Delay Start
- Digital Leak Sensor

Rating

ENERGY STAR®-rated:
265 kWh/yr


lot 135
May 20/22
pg 6 of 8

DW80R5061

Samsung StormWash™ 48 dBA Dishwasher

SAMSUNG


Installation Specifications



- Features**
- 6 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only
 - 6 Options: Half-Load Wash (Lower Rack), StormWash™, Hi-Temp Wash, Sanitize (Anti-bacterial – NSF), Delay Start, Control Lock
 - AutoRelease™ Door
 - Hidden Heat Element
 - Stainless Steel Interior Tub

- Convenience**
- Control Lock
 - Digital Water Leakage Sensor
 - 3rd Rack
 - One-Touch Adjustable Racking System
 - Silverware Basket
 - Upper Rack: Foldable Cup Shelves, 2 Adjustable Tines
 - Lower Rack: Removable Plate Support

- Dimensions**
- Warranty**
- One (1) Year All Parts and Labor
 - Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks




- Product Dimensions & Weight (WxHxD)**
- Dimensions (height is adjustable):
23 7/8" x 33 7/8" – 35" x 24 3/4"
- Weight: 95 lbs
- Shipping Dimensions & Weight (WxHxD)**
- Dimensions:
26" x 35" x 29 1/2"
- Weight: 106 lbs
- | Color | Model # | UPC Code |
|--|-------------|--------------|
| Fingerprint Resistant Stainless Steel | DW80R5061US | 887276338729 |
| Fingerprint Resistant Black Stainless Steel | DW80R5061UG | 887276338712 |
| Fingerprint Resistant Tuscan Stainless Steel | DW80R5061UT | 887276338736 |

Actual color may vary. Design specifications and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2019 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

ALL MODELS > LONDON 900CFM 30"/36" STAINLESS STEEL WALL MOUNT

1st 135
May 26/22
1097058



London 900CFM 30"/36" Stainless Steel Wall Mount

from \$799.99 CAD

This 30"/36" wide stainless steel wall mounted range hood is a durable companion for your kitchen. Featuring an ultra strong motor, touch screen panel, two baffle filters, and two LED lights, this unit will take your cooking experience to a new level.

¹ This unit exhausts air at a 900cfm level

- 4. Top vent connector is 6" diameter round shape
- 5. A pair of LED lights are energy saving and long lasting
- 6. Seamless stainless steel body are easy to clean with a wet cloth

User Manual

WIDTH:

SELECT WIDTH ▾

QUANTITY:

1

ADD TO CART



Configurations

Model: VRH-LONDON

CFM: 900

Width: 30"/36"

Filter Type: Baffle Filter

Color/Finish: Stainless Steel

Light Type: LED

No. of Lights: 2

Control Type: Touch Screen

Motor Power: 148 Watts

No. of Motors: 1

Fan Speed: 4 Speeds

Max Noise Level: 67 db

Chimney Dimension (WDH): 12.9"x11.7"x(19.75"-39.5")

Product Dimension (WDH): 30": 29.5"x22"x(29.25"-49") / 36": 35.5"x22"x(29.25"-49")

Vent Size: 6"

Vent Shape: Top Round

Lot 135
May 26/27
P9 8048