# RF27T5501SR

# SAMSUNG

# 27 cu. ft. 3-Door French Door Refrigerator with Family Hub™ and External Water & Ice Dispenser



# **Connected Living at Your Fingertips**

Bring the party to the kitchen.

Compatible with your favorite music apps. Stream your favorite music on the Family Hub and enjoy quality listening.

Appliances that work together to simplify your life. Connected Living Appliance Alerts

The Family Hub is your remote control.

See who's at the front door. Monitor the baby's room. Adjust the thermostat.

Bring the family room into the kitchen, and never miss a moment. Mirror shows, movies, or live sports from your Samsung TV.

Plan dinner in a snap.

See inside your refrigerator from anywhere. Search for recipes. Shop for groceries.

Stay connected, even on the go.

Upload pictures remotely to Family Hub. Leave handwritten notes for loved ones. Set reminders for when you get home.

# **Available Colors**



Fingerprint Resistant Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



Family Hub™



Large Capacity

# Design

- Large Capacity of 27 cu. ft.
- Fingerprint Resistant Finish
- Minimal Display Dispenser: external filtered water and ice
- High Efficiency LED Lighting
- EZ-Open Handle"

# Convenience

- Full-width internal refrigerator drawer
- Wi-Fi and Bixby Enabled
- Adjustable Spill Proof Shelves
- Door Alarm
- Water Filter Indicator

# Performance

- All-Around Cooling
- Ice Max Ice Maker Stores up to 4.2 lbs of ice

# Rating



ENERGY STAR\* rated: 746 kWh/yr


# 27 cu. ft. 3-Door French Door Refrigerator with Family Hub™ and External Water & Ice Dispenser

# **Installation Specifications**


- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- 2. Refer to illustration below to determine dimensions.
- Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation.
- Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and to be able to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product, or download manual online at samsung com.



# **Dimensions**



Total Capacity: 26.5 cu. ft.

#### Refrigerator: 17.9cu. ft.

- External Filtered Water and Ice Dispenser
- Crushed or Cubed Ice
- Full Width Drawer
- 4 Tempered Glass Spill-Proof Shelves
- 2 Humidity-Controlled Crispers
- 6 Door Bins
  - Right Door: 3 Gallon Bins
  - Left Door: 3 Regular Bins
- Adjustable Shelves for Tall Oversized Items
- High Efficiency LED Lighting

#### Freezer: 8.6 cu. ft.

- EZ-Open Handle
- 1 Large Opaque Bin with 1 Divider
- Auto Pull-Out Upper Drawer
- High Efficiency LED Lighting

#### Accessories

Water Filter: HAF-QIN

#### Warranty

One (1) Year Parts and Labor on Refrigerator

Five (5) Years Parts and Labor on

Sealed Refrigeration System Only\*

Ten (10) Years Parts and Five (5) Years

Labor on Digital Inverter Compressor

\*Compressor, evaporator, condenser, drier and connecting tubing.

#### **Product Dimensions & Weight**

Dimensions (WxHxD with hinges, handles and doors):

35<sup>3</sup>/<sub>4</sub>" x 70" x 35<sup>3</sup>/<sub>8</sub>"

Dimensions (WxHxD without hinges and door):

 $35^{3}/_{4}$ " x  $68^{7}/_{8}$ " x  $28^{7}/_{8}$ "

Dimensions (WxHxD with hinge and door, no handle):

35<sup>3</sup>/<sub>4</sub>" x 70" x 32<sup>1</sup>/<sub>8</sub>"

Weight: 309 lbs

# Shipping Dimensions & Weight (WxHxD)

Dimensions: 373/4" x 755/16" x 3515/16"

Weight: 318 lbs

Color Fingerprint Resistant Stainless Steel

Fingerprint Resistant

RF27T5501SR

Model#

UPC Code 887276408774


Black Stainless Steel RF27T5501SG

887276408767

# **NA36N7755TS**

# SAMSUNG

36" Gas Cooktop



# Signature Features

### 22K True Dual-Power Burner

 Two independent heating burners offer intense. heat and precise control to quickly boil water or temper chocolate.

# Analog Controls with Digital Wi-Fi and Bluetooth® Technology

• The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

#### Cast Iron Griddle

 Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

# **Available Colors**



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

### **Features**

- Bluetooth® Connected to Hood
- Blue LED Lights
- Wi-Fi Connectivity
- Powerful Cooktop
- Right Front: 13K BTU
- Left Front: 9.5K BTU
- Right Rear: 5K BTU
- Left Rear: 9.5K BTU
- Center: True Dual, 22K BTU (Brass)

### Cast Iron 3-Piece Grates

- Sealed Burners
- Burner On/Off Monitoring
- ADA Compliant

# Convenience

- Wok Grate
- LP Conversion Kit





# **NA36N7755TS**


# 36" Gas Cooktop

# **Installation Requirements**

Countertop cut-out and minimum clearance dimensions:







# Total Power (BTU)

59k

# **Power Source**

120V / 60 Hz / 1A

# Gas Cooktop (BTU)

- Right Front: 13KLeft Front: 9.5K
- Right Rear: 5K Simmer
- Left Rear: 9.5K
- Center: 22K (True Dual)

# Warranty

One (1) Year All Parts and Labor

# Product Dimensions & Weight (WxHxD)

Outside (Max) Cooktop Dimensions:

36" x 5"/<sub>72</sub>" x 22 1/3"

Cooktop Cut-Out Dimensions:

33<sup>7</sup>/<sub>8</sub>" x 3<sup>1</sup>/<sub>8</sub>" x 19<sup>1</sup>/<sub>8</sub>"

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant

Black Stainless Steel)

# Shipping Dimensions & Weight (WxHxD)

Dimensions:  $40^{9}/_{16}$ " x  $10^{5}/_{8}$ " x  $25^{5}/_{8}$ "

Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant


Black Stainless Steel)

ColorModel #UPC CodeStainless SteelNA36N7755TS887276281766


Fingerprint Resistant

Black Stainless Steel NA36N7755TG 887276281759

# Installing Over a Single Oven



# **Cooktop Dimensions**



# 30" Microwave Combination Wall Oven



# Signature Features

#### Steam Cook (Oven)

• Delivers moisture at precise times for a crisp, browned outside and tender inside.

# Speed Cook (Microwave)

• Cook food faster and more evenly by using power convection.

#### Flex Duo™ (Oven)

• Cook two dishes at different temperatures simultaneously with the Smart Divider.

# **Available Colors**




Stainless Steel (shown)



Black Stainless Steel



Steam Cook



Flex Duo™

#### **Features**

- Digital-Analog Controls
- 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- Dual Convection (Oven)
- Wi-Fi Connectivity
- Wi-Fi Enabled Temperature Probe (Oven)
- LED Spotlights (Oven)
- Easy View Window
- 3 Heavy-Duty Racks including a Gliding Rack (Oven)

- Soft-Close Door (Oven)
- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
- Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast
- Blue LED Illuminated Knobs
- Broil Element
- Smart Control Key (Oven)
- 6 Rack Positions (Oven)
- Drop-Down Door Design
- LCD Display

# Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock
- Convection Conversion


# **NQ70M7770DS**

# 30" Microwave Combination Wall Oven


# **Cabinet Dimensions**

Combination Oven Installed in Cabinet

\*Junction Box



**Product Dimensions** 



# Total Capacity: 1.9/5.1 cu. ft.

• Microwave: 1.9 cu. ft.

• Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.

Hidden Bake ElementBake: 175°F-550°F

Convection Bake: 175°F–550°F
Convection Roast: 175°F–550°F

• Broil: Low-High

Steam Bake: 230°F–550°FSteam Roast: 230°F–550°F

ProofingSabbath Mode

# Warranty

One (1) Year All Parts and Labor
Ten (10) Years Parts Warranty for Magnetron

# Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:  $29^{7/8}$ " x  $43^{1/4}$ " x  $25^{11/16}$ "

Combination Oven Cut-Out Dimensions:  $28^{1}/_{2}$ " x  $42^{1}/_{4}$ " x  $23^{1}/_{2}$ "

Weight: 119 lbs.

# Shipping Dimensions & Weight (WxHxD)

Dimensions:


335/8" x 483/16" x 2951/64"

Weight: 132.5 lbs.

Color	Model#	UPC Code
Stainless Steel	NQ70M7770DS	88727619518
Black Stainless Steel	NQ70M7770DG	887276195162

RATING	ATING		
240V	9.5 kW		
208V	7.2 kW		
BREAK	BREAKER SIZE		
240V	40 Amps		
208V	40 Amps		

# Samsung Linear Wash 39 dBA Dishwasher



# Signature Features

#### **Linear Wash System**

AquaBlast<sup>\*\*</sup> jets provide corner to corner coverage for superior cleaning.

#### Whisper Quiet Cleaning

Less noise and less disturbance with virtually silent wash cycles at 39 dBA.

#### AutoRelease™ Door

 At the end of a cycle, the door automatically opens to circulate air and improve drying performance.

# **Available Colors**



Fingerprint Resistant Stainless Steel (shown)




Fingerprint Resistant Black Stainless Steel



Fingerprint Resistant Tuscan Stainless Steel



Linear Wash System



AutoRelease™ Door

#### Features

- Flexible 3rd Rack
- Fingerprint Resistant Stainless Finish
- Zone Booster™
- Touch Control
- Quiet Operation: 39 dBA
- Wi-Fi Connectivity
- 7 Wash Cycles
- 8 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- One-Touch Adjustable Racking System
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)

# Convenience


- LED Time Display
- Control Lock
- Delay Start
- Digital Leak Sensor

# Rating

ENERGY STAR®-rated: 239 kWh/yr

# Samsung Linear Wash 39 dBA Dishwasher

# **Installation Specifications**



# **Dimensions**

Side View

20 1/4° — 23 7/4° — 25°

Rear View

#### **Features**

- 7 Wash Cycles: Auto, Normal, Heavy, Delicate, Express 60, Rinse Only, Self Clean
- 8 Options: Half-Load Wash (Lower Rack),
   Zone Booster™ (Left), Speed Booster, Hi-Temp
   Wash, Sanitize (Anti-bacterial NSF), Delay
   Start, Control Lock, Smart Control (Wi-Fi App)
- AutoRelease™ Door
- Hidden Heat Element
- Stainless Steel Interior Tub

#### Convenience

- Control Lock
- Digital Water Leakage Sensor
- Flexible Third Rack
- One-Touch Adjustable Racking System
- Silverware Basket
- Upper Rack: Foldable Cup Shelves,
   2 Adjustable Tines
- Lower Rack: Fold-Down Tines

#### Warranty

One (1) Year All Parts and Labor

Five (5) Year Limited on Printed Circuit Board and Interior Nylon Racks

### Product Dimensions & Weight (WxHxD)

Dimensions (height is adjustable):

23<sup>7</sup>/<sub>8</sub>" x 33<sup>7</sup>/<sub>8</sub>" - 35" x 25"

Weight: 95 lbs

# Shipping Dimensions & Weight (WxHxD)


Dimensions:

26" x 343/4" x 293/4"

Weight: 101 lbs


weight: 101 tos		
Color	Model#	UPC Code
Fingerprint Resistant Stainless Steel	DW80R9950US	887276296647
Fingerprint Resistant Black Stainless Steel	DW80R9950UG	887276296623
Fingerprint Resistant Tuscan Stainless Steel	DW80R9950UT	887276320137






Model	AVH-368CS			
Features				
Control	Soft touch with LED display			
Lighting	2 bulbs, 3W LED (bulbs included)			
Blower type	860 CFM, 6-Speed			
Blower performance	nce Speed 1, 2.4 sones			
	Speed 6, 6.2 sones			
Filter type	3 aluminium superior micro hole filters and			
	stainless steel baffle filters included			
Duct transition	6" Round (Top)			
Ducting	Ducted			
Chimney (ducted out)	For ceiling heights up to 9'0"			
Exterior Appearence				
Stainless steel grade	201			
Electrical Requirements				
Electrical requirements	120V / 60Hz / 2.7 Amps			
Dimensions				
Dimensions	35 1/2" (W) x 19 3/4" (D) x 3 1/4" (H)			
Warranty				
1-year Warranty	Parts and labour, in-home service			

# Dimensions



# Installation



Α	Floor to ceiling height	variable
В	Floor to counter top height (standard)	36"
С	Recommended height between cooking surface and bottom of the hood	28" to 30"
D	Hood height	2.36"
E	Chimney height	Max 44.63"

Duct transition

6" round top

141A

The information contained herein is based on sources that we believe to be reliable, but is not guaranteed by us, may be incomplete and/or may change without notice.