CONSTRUCTION SUMMARY OF EXTRAS

Printed 2022-08-03 / 2:59 PM / Page 1 of 1

Site: RIVER'S EDGE WASAGA

Lot:

Model: OXBOW (50-07) ELEV. B

Purchaser: **WENNIE LEE**

Phone: Purchaser: 647.885.1884 **SARABJIT KAUR**

Email: wi@leecompany.ca





14 ELECTRICAL- PLUG FOR FUTURE TV INSTALLED OVER FIREPLACE, 65 AFF			13 ELECTRICAL- 1 CAPPED LIGHT OVER KITCHEN ISLAND, SEE SKETCH. STD TO REMAIN	12 COMFORT HEIGHT X 3- MASTER, ENSUITE 4 AND SHARED	11 UPPER CORNER PIE CUT	10 FRIDGE ENCLOSURE- DEEP UPPER AND GABLE	9 BASE PIE CUT CORNER CABINET	8 ENSUITE BATH SHOWER FLOOR- UP 2	7 NA	6 NA	5 MASTER BATH COUNTERTOP, INCLUDES OVAL UNDERMOUNT SINK- MARBLE	4 MASTER BATH SHOWER FLOOR- UP 2	3 KITCHEN BACKSPLASH- UP 2- STACKED	2 STAIN FOR STAIRS TO MATCH HARDWOOD AS CLOSE AS POSSIBLE- 1 FLIGHT	1 HARDWOOD- UP 1- FAMILY ROOM, INCLUDES		1 NO STRUCTURAL CHANGES		BONUS PACKAGE: STAINLESS STEEL HOOD FAN		
	RISER AND CROWN INSTALLED OVER KITCHEN CABINETS. INSTALL CROWN AT CEILING	VER FIREPLACE, 65 AFF	AND, SEE SKETCH. STD TO REMAIN	SHARED							NDERMOUNT SINK- MARBLE			OSE AS POSSIBLE- 1 FLIGHT	HARDWOOD- UP 1- FAMILY ROOM, INCLUDES STAIR, LANDINGS, MAIN HALL, LIVING/DINING, DEN, UPPER HALL	COLOURS		STRUCTURALS		DESCRIPTION	
	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22	21-Jun-22		01-Mar-22		INCLUDED IN APS	DATE SELECTED	


VENDOR APRROVAL	PURCHASER INITIALS	OF 2**	**PAGE 1	sketches, PES and/or colour charts <u>PRIOR to</u> <u>installation.</u>
Į>	100	331	RIVERS EDGE WASAGA	Any upgrades in the colour chart must be accompanied with a PES. It is the responsibility of all Trades to inform the builder of any discrepancies on
SIGNATURES	SIGNA	本別を表 できる。		***FOR TRADE USE***
STD	- FAUCET(s)	Master Ensuite - FAUCET(s)	OVAL 4220 CFY	Master Ensuite - SINK(s)
		BIANCA CARRARA		Master Ensuite - HANDLES/KNOBS Master Ensuite - COUNTERTOP
	RT HEIGHT	SIERRA PVC WHITE COMFORT H	SIER	Master Ensuite - CABINETS
+	A CONIC CY CO	BIANCA CARRARA	ON ANIO SEN	Master Ensuite - SHOWER JAMB
TACKED	L HORIZONTAL S	NEW BYZANTINE ASSURO 12 X 24 INSTALL HORIZONTAL STACKED	NEW BYZANTINE	Master Ensuite - SHOWER WALL
	INSTALL STACKED	NEW BYZANTINE ASSURO 12 X 24 INST	NEW BYZAI	Master Ensuite - FLOORING
		NA		Bedroom 5 - FLOORING
	 	T03 OPENING NIGHT		Bedroom 4 - FLOORING
	寸	T03 OPENING NIGHT		Bedroom 3 - FLOORING
	1	T03 OPENING NIGHT		Bedroom 2 - FLOORING
CHARCOAL 3 5/16" UP # 1	1 ' '	TO3 OPENING NIGHT	MIRAGE ADMIRATION COLLECTION CASHMERE OAK T03 OPENING NIGHT	Upper Hall - FLOORING Master Bedroom - FLOORING
SID	CET	Laundry - FAUCET	NA	Laundry - BACKSPLASH
STD		Laundry - SINK	4924-38	Laundry - COUNTERTOP
H800BC	IDLES/KNOBS	Laundry - HANDLE	SIERRA PVC WHITE	Laundry - CABINETS
ĜFD .	24 INSTALL STACKED	NEW BYZANTINE ASSURO BILLE 12 X 24 IN	NEW BYZANTI	aundry - El OORING
		STD		Powder Room - FAUCET
		STD		Powder Room - SINK
		NA		Powder Room - COUNTERTOP
		NA NA		Powder Room - CABINETS Powder Room - HARDWARF
(ED	24 INSTALL STACKED	NEW BYZANTINE ASSURO BLUE 12 X 24 IN	NEW BYZANTI	Powder Room - FLOORING
		/ LAUNDRY	BEDROOMS / BATHROOMS / LAUNDRY	
	1 3	SIMIN TO MINICITE INDOMESTICS COST	SIMINIO	Stair Stain - RASEMENT STAIRS (if applicable)
	RAIL	2 1/2' OVAL OAK HANDRAIL	CTAIN TO A	Railing Details - HANDRAIL
	STS	2 3/4" TURNED OAK POSTS		Railing Details - POSTS
	TH ALT PLAIN	BLACK METAL SINGLE COLLAR WITH A	BLACK	Railing Details - PICKETS
14 10 10 10 10 10 10 10 10 10 10 10 10 10	ST. Sales	なるとはいれています。	STAIRS	二十二十五十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二
		NA		Basement Rec Room - FLOORING
20/10 01 11 1	OAKCI MIKCOAL A	NA CASHIVIENE	WINAGE ADMINATION COLLECTION CASHWENE CARGINACCAE 3 3/10 of 8 1	Library / Den - FLOORING
CHARCOAL 3 5/16" UP # 1	OAK CHARCOAL 3	OLLECTION CASHMERE C	MIRAGE ADMIRATION COLLECTION CASHMERE	Main Hall - FLOORING
CHARCOAL 3 5/16" UP # 1		OLLECTION CASHMERE C	MIRAGE ADMIRATION COLLECTION CASHMERE OAK	Family / Great Room - FLOORING
ははいまた		/ OFFICE / BASEMENT	/ DINING / LIVING / DEN / OFFICE	GREAT ROOM
		STD		Kitchen - FAUCET
		STD	CONDIENTING	Nitchen - SINK
	UP # 2	CARRERRA WHITE QUARTZ UP #	O D CTEDIN	Island - COUNTERTOP
		CARRERRA WHITE QUARTZ UP #	0	Kitchen - COUNTERTOP
		H 800-BC		Kitchen - HANDLES/KNOBS
		NA		Servery - CABINETS
		SIERRA PVC WHITE		Ω
		SIERRA PVC WHITE		Kitchen - CABINETS
	INSTALL STACKED	NEW BYZANTINE ASSURO BLUE 12 X 24 INSTALL STACKED	NEW BYZANT	Breakfast - FLOORING
DESCRIPTION OF PERSONS	INSTALL STACKED	UHEN NEW BYZANTINE ASSURO BLUE 12 X 24 INST	NEW BYZANT	Kitchen - FLOORING
		NA	SHOUSE	Basement Foyer - FLOORING
		NA		Side Hall - FLOORING
	INSTALL STACKED	NEW BYZANTINE ASSURO BLUE 12 X 24 INSTALL STACKED	NEW BYZANT	Mudroom - FLOORING
	INSTALL STACKED	NEW BYZANTINE ASSURO BLUE 12 X 24 INST	NEW BYZANT	Main Foyer - FLOORING
TANK SKING		Mary Participation of the	ENTRANCES	TOTAL STATES CAREFORD
			ON HOWIES COLOR	

R WALL R WALL	S / DA	\sim	DÉCOR CONSULTANT	and/or colour charts <u>PRIOR to</u> tion. COR	discrepancies on sketches, PES a installa
NA NA NA NA NA NA NA NA	33.	∞	PUNCHASER SIGNALURE	and/or colour charts PRIOR to tion.	discrepancies on sketches, PES a
NA	33. 33.	∞	PI IDCUASED SICOIATION	and for colour chasts DDIOD to	discussion on stokens of the
R R R R R R R R R R R R R R R R R R R	33.		PURCHASER SIGNATURE	es to inform the builder of any	It is the responsibility of all Trade
R WALL R WALL	33.	드)[***	***FOR TRADE US
R WALL R WALL	33.	leecompany.ca	wl@		EMAIL:
R WALL R WALL	33	47.885.1884	5		PHONE #:
R NVALL R N	33	WENNIE LEE			PURCHASER(S):
R R R REPLACET STD RECTRICAL for Built-in Micro DECLINED DECLI	94 SG	GA	EDGE WASA	R	SITE / LOT:
R R R SIERRA PVC WHITE CONFORT HEIGHT NA NA NA H 800-BC R WALL NA NA NA NA NA NA NA	INITIALS	Š.	dentical due to dye lot variances in mar the Vendors's selection must be accep	e to Builders selection but not necessarily in en pre-selected or installed. In this event	olours of all materials are as close as possible onstruction progress some items may have b
R WALL R WALL	INITIALS		ng.	uracy of colour and selections before signi	urchaser has checked and acknowledged acc
R WALL R WALL	INITIALS		e plus costs	are subject to a \$5000 administration fee	ny changes to the colour chart after signing a
R			R	DISCLAIME	APPLICATION OF LINE
R			ECLINED		WATERLINE to Fridge
R R R R R R R R R R R R R			eclined	D	GAS LINE & ELECTRICAL TO DRYER HOOD FAN VENT SIZE
R R R R R R R R R R R R R		ECTRICAL for Built-in Mi		DI	GAS LINE & ELECTRICAL TO STOVE
R		LECTRICAL for Built-in Ov			GAS LINE TO BBQ
R R R R R R R R R R R R R	STATE AND STATES			APPLIAI	
RRAIL NAME ASSOLUTION OF THE PARTY HE P	UPGRADE	BATH ACCESSORIES	100 mg	My object Server Self Control of	Mirrors
RANCE RANCE DECEL EX A 27 HOUNTS RANCE NA NA SIERRA PVC WHITE CONFORT HE H 800-BC NA		STD			Location / Insert / Mantle
R R NACE R NA	日本日本 日本日本		FIREPLACE		
R R R SIERRA PVC WHITE CONFORT HE NA		WARM GREY			PAINT - Throughout
R R R R SIERRA PVC WHITE CONFORT HE NA		STD			Interior Door Hardware
REW DIZAWINE ASSOCIATION NA R R R R R R R R R R R R R R R R R R R		STD			Interior Door HEIGHT
R R SIERRA PVC WHITE CONFORT HE NA R WALL BS STD SIERRA PVC WHITE CONFORT HE A924-38 ### 4924-38 ### 5TD Main Bath - FAU NA NA NA NA NA NA NA NA NA		STD			Lasing/basepoards
R SIERRA PVC WHITE CONFORT HE NA NA NA SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 BS STD Main Bath - FAU NA	THE PERSON NAMED IN		RIM / PAINT	1000年 1000年	
R WALL SIERRA PVC WHITE CONFORT HE NA NA SIERRA PVC WHITE CONFORT HE H800-BC H 800-BC NA NA NA NA NA NA NA NA NA N		Ensuite Bath - FAUCET	STD		Ensuite Bath - SINK(s)
R SIERRA PVC WHITE CONFORT HE BS H800-BC 4924-38 4924-38 STD Main Bath - FAU NA NA NA NA NA NA NA NA NA					Ensuite Bath - COUNTERTOP
R SIERRA PVC WHITE CONFORT HE BS STD SIERRA PVC WHITE CONFORT HE H 800-BC H 900-BC NA NA NA NA NA NA NA NA NA N		H800-BC			Ensuite Bath - HANDLES/KNOBS
R SIERRA PVC WHITE CONFORT HE BS STD SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 4924-38 STD Main Bath - FAU NA NA NA NA NA NA NA NA NA	нт	VHITE COMFORT HEIGH	SIERRA PVC W		Ensuite Bath - CABINETS
R WALL SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 STD NA NA NA NA NA NA NA NA NA N	8 6				Ensuite Bath - SHOWER JAMB
R SIERRA PVC WHITE CONFORT HE BS STD SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 STD Nain Bath - FAU NA NA NA NA NA NA NA NA NA	ONIAL SIACKED	GREV GLOSSY MOSAIC	NEW BYZANTINE ASSURO I		Ensuite Bath - TUB / SHOWER WALL
R	STACKED	SURO 12 X 24 INSTALL	NEW BYZANTINE AS:		Ensuite Bath - FLOORING
R			NA		Shared Bath- SINK(s)
R					Shared Bath- COUNTERTOP
R		NA			Shared Bath- HANDLES/KNOBS
R		NA			Shared Bath- CABINETS
R		NA			Shared Bath- SHOWER JAMB
R WALL R NA R NA SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 STD STD NA NA NA		NA			Shared Bath- SHOWER FLOOR
R NA R NA NA SIERRA PVC WHITE CONFORT HE H 800-BC 4924-38 STD Main Bath - FAU		NA S			hared Bath- TUB / SHOWER WALL
R NA					hand Bath Flooring
R NA NA SIERRA PVC WHITE CONFORT HE BS 4924-38		Bath - FAL	STD		
R R SIERRA PVC WHITE CONFORT HE		4924-38			Main Bath - COUNTERTOP
R NA	=		SIERRA PVC W		Main Bath - CABINETS
R NA		1			Main Bath - SHOWER JAMB
LOB / SHOWEN WALL		NA			Main Bath - SHOWER FLOOR
NIEW BYZANTINE ASSIRO BILIS 12 X 24 INSTAIL	HORIZONTAL STACKED	INSTALL	NEW BYZANTINE ASSURO BLUE 12 X 24	NEW	Main Bath - TUB / SHOWER WALL

Jun 21/22

50-07 OXBOW (Elev. B) R






MAIN FLOOR ELEVATION B

10t 33/

50-07 OXBOW (Elev. B) R






SECOND FLOOR ELEVATION B



50-07 OXBOW (Elev. B) Ri





BASEMENT ELEVATION B

☐ 4220CFY Undermount Sink

Product Specs:

- · Vitreous china
- · Front overflow hole
- Template and mounting hardware supplied

Overall Dimensions (W x D x H):

(OD): 490mm(19¼") x 410mm(16½") x 195mm(75%") (ID): 430mm(17") x 350mm(13¾") x 145mm(5¾")

Compliance Certifications:

Meets or exceeds the following:

- · IAPMO cUPC
- ASME A112.19.2 / CSA B45.1-2013

Shipping:

Cube 1.53 **GW** 19 lbs




Notar

Notes:

Dimensions of fixtures are nominal and may vary within the range of tolerances established by ASME standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.


*Bone and Biscuit available through Direct import (CIF) only.




contrac

5970 Chedworth Way, Unit A, Mississauga, ON, Canada L5R 3V5 www.contrac.ca

Revised: January 2016











APPLIANCE ACKNOWLEDGEMENT

CONTACT: Steve Miller - Appliance Canada (905) 660-2424 / smiller@appliancecanada.com It is the Purchasers responsibility to coordinate delivery, installation and hook up of appliances and to ensure they are installed as per

STANDARD APPPLIANCE OPENINGS provided by Zancor:

modifications have been made to the cabinetry. Standard appliance openings are approximate and the minimum required. Sizes may vary due to onsite condition and/or when

V	
Fridg	
ge O	
)pen	
Ba	

36" x 74"

Stove Opening

Hood Fan Opening

Hood Fan & Vent

Dishwasher Opening

30 301 6" with Under Cabinet Hood



Openings **Initial Accepts Standard

OPTIONAL UPGRADED APPPLIANCES to be provided by Homeowner:

Homes by the due date that has been provided. If appliance specs are not submitted, Zancor Homes will not be responsible for any necessary requirements and the standard opening will be built. are required and it is the responsibility of the homeowner to provide this to Zancon

INITIAL

Upgraded Appliance Specs are DUE 2 WEEKS FROM SIGNED DATE OF COLOUR CHART (if not received during appointment)

Specs that require changes/modifications after this date will not be accepted

NOTE: Any upgraded appliances are to be paid by the Purchaser, directly to the appliances company.

Additional charges to the Purchaser may apply for cabinetry, electrical and plumbing in order to accommodate the specs given by the homeowner.

3/)		SITE	DATE
$\frac{3}{2}$		WASAGA RIVERS EDGE	1 mo 21/22
parately	red & sold se	Built-In Microwave **Trim Kit required **electrical required & sold separately	Built
		Over Then Range Microwave (OTR)	Over
		Warming Drawer **electrical required & sold separately	Warr
		Steam Oven **electrical required & sold separately	Stear
		Double Wall Oven **electrical required & sold separately	**Electrical required Douk
		Single Wall Oven **electrical required & sold separately	UPGRADE Single
		Insert / Liner	WALL OVEN/MICRO
		Chimney Hood Fan **Vent must be centred	Chim
		nch	10 Inch
		8 Inch **Required for 600 CFM	UPGRADE8 Incl
	characts	woh (prob.iii) - coniici wh car out i chair a s soia se	HOOD FAN & VENT
,	enarately	Cookton (Droptin) ** counterton Cut-out required 8, cold congretaly	
Ý	old separate	Cooktop (Apron Front) **Countertop Cut-out required & sold separately	Cook
		Induction **electrical required & sold separately	Induc
	itely	Gas Range **gas line and electrical required & sold separately	Gas R
it required)	8" or 10" ven	48" **Hood Fan opening must be the same size or larger (8" or 10" vent required)	vent 48" *
t be required)	3" vent might	36" **Hood fan opening must be the same size or larger (8" vent might be required)	e e
			RANGE UPGRADE
		erline	Waterline
		Integrated / Flush Inset	Integ
		eled **Panel to match required	Paneled
		-in	Built-in
			FRIDGE UPGRADE

** Any upgrades checked in this appliance form must be accompanied with specs provided by the Purchaser.

**It is the responsibility of the trade to inform the Builder of any discrepancies with specs, sketches, extras and/or colour chart PRIOR to production/installation.



221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948







INTERIOR FINISHES ACKNOWLEDGEMENT / WAIVER

quality where the manufacture, scheduling or delivery of materials may directly impact the Builder's ability to meet its' Purchaser accepts and acknowledges that the Builder reserves the right to substitute materials with those of equal or better contractual obligations under the Agreement of Purchase and Sale.



upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT BE PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an



colour and product variations as well as natural imperfections may exist with the selection of natural stone materials and shall not hold the Vendor liable for provision of same. attention. Stone countertops require regular seal re-application as part of home maintenance. Purchaser acknowledges be cleaned with lemon oil or vinegar. Stones are porous materials, therefore any spilled substance require immediate no two pieces are exactly the same. Variations in colour, tone, granularity (pitting, fissures) and pattern are to be expected, PORCELAIN & NATURAL STONES: Due to the properties of natural stones including but not limited to marble, granite, quartz ncluding various lighting may affect the overall finished look. Stone tops are sealed at time of installation and should never



applicable as per plan. Joints will also be applicable where the length of the counter top exceeds the length of a stone slab STONE COUNTERTOP JOINTS: Purchaser is aware there may be joints in stone counter tops, in kitchens and vanities if



the samples, the purchaser acknowledges that the sample tiles supplied in the Design Centre may not be identical to the materials installed in the home. finished product. Although every effort will be made to ensure the colours and materials selected are as close as possible to CERAMIC TILES: Due to manufacturing, shade (dye lots), product variations may exist that can affect the overall look of the



substantial variations in stain intensity. The purchaser accepts that although the Vendor will do their best to match stain the MAY be shade differences between the two products. unfinished stairs as close as possible to the pre-finished floors, it is not possible to have an identical match and that there Factors including but not limited to wood type, knotting, graining, density, age, humidity, and air temperature can result in STAIR STAINS: Due to the natural properties of wood, many variables can affect the overall look of the finished product



the Builder cannot guarantee the cabinetry finish or provision of certain upgrades and shall not hold the Builder liable for specifications and/or on-site conditions, certain cabinetry upgrades may not be possible. The purchaser acknowledges that type and intensity of lighting in the areas of designated cabinetry placement may also highlight characteristics of cabinetry factors that may affect the overall look of the finished product. Such factors make exact colour matching impossible. The includes but not limited to wood species, wood grain, colour, finish, product variations, and natural imperfections are all CABINETRY: Due to the natural properties of wood, slight variations apparent with cabinetry are to be expected. This All cabinets shall be finished with a white melamine interior box unless a finished interior is upgraded. Due to building





upgrades/extras sheet (PES) and full payment otherwise the selection will be invalid. All colour charts and upgrades/extras will not proceed until verified and signed by an authorized signing officer at the Vendor's head office. CHANGES WILL NOT PERMITTED UPON COMPLETION AND SUBMISSION OF THE COLOUR CHART. UPGRADES/EXTRAS: All upgrades and additional selections indicated on the colour chart must be accompanied by an BE



FLOOR TRANSITIONS: Transition strips will be used between all different floor surfaces



Builders' efforts to install the hardwood flooring materials in keeping with good workmanship, the Builder shall not be flooring once installed in the home. pre-finished product in a controlled environment. Expansion, compression and cupping are characteristics of hardwoo significant factors that make exact colour matching impossible. The purchaser acknowledges that the hardwood flooring is a of the finished product. Variations include but not limited to wood type or laminate finish, colour/stain and wood grain are HARDWOOD / LAMINATE FLOORING: Due to the properties of wood and laminate, many variables can affect the overall look responsible nor held liable for minor variances of fluctuation in hardwood flooring materials. The purchaser acknowledges these may become apparent over time and despite the



HARDWOOD / LAMINATE WAIVER:

onto the floor and in contravention of Ontario Building Code Section 9.30.1.2(1). I/We understand hardwood flooring is classified as a porous material and as such not recommended by the Builder in certain "Finished flooring bathrooms, kitchens, public entrance halls, laundry & general storage areas shall consist of resilien I/We understand there is a concern due to possible water and other substances being frequently splashed or spilled



/We are prepared to assume full responsibility for any damage caused to the hardwood floor or subfloor due to moisture similar degrees of water resistance. flooring, felted-synthetic-fibre floor coverings, concrete, terrazzo, ceramic tile, mastic or other types of flooring providing

absorbency in the mentioned areas, and agree to waive any claims against the Township of residence, TARION and/or the Builder in relation to the matter. **SEE COLOUR CHART FOR LOCATIONS**

DATE

WASAGA RIVERS **EDGE**

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948 5







(Cable, CAT5/6, Telephone) HOME AUTOMATION

INCLUDED IN SCHEDULE "A" IN AGREEMENT OF PURCHASE AND SALE:

- Rough-in for Central Vacuum system piped to garage
- Rough-in for Telephone (2) locations
- Rough-in for Cable TV (2) locations
- Rough-in for Cat-6 Network (3) locations

CONTACT:

locations of the rough-ins for Cable, CAT6, Telephone as included in our Agreement of Purchase I/we the Homeowner(s) have chosen to contact the Home Automation Company to select the

select locations of the standard rough-ins review other optional products for purchase I/we the Homeowner(s) will contact the trade within 4 weeks of the date of this release to

Trade:

Phone:

Email: Location:

> (705) 715-1102 **Zygma Lighting & Automation**

info@zygmainc.ca

11 King Street, Unit 3

Barrie, Ontario L4N 6B5

ACKNOWLDEGEMENT:

Vendors discretion. Zygma Lighting & Automation, locations of the standard rough-ins will be installed as per I/We the homeowner(s) acknowledge that if I/We the homeowners decide to not contact

Homeowner(s) Initial

Homeowner(s) Initial

DATE

SITE

WASAGA RIVERS EDGE

덛

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: (905) 738.7010 F: (905) 738.5948



TILE PATTERN INSTALLATION **RELEASE FORM**



FLOOR TILES

(Large tiles installation for floor and wall) – % Brick

acknowledged on this form* BRICK installation is included as a standard on the \underline{FLOOR} for 12 x 24 tiles and must be noted on the colour chart and

Please be advised it has come to our attention, that due to production, many of the over-sized and odd shaped, manmade tiles (i.e. porcelain & ceramic), have been found to have a slight bow in the tile. It is a standard occurrence with all suppliers and manufacturers.

brick installation that has been recommended. that it be installed in a % brick pattern, to try to avoid lippage. Attached with this letter, you will find a layout of the %It is therefore recommended, that if and when a purchaser requests to install one of these tiles in a brick-joint pattern,

BRICK install - floor locations:

STACKED install - floor locations:

SITE	RIV	STACKED install (vertical) - wall locations:	STACKED install (horizontal) - wall locations: all wash form walls	WALL TILES (Tile installation for walls) — ½ Brick ***BRICK installation on WALLS are NOT INCLUDED. This optional extra must be added to the extras form along with a note on the colour chart Purchaser requests to install small wall tiles on a backsplash or shower wall in a brick-joint pattern, that it be installed on a ½ brick pattern.	Please understand, even in using this ¼ brick installation, there may still be minimal lippage which cannot fully be eliminated. Hence, when there is a request for brick-joint installation, Zancor Homes and their contractor, cannot be held responsible for this matter. Homeowner(s)	
LOT	Homeowner(s) Initial DATE DATE 33		***BRICK install (horizontal)- wall locations:	ptional extra must be added to the extras form along with ower wall in a brick-joint pattern, that it be installed on	ay still be minimal lippage which cannot fully be on, Zancor Homes and their contractor, cannot be formula with the contractor and their contractor, cannot be formula with the contractor and their contractor, cannot be formula with the contractor and the cannot fully be formula with the cannot fu	

221 North Rivermede Road, Concord, Ontario L4K 3N7 * T: {905} 738.7010 F: (905) 738.5948







Stone Countertop Edge Profiles

Where applicable as per site specifications

STANDARD EDGE FOR KITCHEN & VANITIES

Vanity Standard Countertop Edge in Kitchen Standard Countertop Edge in "DPR" ŰŦ,

Homeowner(s) Initial

Optional Edge in Kitchen **OPTION (1) EDGE FOR KITCHEN & VANITIES \$250** Optional Edge in Bathroom Homeowner(s) Initial 0,

OPTION (2) EDGE FOR KITCHEN & VANITIES CUSTOM PRICING

