



INVOICE

Unit #1-1748 Creditstone Road
 Vaughan, ON L4K 5V8
 PHONE: (905) 303-6909
 FAX: (905) 856-5325
 SERVICE TOLL FREE: 1-866-COAST20

Invoice # S03599997	
Date	Page
Jan 24, 2023	Page 1 of 4
Ref #	PO #
ZANCOR INNISFIL	AS PER S WALKER
Date Printed	Time Printed
Jan 24, 2023	8:30 am

Visit our website at WWW.COASTAPPLIANCES.COM

GST# 79494 2516

Bill To: CORTELUCCI, FABRIZIO LOT 212W BELLE AIRE SHORES 1667 CORSAL COURT INNISFIL, ON L9L9L9 (416) 843-7270 (416) 791-9866 SIMONE WALKER

Ship To: Customer 43211 CORTELUCCI, FABRIZIO LOT 212W BELLE AIRE SHORES 1667 CORSAL COURT INNISFIL, ON L9L9L9 (416) 843-7270 (416) 791-9866 SIMONE WALKER

Invoice Type Upgrade	Ship Via 7 Suns Delivery	Payment PREPAID	Salesperson Wayne Wanamaker	Schedule Date Mar 15, 2023
-------------------------	-----------------------------	--------------------	--------------------------------	-------------------------------

FROM	QTY	BRAND	MODEL / ITEM #	DESCRIPTION
513	1 -1	CAFE	CYE22TP2MS1	~36 FRENCH DOOR, CD, SS BMSM 5+ Units 01/05-03/29 Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT - Customer must pay in full once product arrives
513	1 -1	CAFE	CGP95362MS1	Contr Bldrs Allow Fridge Base ~36 GAS COOKTOP, 5 BURNER, SS BMSM 5+ Units 01/05-03/29 Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT - Customer must pay in full once product arrives
513	1 -1	CAFE	CTC912P2NS1	~30 COMBO WALL OVEN, SS BMSM 5+ Units 01/05-03/29 Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT - Customer must pay in full once product arrives
513	1 -1	VENTA	BH234PSLDSS	Contr Bldrs Allow Range Base 34 3/8 LINER INSERT, SS Discount All Ventilation Products are considered Special Order and Non-Returnable. - Make sure to check the product dimensions - Make sure to review Make-Up Air with your contractor
513	1 -1	CAFE	CDT875P2NS1	~24 DISHWASHER, SS BMSM 5+ Units 01/05-03/29



INVOICE

Unit #1-1748 Creditstone Road
 Vaughan, ON L4K 5V8
 PHONE: (905) 303-6909
 FAX: (905) 856-5325
 SERVICE TOLL FREE: 1-866-COAST20

Invoice # S03599997	
Date	Page
Jan 24, 2023	Page 2 of 4
Ref #	PO #
ZANCOR INNISFIL	AS PER S WALKER
Date Printed	Time Printed
Jan 24, 2023	8:30 am

Visit our website at WWW.COASTAPPLIANCES.COM

GST# 79494 2516

Bill To: CORTELUCCI, FABRIZIO LOT 212W BELLE AIRE SHORES 1667 CORSAL COURT INNISFIL, ON L9L9L9 (416) 843-7270 (416) 791-9866 SIMONE WALKER	Ship To: Customer 43211 CORTELUCCI, FABRIZIO LOT 212W BELLE AIRE SHORES 1667 CORSAL COURT INNISFIL, ON L9L9L9 (416) 843-7270 (416) 791-9866 SIMONE WALKER
---	---

Invoice Type Upgrade	Ship Via 7 Suns Delivery	Payment PREPAID	Salesperson Wayne Wanamaker	Schedule Date Mar 15, 2023
-------------------------	-----------------------------	--------------------	--------------------------------	-------------------------------

FROM	QTY	BRAND	MODEL / ITEM #	DESCRIPTION
513	1 1 1 1 -1	WHIRL	WFW560CHW	Special Order - Non Returnable - This includes any delays due to stock availability - Customer must take delivery of product within 2 weeks of arriving at Coast - NON-REFUNDABLE DEPOSIT - Customer must pay in full once product arrives Contr Bldrs Allow D/W Base CCP06BP2PS1 GE CAFE BEVERAGE FRIDGE STAINLESS STEEL GE CAFE 5+ 25% OFF 27 FRONT LOAD WASHER, WH Discount IMPORTANT: Washer door is hinged on the LH side and is not field reversible. Please note that this model has a constrained supply. The timeline for recovery is unknown. Coast is not responsible for future ETA changes that come from the vendor.
513	1 1 -1	WHIRL	YWED5620HW	Contr Bldrs Allow Washer Base 7.4 CU FT, FRONT LOAD DRYER, WH Discount IMPORTANT: Dryer door is hinged on the RH side and is field reversible. - to be completed by 3rd party installer or customer - customer to pay installer direct Please note that this model has a constrained supply. The timeline for recovery is unknown. Coast is not responsible for future ETA changes that come from the vendor.
513	1 1 -1	EZFLO	48372	Contr Bldrs Allow Dryer Base 6 FEET SS BRAIDED HOSE Discount
513	1 1 -1 1 1 1	WHIRL	W10869845	Contr Bldrs Allow Hoses STACKING KIT Discount Contr Bldrs Allow Stacker Base Installation-COMPLETE PKG Builders Allowance

Café™ Energy Star® 22.2 Cu. Ft. Counter-Depth French-Door Refrigerator with Hot Water Dispenser

CYE22TP4MW2 / CYE22TP2MS1 / CYE22TP3MD1



CYE22TP4MW2
Matte White with
Brushed Bronze handles

ALSO
AVAILABLE IN



CYE22TP2MS1
Stainless Steel
with Brushed
Stainless handles



CYE22TP3MD1
Matte Black
with Brushed
Stainless handles



FEATURES & BENEFITS

Create a built-in look with **counter-depth design** that fits flush with surrounding cabinetry.

Steep a relaxing herbal tea or prepare light & fluffy couscous with an adjustable **hot water dispenser** that provides precise temperatures and measurements.

Use your voice or **smart device** to preheat water from your refrigerator while you relax in another part of the house.

Leave the measuring cups in the drawer with a **Precise Fill setting** that dispenses an exact amount of water with just a touch.

Food remains fresh longer with **TwinChill™ evaporators** that accurately maintain and control separate freezer and refrigerator environments.

Keep key ingredients fresh and within sight with a full-width, electronic, **temperature-controlled drawer** that uses an LED lighting system.

Display groceries like a gallery with **showcase LED lighting** positioned throughout the interior to spotlight your favorite foods and containers.

Protect your family and guests with an **advanced water filtration system** that uses RPWFE replacement filters to remove 98% of pharmaceuticals from ice and water*.

*Removes 98% of ibuprofen, atenolol, fluoxetine, progesterone and trimethoprim. These pharmaceuticals are not necessarily in all users' water.

APPEARANCE

Counter-depth design	Yes
Exterior design	Flat doors
Handle design	GE Café
Hidden door hinge(s)	Yes
Textured steel case	Case only—Dark gray

FEATURES

Configuration	French door
WiFi connect	Built-in
Connected capabilities	Amazon Alexa; The Google Assistant; IFTTT
Temperature management features	Turbo Cool setting
Temperature management system	TwinChill™ evaporators
Defrost type	Frost Guard
Control type	External touch color LCD
Dispenser	Large stainless steel; cubes, crushed ice and water
Dispenser features	Hot water; Precise Fill; LCD screen controls; Door alarm; LED dispenser light; Water filter indicator light
Icemaker	Space saving ice
Water filtration	Advanced filtration system (RPWFE); Removes pharmaceuticals; Water filter Indicator Light
Filter location	Left wall
Fresh food cabinet drawers	3 total; 2 adjustable humidity drawers; 1 full-width, adjustable temperature with LED lighting
Fresh food cabinet shelves	5 total—glass with silver trim; 4 split adjustable; 1 full-width; 3 spill proof; 1 Quick Space shelf
Fresh food door bins	6 total (2 adjustable with gallon storage)
Fresh food door features	Dairy compartment; Drop down tray
Fresh food features	Showcase LED lighting (7); Deli pan
Freezer storage baskets	2 full-width
Freezer features	Turbo Freeze; Interior lighting—showcase LED (2)
Exterior style	Counter-depth
Leveling system	2 front leveling legs
Performance features	Easily removable door gaskets; Sabbath Mode capable

CAPACITY

Total capacity (cubic feet)	22.2 cu. ft.
Fresh food capacity	15.0 cu. ft.
Freezer capacity	7.2 cu. ft.

WEIGHTS & DIMENSIONS

Overall depth	31-1/4 in.
Overall height	69-7/8 in.
Overall width	35-3/4 in.
Case depth without door	24-3/8 in.
Depth with door open 90°	43-3/8 in.
Depth without handle	30-1/4 in.
Height to top of case	69 in.
Width with door open 90° including handle	44-3/4 in.
Approximate shipping weight	398 lb.
Net weight	365 lb.

212W
1 of 14

Café™ Energy Star® 22.2 Cu. Ft. Counter-Depth French-Door Refrigerator with Hot Water Dispenser


CYE22TP4MW2 / CYE22TP2MS1 / CYE22TP3MD1



WARRANTY

Parts warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system
Labor warranty	Limited 1-year entire appliance; Limited 5-year sealed refrigerating system
Warranty notes	See written warranty for full details

DIMENSIONS



Height to top of door (in.) A	70-1/2
Height to top of hinge (in.) B	69-7/8
Height to top of case (in.) C	69
Case depth without door (in.) D**	24-3/8
Case depth less door handle (in.) E**	30-1/4*
Case depth with door handle (in.) F**	31-1/4
Depth with fresh food door open 90° (in.) G**	43-3/8
Width (in.) H	35-3/4
Width with door open 90° with door handle (in.) I	44-3/4
Width with doors open fully (in.) J	61-5/8
Min distance between side of case and wall, in either direction, to allow doors to open fully (in.) K	13-1/8
Depth with FZ door completely open (w/o handle) (in.) X	44-1/4
Depth with FZ door completely open (w/ handle) (in.) Y	46-3/4

*Includes hot water knob.
**Water hookup fits in back air clearance when calculating installation depth.

ADDITIONAL ACCESSORIES



CXLB3H3PMBZ
Brushed Bronze
3 handles
(Standard on Matte White)



CXLB3H3PMSS
Brushed Stainless
3 handles
(Standard on Matte Black and Stainless Steel)



CXLB3H3PMBT
Brushed Black
3 handles



CXLB3H3PMCU
Brushed Copper
3 handles

For answers to your Café™ product questions, visit our website at cafeappliances.ca

212W
2014

Café™ Beverage Center

CCP06BP4PW2 / CCP06BP3PD1 / CCP06BP2PS1

CAFÉ

DISTINCT BY DESIGN™



ALSO
AVAILABLE IN



CCP06BP2PS1
Stainless Steel with
Brushed Stainless
handles



CCP06BP3PD1
Matte Black with
Brushed Stainless
handles

CCP06BP4PW2
Matte White with Brushed
Bronze handles



FEATURES & BENEFITS

Total Capacity: 5.1 Cu. Ft.

Capacity: 126 Cans/14 Bottles

ADA Compliant: Yes

Energy Star: Yes

BI capable: Yes

Door Type: Glass

Reversible Door: Yes

Handle: Yes

Shelf Type: 3 Spill Proof/3 Glass/2 Wine Racks

Smart Capable: Yes

Freezer: No

Control Type: Electronic

Internal Lighting: LED Light Wall

Triple Pane Glass Door: The triple pane glass door improves temperature stability, reduces condensation and enhances energy efficiency compared to a double pane glass door.

FEATURES

Control Type	Electronic
Interior Lighting	LED / LED Light Wall
Leveling System	Leveling Legs
Defrost Type	Automatic
Sabbath Mode	Yes

CAPACITY

Total Capacity (cubic feet)	5.1 cu ft
-----------------------------	-----------

WEIGHTS & DIMENSIONS


Approximate Shipping Weight	147 lb
Net Weight	137 lb
Depth Without Handle	23 3/8 in
Overall Depth	26 in
Overall Height	34 1/8 in
Overall Width	23 3/4 in

212W
3 of 14

WARRANTY

Warranty notes	See written warranty for full details
Labor warranty	Limited 1-year entire appliance
Parts warranty	Limited 1-year entire appliance
Parts warranty	Limited 5-year sealed refrigerating system

DIMENSIONS



Overall Dimensions	Height (in.) A	34 1/8
	Width (in.) B	23 3/4
	Depth (in.) C	26
	Case Depth Without Door (in.) D	21 3/4
	Depth Without Handle (in.) E	23 3/8

2/2W

ADDITIONAL ACCESSORIES



CXQW1H1PPBZ
Brushed Bronze
(Standard on Matte White)



CXQW1H1PPSS
Brushed Stainless
(Standard on Matte Black
and Stainless Steel)



CXQW1H1PPBT
Brushed Black



CXQW1H1PPCU
Brushed Copper



CXQW1H1PPFB
Flat Black




CXQW1H1PPCG
Brushed Brass

4 of 14

Café™ Smart Stainless Interior Built-In Dishwasher with Hidden Controls

CDT875P4NW2 / CDT875P3ND1 / CDT875P2NS1



CDT875P4NW2
Matte White with Brushed
Bronze handles



ALSO
AVAILABLE IN



CDT875P3ND1
Matte Black with
Brushed Stainless
handles



CDT875P2NS1
Stainless Steel with
Brushed Stainless
handles

FEATURES & BENEFITS

Ultra Wash & Dry Plus – Expect precision cleaning and superior dryness on fine china, dinnerware and even dishwasher-safe plastics, with exceptional features like Variable-Pressure Jets and Dual-Convection Ultra Dry

Loading Flexibility – Clean up quickly after hosting any event with a dishwasher that accommodates large items – like charcuterie platters – and dishwasher-safe plastics, like storage containers, conveniently in the lower rack

Status Center – Continue conversations without interruption and easily know when extra dinnerware is available via an LCD screen that displays the dishwasher cycle status

Adjustable Upper Racks – You'll have room for your finest stemware and space for tall bakeware with a rack that can be moved two inches up or down, creating ultimate loading flexibility

WiFi – Always have clean dishes ready for surprise guests with WiFi Connect, which lets you operate your dishwasher from your smartphone. Track and automatically reorder detergent and rinse aid with just the tap of an app

Create a look that matches your personal style – Select any combination of premium finishes and hardware options to create a stunning look customized to any owner's taste

APPEARANCE

Door Style	Long Door with Top Controls
Installation	Side Installation or Top Installation Included; Built-Up Floor Capable; Flush Cabinet Installation
Door Appearance	Full-length flat door

FEATURES

Style	Built-In
Tub and Door Liner	Stainless Steel
Tub Type	Tall Tub
Control Type	Top Controls; Cap Touch Controls; 12 Touchpads
Dishwasher Control Features	Cycle Countdown with LCD Status Center on door; Multi function display; Last Cycle Memory; Audible End-of-Cycle Signal
Wash System	3-Level; 800 Series
Wash System Features	Variable Speed Dual Pumps and Motors; Automatic Temperature Control; Drain Pump; Hard Food Disposer with removable fi Reversing Quad Blade Lower Wash Arm; Quad Blade Middle Wash Arm; Deep Clean Silverware Jets; Side Jets; 90+ Spray Jet Wash System; Hidden Heater; Automatic HotStart; Bottle Jets (4)
Sensor	Clean Sensor
Wash Arms	3 Wash Levels; Lower- Reversing Quad Blade; Middle - Quad Blade; Bottle Jets; Jets - Variable Pressure; Deep Clean Silverware Jets
Water Filtration System	100% Filtration with Hard Food Disposer and Removable Filter
Dispenser	Rinse Aid with Indicator and Adjustment; Electronic Low Rinse Aid Sensor
Number of Cycles	5
Dishwasher Cycles	Auto; Pots; Normal; China; Express
Number of Options	10
Dishwasher Options	Delay Start 1-12 Hr.; Hi-Temp Wash; Presoak + Sanitize; Heated Dry Off Normal Dry; Dual Convection Ultra Dry; Wash Zone Upper Only; Wash Zone Lower Only; Start/Reset; Bottle Wash; Lock Controls
Rack Features	2 Utility Shelves with Stem Safe and Chop-stick slots - Upper Ball-Tipped Tines; Adjustable Upper Rack; 3-Piece Silverware Basket with Cell Covers; Full Extension Slides - Upper
Racking Material	Nylon
Rack Color	Black Pearl
Number of Place Settings	Up to 16
Upper Rack	Premium Height Adjustable; Ball-Tip Tines; 2 Stem Safe Shelves; Chop stick slots; 1/2 fi ed tines, 1/2 fold down tines Fixed tines with Bottle Jets; 1 Rack handle
Lower Rack	Ball-Tip Tines; 1/2 fixed tines, 1/2 fold down tines
Additional Protection	Active Flood Protect; Leak Defense with Active Flood Protect
Dishwasher Drying Features	Dual Convection Ultra Dry; Ultra/Normal/Off; Fan Assist Dry
Cutlery Tray	One piece removable 3rd rack
Floor Protection	Leak Defense with Active Flood Protect; Leak Pan with Sensor
Leveling System	3 Point Leveling
Latch	Pull with Handle
Showroom Power Mode	Yes
WiFi Connect	Built-In
Exterior Style	Traditional
Handle Design	Customizable
Racking System	Full 3rd Rack

ECONOMICAL/QUIET

Quiet Package	39 dBA
Quiet Features	Quiet Water Valve; Sealed Toe Kick; Tub Collar Trim
Motor Type	Variable Speed
Outer Wrap	Full-wrap Blanket; Bitumen
Door Insulation	Insulation; Mastic


WEIGHTS & DIMENSIONS

Cabinet Width	24 in
Approximate Shipping Weight	137 lb
Net Weight	124 lb
Overall Height	34 in
Height w/ Legs Retracted - Minimum Height	33-3/8 in
Height w/Legs Extended - Maximum Height	34-5/8 in
Overall Depth	24 in
Overall Width	23-3/4 in


212W
5814

Installation Instructions

BEVERAGE CENTER DIMENSIONS




THE INSTALLATION SPACE



PRODUCT CLEARANCES

When installed in a corner:

- Allow 4" (10 cm) min. clearance on the hinge side for the 90° door swing and to allow racks to slide out.
- Allow 13" (33 cm) minimum clearance on the hinge side for a full 115° door swing.



REMOVE PACKAGING

NOTE: The toekick and door handle (some models) are included in the packaging which covers the top of the unit. A wrench for the handle installation is included in the accessory bag located inside the beverage center.

- Remove tape and glue residue from surfaces before turning on the beverage center. Rub a small amount of liquid dish soap over the adhesive with your fingers. Wipe with warm water and dry.

NOTE: Do not use sharp instruments, rubbing alcohol, flammable fluids, or abrasive cleaners to remove tape or glue. These products can damage the surface of your beverage center. For more information, see "Beverage Center Safety."

- Dispose of/recycle all packaging materials.

⚠ WARNING Small objects are a choke hazard for children. Remove and discard any parts not used.

CLEAN BEFORE USING

After you remove all of the packaging materials, clean the inside of the beverage center before using it. See the cleaning instructions in "Beverage Center Care."

2/2W
6 of 14¹¹

Café™ Smart Stainless Interior Built-In Dishwasher with Hidden Controls

CDT875P4NW2 / CDT875P3ND1 / CDT875P2NS1


TECHNICAL DETAILS

Calrod Heater Watts	1200/400
Power Connection	Optional cord kit (GPFCORD - WX09X70910, WX09X70911)
Volts/Hertz/Amps	120 V; 60 Hz; 10.2 A


WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS



INSTALLATION DIMENSIONS



ADDITIONAL ACCESSORIES



Brushed Bronze
CXADTH1PMBZ
(Standard on Matte White)



Brushed Stainless
CXADTH1PMSS
(Standard on Matte Black and Stainless steel)



Brushed Black
CXADTH1PMBT



Brushed Copper
CXADTH1PMCU


212W
70614

Café™ 36" Built-In Gas Cooktop

CGP95363MS2 / CGP95362MS1

CAFÉ

DISTINCT BY DESIGN™



ADA
COMPLIANT

ALSO
AVAILABLE IN



CGP95362MS1
Stainless Steel with
Brushed Stainless
knobs

FEATURES & BENEFITS

Sear, fry and sauté on a **20,000 BTU triple ring burner**

Enjoy peace of mind with a touch of style thanks to **white LED backlit, heavy-duty knobs** that let you know when a burner is activated at a glance

Get the most from your cooktop and eliminate the need for extra cookware with **an extra-large, integrated cooktop griddle**

When you're updating your kitchen, attention to detail is a priority. That's why Café cooktops are guaranteed for an exact fit or Café Appliances will pay up to \$100 toward modifications

Always get your hollandaise just right with a **simmer burner** that provides low, even heat

Easily move heavy cookware across the surface without worry, thanks to **continuous, cast-iron burners**

Keep your kitchen sparkling, even when there's a spill with **sealed cooktop burners** that contain messes for easy cleanup

Prevent unintended burner activation with **control lock capability**

Enjoy the party without worrying about clean up, thanks to **dishwasher-safe grates**

APPEARANCE

Control Knobs	Dishwasher Safe White LED Backlit
Cooktop Burner Grate Color	Matte Black

FEATURES

Cooktop Burner Type	5 Sealed
Cooktop Surface	Deep Stainless Steel
Ignition System	Electronic
Burner - Left Front	9,500 BTU
Burner - Left Rear	9,500 BTU
Burner - Right Front	15,000 BTU Power Boil
Burner - Right Rear	5,000 BTU
Burner - Center	20,000 BTU Tri-ring Power Boil
Control Type	Knob
Cooktop Control Features	Child Lock
Control Location	Front Center
Cooktop Burner Grate Features	Continuous Grates Dishwasher Safe
Cooktop Burner Grate Material	Edge-to-Edge Grates Heavy Cast
Fuel Type	Natural Gas (factory set)
Valves (Degree of Turn)	270

POWER/RATINGS

Burner BTU Ratings (000's/BTU) - LP Gas	(1) 18.0 (1) 15.0 (2) 9.5 (1) 5.0
Burner BTU Ratings (000's/BTU) - Natural Gas	(1) 20.0 (1) 15.0 (2) 9.5 (1) 5.0
Volts/Hertz/Amps	120V 60Hz 5A

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	57 lb
Cabinet Width	36 in
Cutout Dimensions Width x Depth (In.)	33-7/8 x 19-1/8
Net Weight	51 lb
Overall Depth	21 in
Overall Height	5 1/2 in
Overall Width	36 in

ACCESSORIES

Stainless Steel Cleaner	Included
Griddle	Cast Iron - Included
LP Conversion Kit	Included

2/2W
800/14

Café™ 36" Built-In Gas Cooktop

CGP95363MS2 / CGP95362MS1

CAFÉ

DISTINCT BY DESIGN™

WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION



AGA Requirement: All gas cooktop models require 7/16" free area below cooktop height to combustible material. Requires 18" minimum from countertop to adjacent overhead cabinets.

Note: If installing with Telescopic Downdraft System, consult both cooktop and downdraft installation instructions packed with product before installing. Cooktop gas/electric supply may need to be re-routed to install downdraft.



Electrical Rating: 120V, 60Hz, 5A

Installation With Single Wall Oven Information: 36" Gas cooktops are approved for use over select 30" Wall Ovens and Warming Drawers. Refer to cooktop and wall oven/warming drawer installation instructions packed with product for current dimensional data.

Installation Information: Before installing, consult installation instructions, packed with product, for current dimensional data.



Installation above a wall oven



Dimension and installation information are shown in inches.
*Allow 5-3/4" depth at rear for electrical and gas connections

ADDITIONAL ACCESSORIES



CXCG1K0PMBZ
Brushed Bronze
Knobs



CXCG1K0PMSS
Brushed Stainless
Knobs



CXCG1K0PMBT
Brushed Black
Knobs



CXCG1K0PMCU
Brushed Copper
Knobs


2/2W
9/14

Café™ 30" Combination Double Wall Oven with Convection and Advantium® Technology

CTC912P2NS1

C A F É

DISTINCT BY DESIGN™



FEATURES & BENEFITS

Unmatched versatility to unleash your imagination - Enjoy a whole new level of cooking flexibility with a single oven that can be used in five different ways. Use it as a Convection Oven, Microwave, Toaster Oven, Warming/Proofing Oven, and Precision Cook Oven with Advantium Technology (upper oven).

The perfect marriage of quality and speed - Eliminate the need for preheating and cook your favorite foods two- to four-times faster than a conventional oven (upper oven)

Healthy meals without the fuss - Fresh vegetables and rice are perfectly prepared with a steam cook option that simplifies the entire process (upper oven)

The perfect bake is now perfectly easy - Achieve unrivaled performance with the only system that delivers top-down true convection for consistent results on special occasion favorites like roasts, chicken, turkey and more (lower oven)

The oven rack that handles it all - Easily remove heavy dishes with a roller rack that is specially designed to glide smoothly and stay in the oven during the self-clean cycle, so you never have to handle cumbersome racks again (lower oven)

The perfect fit you've always dreamed of - When you're updating your kitchen, attention to detail is a priority. That's why Café wall ovens are guaranteed for an exact fit or Café Appliances will pay up to \$300 toward modifications.

APPEARANCE

Color Appearance	Stainless Steel
Handle	Brushed Stainless
Handle Design	Café Pro
Installation	Above Warming Drawer

FEATURES

Configuration	Double Oven
Advantium Cooking Modes	Convection Bake (Upper); Microwave (Upper); Proof (Upper); Speedcook (Upper); Warm (Upper)
Cooking System	True European Convection (Lower)
Oven Cleaning Type	Self-Clean with Steam Clean Option (Lower)
Style	Built-In
Cleaning Time	Variable with Delay Clean Option (Lower)
Program Cooking	Over 175 Programmed Menu Selections
Oven Cooking Modes	Convection Bake (Lower); Convection Bake Multi/Single Rack; (Lower); Convection Broil (Lower); Convection Roast (Lower)
Self-Clean Oven Door Lock	Automatic (Lower)
Baking/Speed Cook Pan	Porcelain (Upper)
Control Type	Dial; Glass Touch
Oven Features	10-Pass Bake Element; 8-Pass Broil Element
Oven Rack Features	1 Self-Clean Heavy-Duty Roller Rack; 2 Self-Clean Heavy-Duty Oven Racks; 6 Ladder-Rack Positions (Lower)
Product Type	Double Oven; Microwave Oven Combination
Oven Control Features	Audible Preheat Signal; Auto Recipe Conversion; Certified Sabbath Mode; Control Lock Capability; C° or F° Programmable; Defrost Mode; Delay Clean Option; Delay Start; Electronic Clock & Kitchen Timer (Lower); Hi / Low Broil; Proof Mode; Temperature Probe; Warm Mode
Microwave Sensor Cooking Controls	Cook; Defrost; Express; Reheat
Microwave Watts (IEC-705)	1000.0
Power Levels	10
Turntable Size	16.0
Cooking Technology	Advantium
Fuel Type	Electric
Oven Interior	1 Halogen Interior Oven Light (Upper); 2 Halogen Interior Oven Lights (Lower); Hidden Bake

CAPACITY

Capacity (Cu. Ft.)	1.7 Upper / 5.0 Lower
--------------------	-----------------------

POWER / RATINGS

Amp Rating at 208V	30
Amp Rating at 240V	30
Bake Wattage	2850W
Broiler Wattage	3400W
Convection Wattage	2400W
Electrical Input - 120V Amperage	15
Electrical Input - 120V Watts	1800
KW Rating at 208V	5.4
KW Rating at 240V	7.2

WEIGHTS & DIMENSIONS

Approximate Shipping Weight	235
Net Weight	215
Overall Height	43 3/8
Overall Width	29 3/4
Overall Depth	26 3/4
Cabinet Width	30
Cutout Dimensions (w x h x d) (in.)	28-5/8 x 42-1/4 x 23-1/2
Oven Interior Dimensions (lower)	25 x 17-3/8 x 20-1/4
Oven Interior Dimensions (upper)	20-1/16 x 8-1/2 x 17

ACCESSORIES

Cookbook	Yes (Advantium)
----------	-----------------

212W
10814

Café™ 30" Combination Double Wall Oven with Convection and Advantium® Technology

CTC912P2NS1



WARRANTY

Parts warranty	Limited 1-year entire appliance
Labor warranty	Limited 1-year entire appliance
Warranty notes	See written warranty for full details

DIMENSIONS AND INSTALLATION INFORMATION

Note: Cabinets installed adjacent to wall ovens must have an adhesion spec of at least a 194°F temperature rating.

Installation Information: Before installing, consult installation instructions packed with product for current dimensional data.

Door handle protrudes 3" from door face. Cabinets and drawers on adjacent 45° and 90° walls should be placed to avoid interference with the handle.

Electric wall ovens are not approved for installation with a plug and receptacle. They must be hard wired in accordance with installation instructions.

Note: These ovens are not approved for stackable or side-by-side installations.

ATTENTION INSTALLER: All electric wall ovens must be hard-wired (direct-wired) into an approved junction box. A plug and receptacle is NOT permitted on these products.


NOTE: If the cabinet does not have a solid bottom, two braces or runners must be installed to support the weight of the oven. For single ovens, the runners and braces must support 200 lbs (91 kg). For double ovens, the runners and braces must support 375 lbs. (170 kg).

NOTE: If marks, blemishes or the cutout opening are visible above the installed oven, it may be necessary to add wood shims under the runners and front trim until the marks or opening are covered.

NOTE: If the cabinet does not have a front frame and the sides are less than 3/4" (1.9 cm) thick, shim both sides equally to establish the cutout width.

**CT9800
PT9800
PT7800
JT3800**

CABINET	
A –Overlap of oven at top of cutout	1"
B –Overlap of oven over side of edges of cutout	3/4"
C –Overlap of oven at bottom of cutout	1"
OVEN	
D –Install depth	23-1/2"
E –Overall height with trim	42-3/8"
F –Overall width	29-3/4"



ADDITIONAL ACCESSORIES



CXWD0H0PMBZ
Brushed Bronze
2 handles



CXWD0H0PMSS
Brushed Stainless
2 handles




CXWD0H0PMBT
Brushed Black
2 handles




CXWD0H0PMCUC
Brushed Copper
2 handles

Vent-A-Hood® WALL MOUNT LINER INSERT SPECIFICATIONS

BHSLD LINER Equipped with halogen lighting. Not available with heat lamps.




Connection Diagram (28 3/8" - 40 3/8" Widths)




300 CFM B100 Single Blower (Top View)

Connection Diagram (28 3/8" - 46 3/8" Widths)




600 CFM B200 Dual Blower (Top View)

Connection Diagram (46 3/8" Width)




900 CFM B200 Dual & B100 Single Blower (Top View)




VP562 Transition (Optional) For B300 (B200 Dual Blower & B100 Single Blower)

Recommended Mounting Height*



***Recommended mounting height is for optimum performance.**



VP562/VP563 transition centers outlet over top of hood

Electrical/Mechanical Specifications For Blower Units

Model	Volts	Amps*	Hz	RPM	CFM SP@0.0"	Equivalent CFM*	CFM SP@0.1"	CFM SP@0.2"	CFM SP@0.3"	Minimum Round Duct Size	Sones#
B100 Single	115	1.5	60	1550	300	460	273	245	225	6" (28 in. ²)	5.4
B200 Dual	115	2.9	60	1550	600	900	531	480	430	8" (50 in. ²)	6.5
B200 Dual & B100 Single	115	4.4	60	1550	900	1360	804	725	655	VP562: 10" (79 in. ²)	6.3


* Add 0.5 amp for each halogen light. Hoods are available with halogen lights (2 lights: 30" - 41", 3 lights: 42" - 48").
 * Because the Magic Lung® blower uses centrifugal filtration rather than conventional baffle or mesh filters, the Magic Lung® blower can handle cooking equipment with higher cubic feet per minute (CFM) requirements and can deliver equivalent CFM much more efficiently than other than other filtration systems. When comparing the Magic Lung® with other blower units made by other manufacturers, use the "Equivalent CFM".
 # Ratings in accordance with the Standard Test Code by the Energy Systems Laboratory of the Texas Engineering Experiment Station.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE Rev. 0413A



12 of 14

212W-



5.0 cu.ft I.E.C. Closet-Depth Front Load Washer with Intuitive Controls

WFW560CHW

Available Finishes/Colours

☐ WFW560CHW
White

Dimensions

Depth	31 9/16
Width	27

Controls

LCD Touch Screen	No
LED Color	Blue

Exterior

Lid/Door Lock	Yes
Lid/Door Swing	Left
Window	Yes

Compatibility

Connectivity	No
Works With	No

Match your family's routines and your space with a closet-depth front load washing machine that still offers plenty of room for bulky items at 5.0 cu. ft. I.E.C. capacity. Let the ENERGY STAR® certified washer guide you to the right cycle combinations, like the Sanitize cycle with Oxi, or customize up to 35 of your own with Intuitive Controls.

Top Features

5.0 cu. ft. I.E.C. Capacity

ENERGY STAR® Certified

Intuitive Controls

Controls

Automatic Temperature Controls	Yes
--------------------------------	-----

Control Type Tap Touch

Control Location Front

Electronic Display Type Cycle Indicator Lights with Digital Time Remaining

End of Cycle Signal Yes

Appearance

Window	Yes
LCD Touch Screen	No


Details

Advanced Vibration Control™	No
Automated Dispenser	N/A
Automatic Load Size Sensing Technology	Yes

Manuals & Literature:

 [Energy Guide](#)
 [Installation Guide](#)
 [Use and Care Guide](#)
 [Warranty Information](#)

130614 212W



7.4 cu. ft. Front Load Electric Dryer with Intuitive Touch Controls

YWED5620HW

Available Finishes/Colours

☐ YWED5620HW
White

Dimensions

Depth	31
Height	38 3/4
Width	27

Configuration and Overview

Fuel Type Electric

Appearance

Door Style	Side Swing
Window	Yes
Reversible Door	Yes

Controls

Control Type	Electronic
Feedback-Status Indicators	Check Vent, Cool Down, Damp, Sensing, Wet
Control Location	Front Panel
End of Cycle Signal	Yes

Exterior

Door Style	Side Swing
Window	Yes
Door Opening	Right
Reversible Door	Yes

Misc.

Accessory Relationships	Yes
Home Delivery	Yes
Will Call	Yes

Details

Eco Monitor/Efficiency Monitor	No
Maytag Commercial Components	No
Automatic Dry Control	Yes
Moisture Sensor	Yes

Let the front load electric dryer guide you to the right cycle combinations for whatever you're drying with Intuitive Controls. Advanced Moisture Sensing uses three moisture sensors to help prevent overdrying. The ENERGY STAR® certified electric dryer helps keep wrinkles from setting after the cycle with the Wrinkle Shield™ option.

Top Features

Wrinkle Shield™ Option

7.4 cu. ft. Capacity

Intuitive Controls

Manuals & Literature:

[!\[\]\(89a5017cdd03c2e4afc4be6aed118419_img.jpg\) Energy Guide](#)
[!\[\]\(9c8005138b61d313d59d2c819a03c60a_img.jpg\) Installation Guide](#)
[!\[\]\(84faf6a64ba881654f4f4a30c5d3b397_img.jpg\) Use and Care Guide](#)
[!\[\]\(957999979ccad4528b4f65e0a5162c80_img.jpg\) Warranty Information](#)

14 of 14

212W