
# NQ70M7770DS

## SAMSUNG

# 30" Microwave Combination Wall Oven



## Signature Features

### Steam Cook (Oven)

 Delivers moisture at precise times for a crisp, browned outside and tender inside.

## Speed Cook (Microwave)

Cook food faster and more evenly by using power convection.

### Flex Duo™ (Oven)

with the Smart Divider Cook two dishes at different temperatures simultaneously



Available Colors

**Black Stainless Steel** 

Stainless Steel (shown)



Flex Duo™

### **Features**

- Digital-Analog Controls 1.9/5.1 cu. ft. Capacity
- Hybrid Clean and Self-Clean (Oven)
- Gourmet Cook (Oven)
- **Dual Convection (Oven)**
- Wi-Fi Connectivity

- Wi-Fi Enabled Temperature Probe (Oven)
  LED Spotlights (Oven)
  Easy View Window

- 3 Heavy-Duty Racks including a Gliding Rack (Oven)
  Soft-Close Door (Oven)

- Ceramic Plate (Microwave)
- Rapid Preheat (Oven)
  Auto Latch Microwave Door
- 6 Oven Modes including Steam Bake and Steam Roast Blue LED Illuminated Knobs

- **Broil Element**
- Smart Control Key (Oven) 6 Rack Positions (Oven) Drop-Down Door Design

- LCD Display

### Convenience

- Hidden Heating Element (Oven)
- Sabbath Mode (Oven)
- Delay Start (Oven)
- Proofing (Oven)
- Warming Mode (Oven)
- Kitchen Timer
- Child Safety Lock Convection Conversion

May 30/22

# NQ70M7770DS


# 30" Microwave Combination Wall Oven

# **Cabinet Dimensions**


Combination Oven Installed in Cabinet

\*Junction Box

\*\*Allow a minimum of 22" for clearance
to adjacent corners, drawers, walls, etc.
when door is open.



### **Product Dimensions**



## SAMSUNG

# Total Capacity: 1.9/5.1 cu. ft.

Microwave: 1.9 cu. ft.Wall Oven: 5.1 cu. ft. total, 2.8/2.2 cu. ft.

 Bake: 175°F. Hidden Bake ElementBake: 175°F-550°F

• Convection Bake: 175°F–550°F • Convection Roast: 175°F–550°F

Broil: Low-High

Steam Bake: 230°F-550°FSteam Roast: 230°F-550°F

Proofing

Sabbath Mode

### Warranty

One (1) Year All Parts and Labor

Ten (10) Years Parts Warranty for Magnetron

**Product Dimensions & Weight (WxHxD)**Outside (Max) Combination Oven Dimensions: 29<sup>7</sup>/<sub>8</sub>" x 43<sup>1</sup>/<sub>4</sub>" x 25<sup>11</sup>/<sub>16</sub>"

Combination Oven Cut-Out Dimensions:  $28^{1}/_{2}$ " x  $42^{1}/_{4}$ " x  $23^{1}/_{2}$ "

Weight: 262.4 lbs.

# Shipping Dimensions & Weight (WxHxD) Dimensions: 35<sup>5</sup>/<sub>8</sub>" x 48<sup>3</sup>/<sub>18</sub>" x 29<sup>51</sup>/<sub>64</sub>"

Weight: 291.1 lbs.

### Color Stainless Steel

Black Stainless Steel

Model #
NQ70M7770DS
NQ70M7770DG

887276195186 887276195162 **UPC** Code

240V	BREAK	208V	240V	RATING	
40 Amps	BREAKER SIZE	7.2 kW	9.5 kW		
					· / ,

2087

40 Amps

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric @2018 Samsung Electronics America, Inc. 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG. samsung.cx

6 2B May 2d 23

# **RF23A977ISR**

## SAMSUNG

# and Dual Ice Maker Refrigerator featuring Family Hub™ with Beverage Center 22.5 cu. ft. Smart Counter Depth 4-Door Flex™



### 6 Simple Truths

### What's for dinner?

Food recognition lets you know what's inside your fridge, quickly plan weekly meals, search for recipes, shop for missing ingredients and preheat your oven, all from the Family Hub™.

# I love entertaining friends and family.

a premium speaker. Stream your favorite music apps on the Family Hub™ through

# I don't want to miss my favorite show.

Mirror shows, movies, or live sports from your Samsung TV or smartphone on the Family Hub":

# I love getting more done.

Get a notification on the Family Hub" when the laundry is done

# I want to manage my life with ease.

See who's at the front door, monitor multiple rooms and adjust the thermostat, all from the Family Hub".

# It's the little moments that matter.

Upload pictures or videos remotely, leave handwritten notes and set calendar reminders, all on your Family Hub  $\H$ 



Available Colors

Beverage Center

Fingerprint Resistant Black Stainless Steel

Fingerprint Resistant Stainless Steel (shown)



Dual Ice Maker with Ice Bites

### Design

- Beverage CenterModern DesignBuilt-in Look

### Technology

- Family Hub™Dual Ice Maker with Ice Bites
- and Cubed Ice
- UV Deodorizing Filter

### Performance

- FlexZone™
  Flex Crisper
  Triple Cooling

### Rating







ADA ADA Compliant



# RF23A9771SR

## SAMSUNG


# and Dual Ice Maker 22.5 cu. ft. Smart Counter Depth 4-Door Flex™ Refrigerator featuring Family Hub™ with Beverage Center

# Installation Specifications


- Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, countertop overhang, etc. Check to be sure there is enough room to open the door (consider walls, islands or other obstacles when measuring).
- Refer to illustration below to determine dimensions.
- Allow 2.5" of clearance on hinge side of refrigerator when installing next to a wall where handle may make contact.
- Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Allow a 3/8" minimum clearance at sides and top for ease of installation
- 5. Ensure each door and entryway in the home is wide enough for the refrigerator to be moved through easily.

For optimal usage and ability to open refrigerator doors completely, do not install next to a wall.

Please note: The following dimension and cutout information is for planning purposes only. For complete installation details, consult manual packed with product or download manual online at samsung.com.



### Dimensions



## Total Capacity: 22.5 cu. ft.

## Refrigerator: 13.7 cu. ft.

- 4 Tempered Glass Spill-Proof Shelves 2 Clear Drawers: Flex Crisper and Crisper+
- 6 Door Bins

Left: 1 Gallon Bin, 2 Regular Bins Right: 1 Gallon Bin, 2 Regular Bins

LED Lighting

- Freezer: 8.8 cu. ft.
  Dual Ice Maker in Freezer (Ice Bites or Cubed Ice)
  2 Ice Buckets with Cover and 1 Scoop
  3 Slide-Out Shelves
  6 Door Bins
- LED Lighting

Accessories Water Filter: HAF-QIN

### Warranty

Ten (10) Years Parts and Five (5) Years Sealed Refrigeration System Only\* Five (5) Years Parts and Labor on One (1) Year Parts and Labor on Refrigerator Labor on Digital Inverter Compressor

# **Product Dimensions & Weight**

Dimensions (WxHxD with hinges and doors):  $35^{7}/_{8}$ " x  $71^{7}/_{8}$ " x  $28^{1}/_{2}$ "

Dimensions (WxHxD without hinges and doors):  $35^{7}/_{8}$ " x  $70^{3}/_{4}$ " x 24"

Weight: 337.3 lbs

Shipping Dimensions & Weight (WxHxD) Dimensions:  $38^{1}/_{4}$ " x  $77^{5}/_{8}$ " x  $30^{3}/_{s}$ "

Weight: 359.3 lbs Fingerprint Resistant Model #

RF23A9771SR 887276525792 **UPC** Code

Fingerprint Resistant Black Stainless Steel

RF23A9771SG

887276524818

Stainless Steel

Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
©2021 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

SCO.LIN MONTHAT

# NA36N7755TS

# 36" Gas Cooktop

SAMSUNG



## Signature Features

# 22K True Dual-Power Burner

 Two independent heating burners offer intense heat and precise control to quickly boil water or temper chocolate.

# Analog Controls with Digital Wi-Fi and Bluetooth® Technology

 The ultimate combination of analog comfort and digital technology delivers exceptional cooking performance.

### Cast Iron Griddle

Cook breakfast, grill sandwiches, or sauté vegetables on the removable griddle.

### Available Colors



Stainless Steel (shown)



Fingerprint Resistant Black Stainless Steel



22K True Dual-Power Burner



Cast Iron Griddle

### **Features**

- Bluetooth® Connected to Hood
- Blue LED Lights

- Wi-Fi Connectivity
   Powerful Cooktop

   Right Front: 13K BTU
   Left Front: 9.5K BTU

- Right Rear: 5K BTU Left Rear: 9.5K BTU Center: True Dual, 22K BTU (Brass)

### Convenience

- Wok Grate
- LP Conversion Kit



Sealed BurnersBurner On/Off MonitoringADA Compliant

Cast Iron 3-Piece Grates

ADA ADA Compliant


The Man of the second s


# NA36N7755


## SAMSUNG

## 36" Gas Cooktop

Installation Requirements
Countertop cut-out and minimum clearance dimensions:







### Total Power (BTU)

### Power Source 120V / 60 Hz / 1A

- Right Front:

Gas Cooktop (BTU)

- Left Front: 9.5KRight Rear: 5K SimmerLeft Rear: 9.5K
- Center: 22K (True Dual)

### Warranty

One (1) Year All Parts and Labor

# **Product Dimensions & Weight (WxHxD)**Outside (Max) Cooktop Dimensions: 36" x 5<sup>41</sup>/<sub>72</sub>" x 22<sup>1</sup>/<sub>3</sub>"

Cooktop Cut-Out Dimensions:  $337/_8$ " x  $31/_8$ " x  $191/_8$ "

Weight: 87.7 lbs. (88.4 lbs. Fingerprint Resistant Black Stainless Steel)

Shipping Dimensions & Weight (WxHxD) Dimensions:  $40^{\circ}/_{16}^{\circ} \times 10^{5}/_{8}^{\circ} \times 25^{5}/_{8}^{\circ}$  Weight: 95.9 lbs. (97.2 lbs. Fingerprint Resistant Black Stainless Steel)

# Fingerprint Resistant Black Stainless Steel

Stainless Steel

Color


Model # NA36N7755TS

**UPC Code** 887276281766


NA36N7755TG

887276281759

# Installing Over a Single Oven



- \* This cooktop can be installed above any Samsung single built-in oven. Refer to installation manual of oven.
- Cooktop Dimensions



Actual color may vary. Design, specifications, and color availability are subject to change without notice. Non-metric weights and measurements are approximate.
@2018 Samsung Electronics America, Inc., 85 Challenger Road, Ridgefield Park, NJ 07660. Tel: 800-SAMSUNG, samsung.com. Samsung is a registered trademark of Samsung Electronics Co., Ltd.

De Maria Contacta

### 24" **Pocket** Handle Dishwasher

500 Series - Stainless Steel SHPM65W55N





SHPM65W55N Stainless Steel

Power cord install length from edge of unit when facing the door (in)\*\*

Left - 45" Right - 56"

Minimum water pressure (lb/sin)

14

79"

Frequency (Hz)

Power cord full length

67" 60 Hz Volts (V) Current (A) Watts (W)

120 V

12 Amps

**Technical Details** 

1440 W

rack's loading space. tines let you customize the items, while adjustable accommodate deeper rack allows you to The flexible 3rd

### Features & Benefits

44 dBA: dishwasher runs quietly so your kitchen conversations aren't interrupted.

RackMatic® middle rack maximizes capacity by offering 3 height levels, for 9 possible rack positions.

The EasyGlide™ rack system provides a smooth glide for easier loading & unloading on the upper rack.

Anti-Tarnish Silverware Cassette

SMZ5002UC

SMZEPCC1UC

Dishwasher Accessory Drain Hose Extension Kit Bosch Dishwasher Water Supply Hose

SMZSH002UC

SMZPCJB1UC

SGZ1010UC

SMZ5000

Junction Box

protection system contains leaks through a precisely engineered system, giving you the ultimate peace of mind whether you are The AquaStop® leak away or at home.

16	Capacity  Number of place settings
623.5	Total annual water consumption (g)
269	Total annual energy consumption (kWh)
Yes	ENERGY STAR® qualified
Tier 1	Energy efficiency class
2.9	Water usage per cycle
	Efficiency
InfoLight®, Extra Dry Option	Special features
No	ChildLock
Yes	Five-level wash
No	Water softener
Yes	NSF®-certified* sanitize option
24/7 AquaStop®	Leak protection system
Yes	Concealed heating element
Buttons	Control type
Stainless Steel	Tub material
Rackmatic®	Rack adjustability
Flexible 3rd Rack	Third rack
PureDry	Drying system
44	dBA
G	Number of options
5	Number of wash cycles
	General Properties

Dimensions & Weight Length outlet hose (in)

Required cutout size (HxWxD) (in)

33 7/8" x 23 5/8" x 24"

Net weight (lbs) Adjustable feet

91 lbs

Yes

Accessories-Optional


 $\widehat{\Xi}$ 

Overall appliance dimensions (HxWxD)

33 7/8" x 23 9/16" x 23 3/4"









Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.com www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8/20 CA & COS;

<sup>\*</sup>Certification to NSF/ANSI Standard 184 for residential dishwashers.


\*\*September 2020 running production change to remove adhesive routing clips
for power cord. These clips and the edge protector are now included in the
dishwasher accessory kit # SMZEPCC1UC.


### 24" **Pocket** Handle Dishwasher


500 Series – Stainless Steel SHPM65W55N




## **Installation Details**









Example of an Electrical Receptacle Installation

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warrantles: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.ca or www.bosch-home.com/us or call 1-800-944-2904

® BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.


De John Co


### 24" U ocket **Handle** Dishwasher

500 Series - Stainless Steel SHPM65W55N



### Installation **Details**





Note: Plumbing installations will vary - refer to local codes. Drain hose included is  $79^{\circ}$  (201 cm) and can be extended to a maximum of  $155\ 3/4^{\circ}$  (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, 5at 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.

Warrantles: Please see Use & Care manual or Bosch website for statement of limited warranty.

For more information on our entire line of products, go to www.bosch-home.ca or www.bosch-home.com/us or call 1-800-944-2904

BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

8/20 CA & COSTCO

MOUNTAIN

BLACK STEEL

### LG LAUNDRY

## **WM4500HBA**

and Built-In Intelligence 5.0 cu.ft. Front Load Washer with TurboWash™360°

5.0 cu. ft. Mega Capacity TurboWash™ 360° Technology ezDispense™ Automatic Dispenser Al Fabric Sensor/ Smart Pairing™

AAFA Certified LG washer

LG ThinQ® Technology / Proactive Customer Care

Direct Drive Motor 10-Year Limited Warranty ColdWash™ Technology

ENERGY STAR® Certified

Closet Depth NeveRust™ Stainless Steel Tub and Lifters

AVAILABLE COLORS













G

ThinQ.



works with the Google Assistant





© 2020 LG Electronics US, change without notice. No	
20 LG Electronics USA, Inc, All rights reserved, "LG Life's Good" is a registered trademark of LG Corp. All other product and brand names are trademarks or registered tradem ye without notice. Non-metric weights and measurements are approximate. Some features may require Internet access. Content and services may vary by product and are su	lap Cold
Good" is a registered trademark o s are approximate. Some feature	Axis
of LG Corp. All other product and s may require Internet access. Co	S
\ll other product and brand names are trademarks or registered trademark e internet access. Content and services may vary by product and are subje	Horizontal
registered trademarks of their respecti product and are subject to change with	A STATE OF THE STA
ive owners. Designat notice, 7/22/	SACCOLOR (Digita Freez.)
yn, features and specifications are subject to '20	0100010000
bject to	

dare subject to cno...

Life's Good

LG LAUNDRY

Enjoy new ways to control your home with LG smart appliances

CAPACITY	
Capacity (cu.ft.)	7.4
APPEARANCE	
Design Look	Front Control
Intelligent Electronic Controls with LED Display	
Touch Buttons	
Dial-A-Cycle <sup>TM</sup>	
ENERGY	
ENERGY STAR® Qualified	96
DRYING PROGRAMS	
No. of Programs - 14	Normal, Heavy Duty, Bedding, Small Load, Anti Bacterial, SteamSanitary <sup>N,*</sup> SteamFresh <sup>N,*</sup> Perm Fres, Delicates, Sportswear, Towels, Speed Dry (Manual Dry), Air Dry (Manual Dry), Downloaded
No. of Options - 11	More Time, Less Time, Damp Dry Signal, Wrinkle Care, Control Lock, Wi-Fi, Energy Saver, TurboSteam™, Reduce Static, Remote Start, Drum Light
Temperature Settings	High, Mid High, Medium, Low, Ultra Low
Drying Levels	Very, More, Normal, Less, Damp
Manual Dry Times	60 min, 50 min, 40 min, 30 min, 20 min, More Time/ Less Time
FABRIC CARE FEATURES	
Aldry	
Sensor Dry	

Precise Temperature Control and V
CONVENIENCE FEATURES
3 Minute Installation Check

LoDecibel<sup>™</sup> Quiet Operation End of Cycle Signal

owSense محلد Clogging Indicator Vrinkle Care Option hild ا محلد

Leveling Legs \_\_\_\_\_\_emaining Time Display/Status

4 Way Venting



Al Dry

FlowSense™ Duct Clogging Indicator

SmartDiagnosis™

Touch Control Panel

ENERGY STAR® Qualified Sensor Dry System

SmartThinQ® Technology (Wi-Fi Enabled)

TurboSteam™ Technology

7.4 cu.ft. Capacity Electric Dryer

EX4500B

ThinQ® TECHNOLOGY	THE RESERVE THE PERSON NAMED IN
SmartDiagnosis™ (v3.0)	
Wi-Fi	•
Remote Start and Cycle Monitor	THE PROPERTY OF THE PROPERTY O
Energy Monitoring	
MATERIALS AND FINISHES	
Aluminized Alloy Steel Drum	
Cabinet	Painted Steel
Control Panel	Plastic
Door / Rim	Glass/Chrome (with Dark Black Tinted Square Cover)
All Available Colours	Black Steel (B)
POWER SOURCE	
Ratings	CSA Listed
Electrical Requirements	240V, 30Ams
Type	Electric
OPTIONS	
Pedestal	WDP4B
Pedestal (WxHxD)	27" x 14 1/8" x 28 2/5"
Stacking Kit	KSTK1
DIMENSIONS	
Product (WxHxD)	27" x 38 11/16" x 29 3/4" 51" (With door open)
Carton (WxHxD)	29 1/2" x 42 1/4" x 31 1/4"
Weight (Product/Carton)	136 lbs/155 lbs
LIMITED WARRANTY	
	1 Year Parts and Labour, 10 Years on Drum
UPC CODES	
WM4500HBA	048231026772
DLEX4500B	772454073052
WDP48	048231026451
KSTK1	772454059896

