



Mitek ver 7.4.2



THESE DRAWINGS CONSTITUTE THE PROPERTY OF ALPA ROOF TRUSSES INC., SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY ALPA ROOF TRUSSES INC AND WILL BE RETRACTED BY ALPA ROOF TRUSSES INC IF UTILIZED FOR ANY OTHER PURPOSE.


Mitek ver 7.4.2

ALL CONC FRAMING TO
CONFORM WITH PARTS OF
DRAWING 10-04-00
THAT CROSS MEET OVER
TRUSSES TO BE 2X4 SPF#2@
24" O.C. WITH A VERT. POST TO
TRANSFER LOADS TO THE
NEXT CROSS PT. VERT. POST
LONGER THAN 6" TO HAVE
LATERAL BRACING SO THAT
COMPRESSION MEMBER AND PT. &
BETWEEN JOINS OF BRACING
DOES NOT EXCEED 6'



12" FIN. OH.
RSD HEEL-0" DROP
BELL CURVE BY OTHERS
(2"X6" FASCIA)-F.M
ASPHALT SHINGLES
2"X6" BRG./BRK.
30.9, 3.10.5.7

// LUS24 24
/ LUS26DS 20
O HHUS26-2 4
□ HGUS26-2 1
* THGBH2 2

	Job Track: 37837	Builder / Location: ZANCOR HOMES / KING CITY		Model / Elevation: 50-12 / C		Mitek ver 7.4.2
	Layout ID: 236624	Project: THE CASTLES OF KING CITY				
	Plan Log: 72823	Date: 12/23/2013	Designer: a/			
	THESE DRAWINGS CONSTITUTE THE PROPERTY OF ALPA ROOF TRUSSES INC. SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY ALPA ROOF TRUSSES INC AND WILL BE RETRACTED BY ALPA ROOF TRUSSES INC IF UTILIZED FOR ANY OTHER PURPOSE.					

ALL CONCRETE TRUSSING TO CONFORM WITH PARTS OF THE 2015 INTERNATIONAL BUILDING CODE (IBC) THAT COORDINATE WITH THE 2015 INTERNATIONAL ROOF TRUSSING TO BE 24" SPACING. THE TRUSS UNDERLATH AT JOINTS SHALL BE 1/2" THICK LARGER THAN 4" ON POST LATERAL BRACING SO THAT BRACING IS NOT EXCEED 6'

T.O.P @ 9-10-00
RSD HEEL-0" DROP
4/12

COFF CLG
RSD 17"
@12/12 LP
-INSET 12"

2-2X10 SPF#2
BY OTHERS
(FLUSH)
8/12

18" RSD PLT
18" RSD CEIL.

BEAM(S) A.P.P.
BY OTHERS
(FLUSH)


12" FIN. OH
RSD HEEL-0" DROP
(2"X6" FASCIA)-FM
ASPHALT SHINGLES
2"X6" BRG./BRK.
30.9/3.10.5.7


PIGGYBACK TRS
PURLINES BY OTHERS

4/12 RSD HEEL-18" DROP
T.O.P @ 10-01-00
1/4" HEEL-7 1/4" DROP

2-2X10 SPF#2
BY OTHERS
(FLUSH)

/// LUS24 30
/ LUS26DS 19
O HHUS26-2 5
* THGBH2 1



	Job Track: 37837		Builder / Location: ZANCOR HOMES / KING CITY		Model / Elevation: 50-13 / A		Mitek ver 7.4.2
	Layout ID: 236625						
	Plan Log: 72823		Project: THE CASTLES OF KING CITY		THESE DRAWINGS CONSTITUTE THE PROPERTY OF ALPA ROOF TRUSSES INC. SHALL NOT BE REPRODUCED, PUBLISHED, OR REDISTRIBUTED IN ANY MANNER OR UTILIZED FOR ANY PURPOSE OTHER THAN THE MANUFACTURE OF TRUSSES BY ALPA ROOF TRUSSES INC AND WILL BE RETRACTED BY ALPA ROOF TRUSSES INC IF UTILIZED FOR ANY OTHER PURPOSE.		
			Date: 12/23/2013		Designer: a/		

Mitek ver 7.42

ALL CONC FRAMING TO
CONFORM WITH PARTS OF
THIS DRAWING. ALL TRUSSES
TO BE 2X4 SPF#26
TRUSSES TO BE 2X4 SPF#26
THE TRUSS UNDERNEATH AT
THE JOINTS MUST BE AT LEAST
LONGER THAN 6" TO HAVE
LATERAL BRACING SO THAT
THE TRUSSES DO NOT SLIDE
BETWEEN ROWS OF BRACING
DOES NOT EXCEED 6"

T.O.P@ 9'-10-00
RSD HEEL-0" DROP

COFF CLG
RSD 17"
@12/12 IP
-INSET 12"

